

Product datasheet for **SC326948**

CPA4 (NM_001163446) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	CPA4 (NM_001163446) Human Untagged Clone
Tag:	Tag Free
Symbol:	CPA4
Synonyms:	CPA3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC326948 representing NM_001163446. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTGAAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGGTGGATACTGTTTCATTGGGGCCCTTATTGGGTCCAGCATCTGTGGCCAAGAAAAATTTTGGG
GACCAAGTTTTGAGGATTAATGTCAGAAATGGAGACGAGATCAGCAAATTGAGTCAACTAGTGAATTC
AACAACTGAAGCTCAATTTCTGAAATCTCCCTCCTCCTTCAATCGGCCTGTGGATGTCCTGGTCCCA
TCTGTCAGTCTGCAGGCATTTAAATCCTCCTGAGATCCCAGGGCTTAGAGTACGCAGTGACAATTGAG
GACCTGCAGATTTACCACGAGATGGACAACATTGCCGCACTTTCTGACCTGGCGAGGAGGGTGAAG
ATTGGACATTCGTTTAAAACCGCCGATGTATGTACTGAAGTTCAGCACTGGGAAAGCGTGAGGCGG
CCGGCCGTTTGGCTGAATGCAGGCATCCATCCCGAGAGTGGATCTCCAGGCCACTGCAATCTGGACG
GCAAGGAAGATTGTATCTGATTACCAGAGGGATCCAGCTATCACCTCCATCTTGGAGAAAATGGATATT
TTCTTGTGCTGTGGCCAATCCTGATGGATATGTGTATACTCAAACCTAAAACCGATTATGGAGGAAG
ACGCGGTCCCGAAATCCTGGAAGCTCCTGCATTGGTGTGCTGACCCAAATAGAACTGGAACGCTAGTTTT
GCAGGAAAGGGAGCCAGCGACAACCTTGCTCCGAAGTGTACCATGGACCCACGCCAATTCGGAAGTG
GAGGTGAAATCAGTGGTAGATTTTCATCCAAAACATGGGAATTTCAAGGGCTTCATCGACCTGCACAGC
TACTCGCAGCTGCTGATGTATCCATATGGTACTCAGTCAAAAAGGCCCCAGATGCCGAGGAACTCGAC
AAGGTGGCGAGGCTTGCGGCCAAAGCTTGCTTCTGTGTCGGCACTGAGTACCAAGTGGTCCCACC
TGCAACTGTCTATCCAGCTAGCGGGAGCAGCATCGACTGGGCGTATGACAACGGCATCAAATTTGCA
TTCACATTTGAGTTGAGAGATACCGGGACCTATGGCTTCTCCTGCCAGCTAACCCAGATCATCCCCACT
GCAGAGGAGACGTGGCTGGGCTGAAGACCATCATGGAGCATGTGCGGGACAACCTCTACTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_001163446

Insert Size: 1167 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001163446.1](#)

RefSeq Size: 2718 bp

RefSeq ORF: 1167 bp

Locus ID: 51200

UniProt ID: [Q9UI42](#)

Cytogenetics: 7q32.2

Protein Families: Druggable Genome, Protease, Secreted Protein

MW: 43.6 kDa

Gene Summary: This gene is a member of the carboxypeptidase A/B subfamily, and it is located in a cluster with three other family members on chromosome 7. Carboxypeptidases are zinc-containing exopeptidases that catalyze the release of carboxy-terminal amino acids, and are synthesized as zymogens that are activated by proteolytic cleavage. This gene could be involved in the histone hyperacetylation pathway. It is imprinted and may be a strong candidate gene for prostate cancer aggressiveness. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (2) lacks an alternate in-frame exon in the coding region, compared to variant 1, resulting in an isoform (2) that is shorter than isoform 1. The encoded isoform (2) lacks a portion of the activation peptide and the carboxypeptidase A4 chain, and lacks the intervening cleavage site compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.