

Product datasheet for **SC326970**

NRG1 (NM_001160008) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	NRG1 (NM_001160008) Human Untagged Clone
Tag:	Tag Free
Symbol:	NRG1
Synonyms:	ARIA; GGF; GGF2; HGL; HRG; HRG1; HRGA; MST131; MSTP131; NDF; NRG1-IT2; SMDF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC326970 representing NM_001160008. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTGAAACCGTCAGAATTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGTCCGAGCGCAAAGAAGGCAGAGGCAAAGGGCAAGAAGAAGGAGCGAGGCTCCGGCAAGAAG
CCGGAGTCCGGCGGGCAGCCAGAGCCAGCCTTGCCTCCCGATTGAAAGAGATGAAAAGCCAGGAA
TCGGCTGCAGGTTCCAACTAGTCTTCGGTGTGAAACCAAGTTCTGAATACTCCTCTCAGATTCAAG
TGGTTCAAGAATGGGAATGAATTGAATCGAAAAACAAACCACAAAATATCAAGATACAAAAAGCCA
GGGAAGTCAGAATTCGCATTAACAAAGCATCACTGGCTGATTCTGGAGAGTATATGTGCAAAGTGATC
AGCAAATTAGGAAATGACAGTGCCTCTGCAATATCACCATCGTGAATCAAACGAGATCATCACTGGT
ATGCCAGCCTCAACTGAAGGAGCATATGTGTCTTCAGAGTCTCCATTAGAATATCAGTATCCACAGAA
GGAGCAAATACTTCTTCTACATCTACATCCACCACTGGGACAAGCCATCTTGTAAAAATGTGCGGAG
AAGGAGAAAATTTCTGTGTGAATGGAGGGGAGTGCTTCATGGTGAAGACCTTTCAAACCCCTCGAGA
TACTTGTGCAAGTGCCCAAATGAGTTTACTGGTGATCGTGCCAAAACACGTAATGGCCAGCTTCTAC
AAGGCGGAGGAGCTGTACCAGAAGAGAGTGCTGACCATAACCGGCATCTGCATCGCCCTCCTTGTGGTC
GGCATCATGTGTGGTGGCCTACTGAAAACCAAGAAACAGCGGAAAAAGCTGCATGACCGTCTTCGG
CAGAGCCTTCGGTCTGAACGAAACAATATGATGAACATTGCCAATGGGCCTCACCATCCTAACCCACC
CCCGAATGTCCAGCTGGTGAATCAATACGTATCTAAAAACGTCATCTCCAGTGAGCATATTGTTGAG
AGAGAAGCAGAGACATCTTTCCACCAGTCACTATACTTCCACAGCCCATCACTCCACTACTGTACC
CAGACTCCTAGCCACAGCTGGAGCAACGGACACTGAAAGCATCCTTTCCGAAAGCCACTCTGTAATC
GTGATGCATCCGTAGAAAAAGTAGGCACAGCAGCCAACTGGGGGCCAAAGAGGACGTCTTAATGGC
ACAGGAGGCCCTCGTGAATGTAACAGCTTCTCAGGCATGCCAGAAAACCCCTGATTCTACCGAGAC
TCTCCTCATAGTGAAGGTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```



Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001160008

Insert Size: 1263 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001160008.1](#)

RefSeq Size: 2377 bp

RefSeq ORF: 1263 bp

Locus ID: 3084

UniProt ID:	<u>Q02297</u>
Cytogenetics:	8p12
Protein Families:	Druggable Genome, Secreted Protein, Transcription Factors, Transmembrane
Protein Pathways:	ErbB signaling pathway
MW:	46.2 kDa
Gene Summary:	<p>The protein encoded by this gene is a membrane glycoprotein that mediates cell-cell signaling and plays a critical role in the growth and development of multiple organ systems. An extraordinary variety of different isoforms are produced from this gene through alternative promoter usage and splicing. These isoforms are expressed in a tissue-specific manner and differ significantly in their structure, and are classified as types I, II, III, IV, V and VI. Dysregulation of this gene has been linked to diseases such as cancer, schizophrenia, and bipolar disorder (BPD). [provided by RefSeq, Apr 2016]</p> <p>Transcript Variant: This variant (HRG-beta2b), which uses the type I promoter, lacks an alternate in-frame exon in the central coding region, and it also contains alternate 3' exon structure resulting an in early stop codon and alternate 3' UTR, compared to variant HRG-beta1. The resulting isoform (HRG-beta2b) lacks an internal segment and is shorter at the C-terminus, compared to isoform HRG-beta1.</p>