

Product datasheet for **SC327057**

PDE1B (NM_001165975) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PDE1B (NM_001165975) Human Untagged Clone
Tag:	Tag Free
Symbol:	PDE1B
Synonyms:	HEL-S-79p; PDE1B1; PDES1B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC327057 representing NM_001165975.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGGCAAACCTGTTCTGTTCAGAGGAGCCACCTCCAGGGCCCCATTCTCAGGCTGCGCTACATGGTG
AAGCAGTTGGAGAATGGGGAGATAAACATTGAGGAGCTGAAGAAAAATCTGGAGTACACAGCTTCTCTG
CTGGAAGCCGTCTACATAGATGAGACACGGCAAATCTTGACACGAGGACGAGCTGCAGGAGCTGCGG
TCAGATGCCGTGCCTTCGGAGGTGCGGGACTGGCTGGCTCCACCTTCACCCAGCAGGCCCGGGCCAAA
GGCCGCCGAGCAGAGGAGAAGCCCAAGTCCGAAGCATTGTGCACGCTGTGCAGGCTGGGATCTTCGTG
GAACGGATGTTCCGGAGAACATACACCTCTGTGGGCCCACTTACTCTACTGCGGTTCTCAACTGTCTC
AAGAACCTGGATCTCTGGTGCTTTGATGTCTTTTCTTGAACCAGGCAGCAGATGACCATGCCCTGAGG
ACCATTGTTTTGAGTTGCTGACTCGGCATAACCTCATCAGCCGTTCAAGATCCCCTGTGTTTTTG
ATGAGTTTCTGGATGCCTTGAGACAGGCTATGGGAAGTACAAGAATCCTTACCACAACAGATCCAC
GCAGCCGATGTTACCCAGACAGTCCATTGCTTCTTGTCTCCGACAGGGATGGTGCCTGTGCGGAG
ATTGAGCTCCTGGCCATCATCTTTGCTGCAGCTATCCATGATTATGAGCACAGGGCACTACCAACAGC
TTCCACATCCAGACCAAGTCAGAATGTGCCATCGTGTACAATGATCGTTCAGTGCTGGAGAATCACCAC
ATCAGCTCTGTTTTCCGATTGATGCAGGATGATGAGATGAACATTTTCATCAACCTCACCAAGGATGAG
TTTGTAGAACTCCGAGCCCTGGTCATTGAGATGGTGTGGCCACAGACATGTCCTGCCATTTCCAGCAA
GTGAAGACCATGAAGACAGCCTTGCAACAGCTGGAGAGGATTGACAAGCCCAAGGCCCTGTCTCTACTG
CTCCATGCTGCTGACATCAGCCACCCAACCAAGCAGTGGTTGGTCCACAGCCGTTGGACCAAGGCCCTC
ATGGAGGAATCTTCCGTCAGGGTGACAAGGAGGCAGAGTTGGCCTGCCCTTTTCTCCACTCTGTGAC
CGCACTTCCACTCTAGTGGCACAGTCTCAGATAGGGTTCATCGACTTCATTGTGGAGCCCACTTCTCT
GTGCTGACTGACGTGGCAGAGAAGAGTGTTCAGCCCTGGCGGATGAGGACTCCAAGTCTAAAAACAG
CCCAGCTTTCAGTGGCGCCAGCCCTCTCTGGATGTGGAAGTGGGAGACCCCAACCCTGATGTGGTCAGC
TTTCGTTCCACTGGGTCAAGCGCATTCAAGAGAATAAGCAGAAATGGAAGGAACGGGCAGCAAGTGGC
ATCACCAACAGATGTCCATTGACGAGCTGTCCCCTGTGAAGAAGAGGCCCCCCCATCCCTGCCGAA
GATGAACACAACCAGAATGGGAATCTGGATTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001165975

Insert Size:	1551 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001165975.2
RefSeq Size:	3107 bp
RefSeq ORF:	1551 bp
Locus ID:	5153
UniProt ID:	Q01064
Cytogenetics:	12q13.2
Protein Families:	Druggable Genome
Protein Pathways:	Calcium signaling pathway, Progesterone-mediated oocyte maturation, Purine metabolism
MW:	59.1 kDa
Gene Summary:	<p>The protein encoded by this gene belongs to the cyclic nucleotide phosphodiesterase (PDE) family, and PDE1 subfamily. Members of the PDE1 family are calmodulin-dependent PDEs that are stimulated by a calcium-calmodulin complex. This PDE has dual-specificity for the second messengers, cAMP and cGMP, with a preference for cGMP as a substrate. cAMP and cGMP function as key regulators of many important physiological processes. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jul 2011]</p> <p>Transcript Variant: This variant (2) contains a distinct 5' UTR, lacks part of the 5' coding region, and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (2) has a shorter and distinct N-terminus, compared to isoform 1.</p>