

## Product datasheet for **SC327222**

### **KDM4C (NM\_001146695) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	KDM4C (NM_001146695) Human Untagged Clone
Tag:	Tag Free
Symbol:	KDM4C
Synonyms:	GASC1; JHDM3C; JMJD2C; TDRD14C
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001146695, the custom clone sequence may differ by one or more nucleotides

```

ATGGAGGTGGCCGAGGTGGAAGTCCTCTGAACCCAGCTGTAAGATAATGACCTTCAGA
CCCTCCATGGAGGAGTTCGGGGAGTTCAACAAATACCTTGCATACATGGAGTCTAAAGGA
GCCCATCGTGCGGGTCTTGCAAAGGTGATTCTCCTAAGGAGTGGAAAGCAAGACAGTGC
TATGATGACATTGATAATTTGCTCATTCCAGCACCAATTCAGCAGATGGTCACAGGGCAG
TCAGGACTGTTCACTCAGTACAACATCCAGAAAAAGCGATGACTGTGAAGGAGTTCAGG
CAGCTGGCCAACAGTGGCAAATATTGACTCCAAGATACTGGATTACGAAGATTTGGAG
CGCAAGTACTGGAAGAACTTAACTTTTGTGGCACCTATCTATGGTGCAGATATTAATGGG
AGCATATATGATGAGGTGTGGATGAATGGAACATAGCTCGCCTCAATACAGTCTTGGAT
GTGGTTGAAGAAGAGTGTGGCATTCTATTGAGGTGTAATACCCCATATCTCTATTTT
GGCATGTGGAAGACCACGTTTGCATGGCACACCGAAGACATGGACCTCTATAGCATTAAAT
TATCTCCACTTTGGAGAGCCCAAGTCTTGGTATGCTATACCTCCGGAGCATGGAAAACGA
CTTGAAAGACTAGCTCAAGGTTTTTCCCAAGCAGCTCCCAAGGGTGTGATGCATTTCTT
CGCCACAAGATGACATTGATTTTCCATCAGTATTGAAGAAATATGGTATTCCTTTGAC
AAGATAACCCAGGAGGCTGGAGAATTCATGATCACTTTCCCATATGGCTACCATGCTGGT
TTAATCATGGTTTCAACTGTGCAGAATCTACAAATTTGCTACTGTGAGATGGATTGAC
TATGAAAAGTTGCCAAATTTGTGCACTTGCAAGAAAGACATGGTGAAGATTTCAATGGAT
ATCTTTGTGAGGAAATTTAGCCAGACAGATATCAGCTTTGAAAACAAGGAAAGGATATA
TACACCATTGATCACACGAAGCCTACTCCAGCATCCACCCTGAAGTAAAAGCATGGCTG
CAGAGGAGGAGGAAAGTAAGAAAAGCATCCCGAAGCTTCCAGTGTGCTAGGTCTACCTCT
AAAAGGCCAAGGCTGATGAGGAAGAGGAAGTGCAGATGAAGTCGATGGGCAGAGGTC
CCTAACCCGACTCAGTACAGATGACCTCAAGGTCAGTGAAGTGCAGAAAGTCAGAAGCAGCATG
AAGCTGAGGAACACAGAAGCATCTTCAGAAGAAGAGTCATCTGCTAGCAGGATGCAGGTG
GAGCAGAATTTATCAGATCATATCAAACCTCAGGAAACAGCTGCTTAAAGTACATCTGTA
ACAGAAGACATAAAAACTGAGGATGACAAAAGCTTATGCATATAGAAGGTACCTTCTATA
TCCAGTGAAGGCTGATGATTCCATTCCATTGTCTAGTGGCTATGAGAAGCCCGAGAAATCA
GACCCATCCGAGCTTTCATGGCCAAAGTCACCTGAGTCATGCTCATCAGTGGCAGAGAGT
AATGGTGTGTTAACAGAGGGGAGAAGAGAGTGTGAGAGGCCATGGGAATGGCCTTGAA
CCTGGGAAATCCAGCGGTCCCAGTGGAGAGAGAAATAGCTTCAAAGTCCCAGTATA
GCAGAGGAGAGAAACAACTCTAAGAGTTGGCGCCATCCACTTAGCAGGCCTCCAGCA
AGATCTCCGATGACTCTTGTGAAGCAGCAGGCGCCAAGTATGAAGAATTGCCTGAGGTT
CTGTCCATTGAGGAGGAAGTGAAGAAACAGAGTCTTGGGCGAAACCTCTCATCCACCTT
TGGCAGACGAAGTCCCCTAACTTCGAGCTGAGCAAGAGTATAATGCAACAGTGGCCAGG
ATGAAGCCACACTGTGCCATCTGCACTCTGCTCATGCCGTACCACAAGCCAGATAGCAGC
AATGAAGAAAATGATGCTAGATGGGAGACAAAATAGATGAAGTCGTTACATCGGAGGGA
AAGACTAAGCCCCTCATACCAGAGATGTGTTTTATTTATAGTGAAGAAAATATAGAATAT
TCTCCACCAATGCCTTCTTGAAGAGGATGGAACAAGTCTCCTTATTTCTGTGCAAG
TGCTGCGTACGGGTTTATGCAAGTTGTTATGGTATTCTTCTCATGAGATCTGTGATGGA
TGCTGTGTGCCGGTGCAAAAGAAATGCGTGGACAGCAGAATGCTGTCTCTGCAATTTG
AGAGGAGGTGCTTAAAGCAAACGAAGAACAATAAGTGGGCCATGTCATGTGCGCGGTT
GCGGTCCAGAAAGTTCGATTCACTAATGTCCAGAAAGGACACAAATAGATGTAGGCAGA
ATACCTTTACAGAGGTTAAAATTGGGAAGGCTGGGAATC

```

**Restriction Sites:** Please inquire

**ACCN:** NM\_001146695

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001146695.1</a></u> , <u><a href="#">NP_001140167.1</a></u>
<b>RefSeq Size:</b>	3850 bp
<b>RefSeq ORF:</b>	2442 bp
<b>Locus ID:</b>	23081
<b>UniProt ID:</b>	<u><a href="#">Q9H3R0</a></u>
<b>Cytogenetics:</b>	9p24.1
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Gene Summary:</b>	<p>This gene is a member of the Jumonji domain 2 (JMJD2) family. The encoded protein is a trimethylation-specific demethylase, and converts specific trimethylated histone residues to the dimethylated form. This enzymatic action regulates gene expression and chromosome segregation. Chromosomal aberrations and changes in expression of this gene may be found in tumor cells. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2015]</p> <p>Transcript Variant: This variant (3) lacks multiple 3' coding exons and contains an alternate 3' terminal exon, resulting in a different 3' coding region and 3' UTR, compared to variant 1. The resulting protein (isoform 3) has a distinct C-terminus and is shorter than isoform 1.</p>