

Product datasheet for **SC327305**

Acinus (ACIN1) (NM_001164815) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Acinus (ACIN1) (NM_001164815) Human Untagged Clone
Tag:	Tag Free
Symbol:	ACIN1
Synonyms:	ACINUS; ACN; fSAP152
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001164815, the custom clone sequence may differ by one or more nucleotides

```

ATGTGGAGACGGAAACATCCGAGGACATCCGGAGGAACCCGGGGAGTTCTGAGTGGTAAT
CGAGGGGTAGAGTATGGCAGTGGGCGGGTCATCTCGGTACGTTTGAAGGGCGTTGGCGG
AAATTACCGAAGATGCCCGAAGCCGTCGGGACGGACCCGAGTACCTCACGCAAGATGGCG
GAGCTGGAGGAGGTGACTCTGGACGGGAAGCCTCTTCAGGCGCTGCGGGTGACCGACCTG
AAGGCCGCACTGGAGCAGCGAGGCTAGCCAAGAGCGGGCAGAAGAGTGCCTGGTCAAG
CGGCTCAAAGGGGCTCTAATGCTAGAAAATTTACAGAACTCAACACCCCATGCTGCA
TTCCAGCCAAATCCCAGATTGGTGAGGAAATGAGCCAGAACAGTTTCATAAAACAGTAT
CTGAAAAAGCAGCAGGAGCTACTTAGGCAGCGTCTGGAACGTGAAGCTCGAGAAGCTGCA
GAACCTGAAGGAAAAAGCTCCTCAATTTCTGAAGAGAAAGGTGACTCTGATGATGAGAAA
CCAAGGAAAGGAGAAAGACGATCATCTAGGGTCAGACAGGCAAGAGCAGCTAAACTGTCT
GAGGGCAGCCAACCTGCTGAGGAGGAAGAGGATCAAGAAACACCTTCCAGAAACCTAAGG
GTCAGAGCAGATCGAAATTTGAAAAAGAGGAGGAAGAAGAGGAGGAGGAGGAGGAGGAA
GAAGATGATGAAGAAGAGGAAGGTGATGATGAGGGACAAAAATCTAGGGAGGCACCAATC
CTGAAAGAGTTTAAAGGAAGAAGGGGAAGAGATACCTAGAGTAAAACAGAGGAGATGATG
GATGAGAGACCCAAAAACAAGATCCCAGGAACAGGAGGTGTTAGAGAGAGGAGGGAGATTT
ACAAGATCCCAGGAAGAGGCTAGAAAAAGTCATCTGGCCAGACAGCAGCAGGAGAAGGAA
ATGAAAAACAACATCTCCCTTGAGGAGGAAGAAGAGAAATAAAATCTTCAAGGCTTA
AAGGAAAAATCGAAGTCTCCTTCCCTCGACTGACTGAAGATCGAAAGAAAGGCCTCA
CTTGATAGCGCTGCCAGAGCAAATGCCAGCGAGGAGGAGACTCCTCCACCTTTACTAACA
AAGGAAGCATCTTCTCCACCACCTCATCCACAGCTCCATAGCGAAGAAGAAATAGAGCCC
ATGGAAGGCCAGCCCCCTGTCTCATTAGTTATCTCCTCTAATACAGATGCTGAC
ACCAGGGAGCTATTAGTATCTCAGCATACTGTCCAGTTGGTAGGAGGCCTGTCTCCTTTG
TCAAGTCTTTCAGACACCAAAGCAGAATCTCCAGCAGAGAAAGTCCAGAGGAGAGTGTCT
CTGCTCTGGTTCAAGAAAGCACACTGGCTGACTACTCAGCCCAGAAAGGATCTTGAACCT
GAGTCAGACAGATCTGCTCAGCCCTCCTCTAAAAATTGAGGAATTAGCACTGGCCAAA

```



[View online »](#)

GGAATCACTGAAGAATGTCTGAAACAGCCATCTTTGGAACAGAAGGAAGGCAGAAGAGCT
 TCTCATACCCCTTCTCCAAGCCACAGATTGAAACAGTCAGCTGATTATCCTCTAGCCGG
 TCCTCCTCATCTTCTCCTCCAGTTCTAGATCAAGATCTCGCTCTCCTGACAGTTCAGGT
 TCTCGGTCTATTACCAGCTCAGATCCAAGCAGAGAGATGTAGCCAGGCACGTAATCAT
 GCCAACCTCGTGGTAGACCCAAGATGGGCTCCAGATCAACATCAGAGTCCAGATCAAGG
 TCACGTTACGTTCTCGTTCAGCATCAAGCAACAGCAGAAAATCTCTGAGCCCTGGAGTC
 TCCAGGGACAGCAGCAGCAGCTATACTGAAACCAAGATCCCTCTTCTGGTCAGGAGGTT
 GCAACTCCACCAGTGCCCAACTGCAGGTCTGTGAGCCAAAGGAGAGACTTCCACCTCC
 TCATCCTCTGTCCAAGCAAGGCGTCTGAGTCAGCCTGAATCAGCTGAAAAGCATGTGACC
 CAGAGGTTACAGCCTGAGCGGGGAGCCAAAGAAGTGTGAAGCTGAAGAGGCAGAGCCA
 CCAGCTGCCACACAGCCCAACCTCAGAGACTCAGACCTCTCATCTGCCAGAATCAGAA
 AGAATTCATCACACTGTTGAGGAGAAGGAGGAAGTGACCATGGACACAAGTGA AACAGA
 CCTGAAAATGATGTTCCAGAACCTCCCATGCCTATTGCAGACCAAGTCAGCAATGATGAC
 CGCCCGGAGGGCAGTGTGAAGATGAGGAGAAGAAAGAGAGCTCGCTGCCAAATCATT
 AAGAGGAAGATCTCCGTTGTCTCAGCTACCAAGGGGGTCCAGCTGGAACAGTGACACA
 GAGGGGGCCAGCCTGGTCGAAACGACGCTGGGGAGCCAGCACAGCCACCACACAGAAG
 AAACCTTCCATCAGTATCACCCTGAATCACTAAAGAGCCTCATCCCCGACATCAAACCC
 CTGGCGGGCAGGAGGCTGTTGTGGATCTTCATGCTGATGACTCTCGCATCTCTGAGGAT
 GAGACAGAGCGTAATGGCGATGATGGGACCCATGACAAGGGGCTGAAAATATGCCGGACA
 GTCACCTCAGGTAGTACCTGCAGAGGGCCAGGAGAATGGGCAGAGGGAAGAAGAGGAAGAA
 GAGAAGGAACCTGAAGCAGAACCTCCTGTACCTCCCAGGTGTCAGTAGAGGTGGCCTTG
 CCCCCACCTGCAGAGCATGAAGTAAAGAAAGTGACTTTAGGAGATACCTTAACTCGACGT
 TCCATTAGCCAGCAGAAGTCCGGAGTTTCCATTACCATTGATGACCCAGTCCGAAGTCC
 CAGGTGCCCTCCCACCCCGGGCAAGATTAGCAACATTGTCCATATCTCCAATTTGGTC
 CGTCTTTTCACTTAGGCCAGCTAAAGGAGTTGTTGGGGCGCACAGGAACCTTGGTGAA
 GAGGCTTCTGGATTGACAAGATCAAATCTCATTGCTTTGTAACGTAACACAGTAGAG
 GAAGCTGTTGCCACCCGCACAGCTCTGCACGGGGTCAAATGGCCCCAGTCCAATCCCAAA
 TTCCTTTGTGCTGACTATGCCGAGCAAGATGAGCTGGATTATCACCGAGGCCTCTTGGTG
 GACCGTCCCTCTGAAACTAAGACAGAGGAGCAGGGAATACCACGGCCCTGCACCCCCA
 CCCCCACCCCGTCCAGCCACCACAGCACCCCGGGCAGAGCAGCGGGAGCAGGAACGG
 GCAGTGGGGAACAGTGGGCAGAACGGGAACGGGAAATGGAGCGGGGAGCGGACTCGA
 TCAGAGCGTGAATGGGATCGGGACAAAGTTCGAGAAGGGCCCGTTCCCGATCAAGGTCC
 CGTGACCGCCCGCAAGGAACGTGCGAAGTCTAAAGAAAAGAAGAGTGAGAAGAAGAG
 AAAGCCCAGGAGGAACCACTGCCAAGCTGCTGGATGACCTTTTCCGAAAGACCAAGGCA
 GCTCCCTGCATCTATTGGCTCCCACTGACTGACAGCCAGATCGTTCCAGAAAGAGGCAGAG
 CGGGCCGAACGGGCAAGGAGCGGGAGAAGCGGGCAAAGGAGCAAGAAGAAGAAGAGCAA
 AAGGAGCGGGAGAAGGAAGCCGAGCGGGAAACGGAACCGACAGCTGGAGCGAGAGAAACGT
 CGGGAGCACAGTGGGAGAGGGACAGGGAGAGAGAGAGAGAAAGGAGCGGGACAGGGGG
 GACCGAGATCGGGATAGGGAAAGGGACCGAGAACGAGGCAGGGAAGGGATCGCAGGGAC
 ACCAAGCCACAGCAGAAGCCGAGTCGGAGCACACCTGTGCGGGACCGGGTGGGCGC
 CGC

Restriction Sites:

Please inquire

ACCN:

NM_001164815

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001164815.1 , NP_001158287.1
RefSeq Size:	4828 bp
RefSeq ORF:	3906 bp
Locus ID:	22985
UniProt ID:	Q9UKV3
Cytogenetics:	14q11.2
Protein Pathways:	Spliceosome
Gene Summary:	<p>Apoptosis is defined by several morphologic nuclear changes, including chromatin condensation and nuclear fragmentation. This gene encodes a nuclear protein that induces apoptotic chromatin condensation after activation by caspase-3, without inducing DNA fragmentation. This protein has also been shown to be a component of a splicing-dependent multiprotein exon junction complex (EJC) that is deposited at splice junctions on mRNAs, as a consequence of pre-mRNA splicing. It may thus be involved in mRNA metabolism associated with splicing. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Oct 2011]</p> <p>Transcript Variant: This variant (3) lacks an alternate in-frame exon in the 5' coding region, compared to variant 1. This results in a shorter protein (isoform 3), compared to isoform 1.</p>