

## Product datasheet for **SC327381**

### ZNF580 (NM\_001163423) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** ZNF580 (NM\_001163423) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** ZNF580  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Fully Sequenced ORF:** >SC327381 representing NM\_001163423.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCTGCTGCTGCCGCCGCGGCCACCCACCCTCGGTCCTCCTCTCCGGAGGCCATGGACCCACCGCCC
CCCAAGGCTCCCCTTTCCCAAGGCGGAAGGCCCTCCTCCACTCCTTCTCGGCGGGGGCCCCGA
CCCCGCGGCTGGGCCGCCACCTCCTCATCGACGCCAATGGGGTCCCCTACACATACACGGTGCAGCTG
GAGGAGGAGCCCCGGGGCCGCCAGCCAGCGCGAGGCCCCAGGAGAGCCCGGCCCTCGCAAGGGCTAC
AGCTGCCCGGAGTGCGCCCGTGTCTTTGCCAGCCCTCTGCCGCTGCAGAGCCACCGCGTGTGCACTCG
GACCTCAAGCCCTTACGTGCGGCGCTGCGGCAAGCCCTCAAGCGCTCCAGCCACCTGTGCGGGCAT
CGCGCCACGCACCGCGCCCGCGGGCCGCCGACACCTGCCCGCTCTGCCACGCCGCTTCCAGGAC
GCCGCGGAGCTGGCGCAGCACGTGCGCCTCCACTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001163423  
**Insert Size:** 519 bp  
**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

|                               |   |
|-------------------------------|---|
| <b>OTI Annotation:</b>        | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| <b>RefSeq:</b>                | <u><a href="#">NM_001163423.1</a></u>   |
| <b>RefSeq Size:</b>           | 1046 bp   |
| <b>RefSeq ORF:</b>            | 519 bp  |
| <b>Locus ID:</b>              | 51157   |
| <b>UniProt ID:</b>            | <u><a href="#">Q9UK33</a></u>   |
| <b>Cytogenetics:</b>          | 19q13.42  |
| <b>Protein Families:</b>      | Transcription Factors   |
| <b>MW:</b>                    | 18.8 kDa  |
| <b>Gene Summary:</b>          | Involved in the regulation of endothelial cell proliferation and migration. Mediates H(2)O(2)-induced leukocyte chemotaxis by elevating interleukin-8 production and may play a role in inflammation. May be involved in transcriptional regulation.[UniProtKB/Swiss-Prot Function]<br>Transcript Variant: This variant (3) differs in the 5' UTR, compared to variant 1. Variants 1, 2, and 3 all encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments. |