

## **Product datasheet for SC327431**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AADACL1 (NCEH1) (NM\_001146277) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: AADACL1 (NCEH1) (NM\_001146277) Human Untagged Clone

Tag: Tag Free
Symbol: AADACL1

Synonyms: AADACL1; NCEH

Mammalian Cell

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001146277, the custom clone sequence may differ by one or

more nucleotides

ATGGCTGAGGAATTGAATGCTGTCATTGTTTCCATTGAATACAGGCTAGTTCCAAAGGTT
TATTTTCCTGAGCAAATTCATGATGTTGTACGGGCCACAAAGTATTTCCTGAAGCCAGAA
GTCTTACAGAAGTATATGGTTGATCCAGGCAGAATTTGCATTTCTGGTGACAGTGCTGGT
GGAAATCTGGCTGCCCTTGGACAACAGTTTACTCAAGATGCCAGCCTAAAAAATAAG
CTCAAACTACAAGCTTTAATTTATCCAGTTCTTCAAGCTTTAGATTTTAACACACCATCT
TATCAGCAAAATGTGAACACCCCAATCCTGCCCCGCTATGTCATGGTGAAGTATTGGGTG
GACTACTTCAAAGGCAACTATGACTTTGTGCAGGCCAATGATCGTTAACAATCACACTTCA
CTTGATGTGGAAGAGGCTGCTGCTGTCAGGGCCCGTCTAAACTGGACATCCCTCTTGCCT
GCATCCTTCACAAAGAACTACAAGCCTGTTGTACAGACCACAGGCAATGCCAGGATTGTC
CAGGAGCTTCCTCAGTTGCTGGATGCCCGCTCCGCCCCACTCATTGCAGACCAGGCAGTG
CTGCAGCTCCTCCCAAAGACCTACATTCTGACGTTGTGAGCATGATCCTCAGAGACCATT
GAGGATGGCTTTCACGGATGTTGGAGAGTGCCCGCTCACCACCAACTTCTCAGTGGAG
GGCATCATGTATGCCAAGCGTTTGGAGAGTGCCGGTTGGAGGTGACCCTGGATCACTTT
GAGGATGGCTTTCACGGATGTATGATTTTCACTAGCTGGCCCACCAACTTCTCAGTGGGA

ATCCGGACTAGGAATAGTTACATCAAGTGGCTAGATCAAAACCTG

**Restriction Sites:** Please inquire ACCN: NM 001146277

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





## AADACL1 (NCEH1) (NM\_001146277) Human Untagged Clone - SC327431

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001146277.1</u>, <u>NP 001139749.1</u>

 RefSeq Size:
 4284 bp

 RefSeq ORF:
 828 bp

 Locus ID:
 57552

 UniProt ID:
 Q6PIU2

 Cytogenetics:
 3q26.31

**Protein Families:** Transmembrane

Gene Summary: Hydrolyzes 2-acetyl monoalkylglycerol ether, the penultimate precursor of the pathway for de

novo synthesis of platelet-activating factor. May be responsible for cholesterol ester

hydrolysis in macrophages, thereby contributing to the development of atherosclerosis. Also

involved in organ detoxification by hydrolyzing exogenous organophosphorus compounds. May contribute to cancer pathogenesis by promoting tumor cell migration.[UniProtKB/Swiss-

Prot Function]

Transcript Variant: This variant (3) differs in the 5' UTR, lacks a portion of the 5' coding region, and initiates translation at a downstream start codon compared to variant 1. The encoded isoform (c) is shorter than isoform a. Variants 3 and 4 encode the same isoform (c). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used

for the transcript record were based on transcript alignments.