

Product datasheet for **SC327586**

WDR23 (DCAF11) (NM_001163484) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	WDR23 (DCAF11) (NM_001163484) Human Untagged Clone
Tag:	Tag Free
Symbol:	DCAF11
Synonyms:	GL014; PRO2389; WDR23
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC327586 representing NM_001163484.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGGATCGCGGAACAGCAGCAGTGCAGGATCCGGTCCGGAGACCCCTCCGAGGGCTTCCCCGAAGA
GGGGCTGGCCTCGGTGAGTGAAGAGGGAAGAAGAGGATGAAGATGTGGATCTGGCCAGTACTG
GCCTATCTCCTCCGAGAGGCCAAGTGAGGTTGGTGCAGGGAGGAGTGCAGCAATTTACAATTCATT
CAGGCCCTCTTGACTCAGAGGAAGAGAATGACAGAGCTTGGGATGGTCGCTTTGGGGATCGATACAAC
CCACCTGTGGATGCTACCCCTGACACCCGGGAGCTGGAATTCAATGAGATCAAGACACAAGTGAAGCTG
GCCACAGGGCAGCTGGGCTTAGGCGGGCCGCCAGAAGCACAGCTTTCCTCGAATGTTGCACCAGAGA
GAACGGGGCTCTGCCATCGGGGAAGCTTCTCCCTTGAGAACAGTCTCGAGTATATCTCACTTCTTG
CCCAATGATCTGGGCTTCACTGATAGCTACTCTCAGAAGGCTTTCTGTGGCATCTACAGCAAGATGGT
CAAATATTCATGTCTGCTTGCCAAGACCAGACAATCCGACTCTATGACTGCCGATATGGCCGTTCCGT
AAATTCAGAGCATCAAGCCCCGCGACGTAGGCTGGAGCGTCTTGATGTGGCCTTCACCCCTGATGGG
AACCATTCTCTACTCTAGCTGGTCTGATTACATTCATATCTGCAATATCTATGGTGAGGGAGATACA
CACACTGCCCTGGATCTCAGGCCAGATGAGCGTCGCTTTGCTGTCTTCTCCATTGCTGTCTCCTCAGAT
GGACGAGAAGTACTAGGAGGGGCAATGATGGCTGCCTGTATGTCTTTGACCGAGAACAGAACCGGGCGC
ACCCTTCAGATTGAGTCCCATGAGGATGATGTGAATGCAGTGGCCTTTGCTGATAAAGCTCCCAAATC
CTGTTCTCTGGGGGAGATGATGCCATCTGCAAAGTGTGGGATCGACGCACCATGCGGGAGGATGACCCC
AAGCCTGTGGGTGCACTGGCTGGACACCAGGATGGCATCACCTTCATTGACAGCAAGGTGATGCCCGG
TATCTGATCTCCAACCTAAAGACCAGACCATCAAACCTCTGGGATATCCGACGCTTTTCCAGCCGGGAA
GGCATGGAAGCTTCACGCCAGGCTGCCACACAGCAAAACTGGGACTATCGGTGGCAGCAAGTGCCAAA
AAAGCCTGGCGGAAGCTGAAGCTCCAGGGGACAGCTCCTTGATGACCTACCGGGGCCACGGAGTGCCTG
CACACCCTCATCCGCTGCCGTTCTCCCCATTATAGCACTGGCCAGCAGTTTCTACAGTGGCTGC
TCCACTGGCAAAGTGGTTGTGTACGACCTTCTAAGTGGCCACATTGTGAAGAAGCTGACCAACCACAAG
GCCTGTGTGCGTGACGTGAGTGGCACCCTTTGAAGAGAAGATTGTCAGCAGTTCGTGGGACGGGAAC
CTGCGTCTGTGGCAGTACCGCCAGGCTGAGTACTTCCAGGATGACATGCCAGAATCTGAGGAATGTGCC
AGCGCCCTGCCCAGTGCCCAATCTCTACACCCTTTCTCACCCAGTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:	NM_001163484
Insert Size:	1641 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001163484.1</u>
RefSeq Size:	3861 bp
RefSeq ORF:	1641 bp
Locus ID:	80344
UniProt ID:	<u>Q8TEB1</u>
Cytogenetics:	14q12
MW:	61.7 kDa
Gene Summary:	<p>This gene encodes a WD repeat-containing protein that interacts with the COP9 signalosome, a macromolecular complex that interacts with cullin-RING E3 ligases and regulates their activity by hydrolyzing cullin-Nedd8 conjugates. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2009]</p> <p>Transcript Variant: This variant (3) differs in the 5' UTR, compared to variant 1. Both variants 1 and 3 encode the same isoform (1).</p>