

Product datasheet for **SC327668**

Sulfatase 2 (SULF2) (NM_001161841) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sulfatase 2 (SULF2) (NM_001161841) Human Untagged Clone
Tag:	Tag Free
Symbol:	SULF2
Synonyms:	HSULF-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC327668 representing NM_001161841.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGGCCCCCGAGCCTCGTGTGTGCTGTGCTGCCCAACTGTGTTCTCCCTGCTGGTGGAAGCTCG
GCCTTCCCTGTGCACCACCGCCTGAAAGGCAGGTTTCAGAGGGACCGCAGGAACATCCGCCCAACATC
ATCCTGGTGTGACGGACGACCAGGATGTGGAGCTGGGTTCCATGCAGGTGATGAACAAGACCCGGCGC
ATCATGGAGCAGGGCGGGCGCACTTCATCAACGCCTTCGTGACCACACCCATGTGCTGCCCTCACGC
TCCTCCATCCTCACTGGCAAGTACGTCCACAACCAACACCTACACCAACAATGAGAACTGCTCCTCG
CCCTCCTGGCAGGCACAGCAGAGACCGCACCTTTGCCGTGTACCTCAATAGCACTGGCTACGGGACA
GCTTTCTCGGAAGTATCTTAATGAATAACAACGGCTCTACGTGCCACCCGGCTGGAAGGAGTGGGTC
GGACTCCTAAAAACTCCCGCTTTATAACTACACGCTGTGTCGAACGGGGTGAAGAGAAGCACGGC
TCCGACTACTCCAAGATTACCTCACAGACCTCATACCAATGACAGCGTGAGCTTCTCCGCACGTCC
AAGAAGATGTACCCGCACAGGCCAGTCCATGGTCATCAGCCATGCAGCCCCACGGCCCTGAGGAT
TCAGCCCCACAATATTCACGCCTTCCCAAACGCATCTCAGCACATCAGCCGAGCTACAACTACGCG
CCCAACCCGGACAACACTGGATCATGCCTACACGGGGCCATGAAGCCATCCACATGGAATACC
AACATGCTCCAGCGGAAGCGCTTGACAGCCCTCATGTCCGTGGACGACTCCATGGAGACGATTTACAAC
ATGCTGGTTGAGACGGGCGAGCTGGACAACACGTACATCGTATACACCCGACACCGGTTACCACATC
GGCCAGTTTGGCCTGGTGAAGGGAAATCCATGCCATATGAGTTTGACATCAGGGTCCCCTTCTACGTG
AGGGGCCCCAACGTGGAAGCCGGCTGTCTGAATCCCCACATCGTCTCAACATTGACCTGGCCCCACC
ATCCTGGACATTGACGGCTGGACATACCTGCGGATATGGACGGGAAATCCATCCTCAAGTGTGGAC
ACGGACGGCCGGTGAATCGGTTTCACTTGA AAAAAGAGATGAGGGTCTGGCGGGACTCCTCTTGTTG
GAGAGAGCAAGCTGCTACACAAGAGAGACAATGACAAGGTGGACGCCACAGGAGGAGA ACTTTCTGCC
AAGTACCAGCGTGTGAAGGACCTGTGTACGCTGTGAGTACCAGACGGCGTGTGAGCAGCTGGGACAG
AAGTGGCAGTGTGTGGAGGACGCCACGGGGAAGCTGAAGTGCATAAAGTGAAGGCCCCATGCGCTG
GGCGGCAGCAGAGCCCTCTCAACCTCGTGCCCAAGTACTACGGGCAGGGCAGCGAGGCCTGCACCTGT
GACAGCGGGGACTACAAGCTCAGCCTGGCCGACGCCGAAAAAACTCTTCAAGAAGAAGTACAAGGCC
AGCTATGTCCGCAGTCGCTCCATCCGCTCAGTGGCCATCGAGGTGGACGGCAGGGTGTACCACGTAGGC
CTGGGTGATGCCCCAGCCCCGAAACCTACCAAGCGGCACTGGCCAGGGGCCCTGAGGACCAAGAT
GACAAGGATGGTGGGACTTCAGTGGCACTGGAGGCCTCCCGACTACTCAGCCCAACCCATTAAA
GTGACACATCGGTGCTACATCCTAGAGAACGACACAGTCCAGTGTGACCTGGACCTGTACAAGTCCCTG
CAGGCCTGAAAAGACCACAAGCTGCACATCGACCACGAGATTGAAACCTGCAGAACAAAATTAAGAAC
CTGAGGGAAGTCCGAGGTCACCTGAAGAAAAAGCGGCCAGAAGAAATGTGACTGTCACAAAATCAGCTAC
CACACCCAGCACAAAGGCCGCTCAAGCACAGAGGCTCCAGTCTGCATCCTTTCAGGAAGGGCCTGCAA
GAGAAGGACAAGGTGTGGCTGTTGCGGGAGCAGAAGCGCAAGAAGAACTCCGCAAGCTGCTCAAGCGC
CTGCAGAACACGACACGTGCAGCATGCCAGGCCTCACGTGCTTACCCACGACAACCAGCACTGGCAG
ACGGCCCTTTCTGGACTGGGGCCTTTCTGTGCCTGCACCAGCGCCAACAATAACACGTACTGGTGC
ATGAGGACCATCAATGAGACTCACAAATTCCTCTTCTGTGAATTTGCAACTGGCTTCTAGAGTACTTT
GATCTCAACACAGACCCCTACCAGCTGATGAATGCAGTGAACACACTGGACAGGGATGCTCCTCAACCAG
CTACACGTACAGCTCATGGAGCTGAGGAGCTGCAAGGTTACAAGCAGTGTAAACCCCGACTCGAAAC
ATGGACCTGGGACTTAAAGATGGAGGAAGCTATGAGCAATACAGGCAGTTTCAGCGTCGAAAGTGGCCA
GAAATGAAGAGACCTTCTCCAATCACTGGGACAACGTGGGAAGGCTGGGAAGGTTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001161841

Insert Size: 2613 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001161841.1](#)

RefSeq Size: 4248 bp

RefSeq ORF: 2613 bp

Locus ID: 55959

UniProt ID: [Q8IWU5](#)

Cytogenetics: 20q13.12

Protein Families: Druggable Genome, Transmembrane

MW: 100.5 kDa

Gene Summary: Heparan sulfate proteoglycans (HSPGs) act as coreceptors for numerous heparin-binding growth factors and cytokines and are involved in cell signaling. Heparan sulfate 6-O-endosulfatases, such as SULF2, selectively remove 6-O-sulfate groups from heparan sulfate. This activity modulates the effects of heparan sulfate by altering binding sites for signaling molecules (Dai et al., 2005 [PubMed 16192265]).[supplied by OMIM, Mar 2008]
Transcript Variant: This variant (3) differs in the 5' UTR compared to variant 1. Both variants 1 and 3 encode the same isoform (a).