

Product datasheet for **SC327687**

EIF4ENIF1 (NM_001164501) Human Untagged Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | EIF4ENIF1 (NM_001164501) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | EIF4ENIF1 |
| Synonyms: | 4E-T; Clast4 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |




[View online »](#)

Fully Sequenced ORF: >SC327687 representing NM_001164501.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGATAGGAGAAGTATGGGTGAAACAGAAAGTGGAGATGCTTTCCTTGACCTGAAGAAGCCTCCTGCC
TCCAAATGCCCCCATCGCTATACAAAAGAAGAACTCTTGATATAAAAGAAGCTCCCCATTCCAAACAG
AGGCCTTCATGCCTTTCTGAAAAATATGACAGTGTGGTGTCTGGACCCCTGAGAAGTGGCATGCCTCT
CTCTACCCAGCTTCAGGGCGGAGCTCACCAAGTGGAAAGTCTGAAGAAAGATTGGATACAGACCCGCCCT
TCCCTGGTGCAGGATAGTAGATCCACGAGAGCGTGTGAAAGAAGATGACTTAGATGTTGTTCTCAGC
CCTCAGAGACGGAGCTTTGGAGGGGGCTGCCACGTGACAGCCGCTGTTAGCTCCCGGCCCTCAGGAAGT
CCATTAGAGAAAGATAGTGTGGCTTCGTCTGCTTGGTGGACGTAGGATTGGCAGTGGGAGGATAATC
TCTGCCCGGACCTTTGAGAAGGATCACCGTCTTAGCGATAAGGACCTGCCGGACTTGAGAGACAGAGAC
CGAGAGAGGGACTTCAAGGACAAGCGTTTCAGGAGAGAGTTGGAGATAGTAAGCGTGTCTTTGGTGGAG
CGTAGAAGAAATGATTCTTACACAGAAGAAGAACAGAGTGGTTCTCTGCTGGACCCACAAGTCAGTCT
GAAACCATCGAACTGACTGGCTTTGATGATAAGATACTAGAAGAAGATCAAAAGGGAGAAAAAGAACA
AGGCGACGGACAGCCTCTGTGAAGGAAGGTATAGTAGAGTGAATGGAGGAGTGGCCGAAGAGGATGAA
GTGGAGGTATCCTTGCACAGGAGCCTGCCGCTGATCAGGAAGTGCCAAGGGATGCTGTCTTGCCTGAG
CAGTCCCAGGAGACTTTGACTTTAATGAGTCTTTAACCTTGATAAGGTGCCATGCTTGGCTTCGATG
ATAGAAGATGTTTTGGGAGAAGGGTCAGTCTCTGCCAGTCGGTTCAGTAGGTGGTCTCTAACCCGAGC
AGATCAGGAAGCCGATCCAGCAGTCTTGGGTCAACACCACATGAAGAGCTAGAGAGACTTGCAAGTCTG
GAGCAAGCCATCCTCTCTCTGGACAGAAGCTCGGGGAATTACTTTGCTCCTATACCATTGGAAGACCAT
GCTGAAAAATAAAGTGGATATTTTAGAAAAGTCTACAGAAAGCCAAAGTGGATTTGAAACCTCTTTTCC
AGCCTTTCTGCAATAAAGAAAAAAGCTTAAAGAAAGCTCACATTCAGGGGTTGTGCTTTTCAGTGGAGGAG
GTAGAAGCAGGTCTGAAGGGCTTGAAGGTTGACCAGCAAGTGAAGAATCAACTCCCTTCATGGCAGAA
CACCTAGAAGAGACCTTGAGTGCCTGAACCAACAATCGACAAGTGAAGAAAGACGGAGACATGACTGCG
TTCAACAAGCTAGTGAGCACAATGAAGGCAAGTGGGACTTTGCCTTCTCAGCCAAAGTCAGCCGAAAC
CTTGAAAGCCATTTGATGTCCCCTGCTGAGATTCCAGGCCAGCCTGTCCCTAAGAACATCCTGCAGGAA
CTTCTGGGTCAACCAGTTCAGAGACCTGCTTCTCCAATCTTCTGAGTGGCCTTATGGGGAGCTTGAG
CCTACAACATCTTACTGGGCCAAAGAGCACCTCTCCTCCCTGTCCAGGTGTTTCAAACCTGAGCA
GCCTCAGTCTGACTACCTTCGCCAAGAATACCATCACCAATTGGTTTACACCAGGACCACAGCAGCTA
CTCGGAGATCCATTCGAAGGCATGCGCAAAACCCATGAGCCCATCACAGCCAGATGAGCCAGCTGGAG
TTGCAACAGGCAGCTTTAGAAGGGCTGGCCTTGCCACATGACCTTGTGTACAGGCAGCAAACTTCTAC
CAGCCTGGTTTTGGCAAACACAGGTGGACAGAACAGAGATGGATTAGAAAACAGGCAACAGCGAGTG
ACCAAGTCACCAGCACCCGTGCATCGAGGGAAATCCTCTTCCCCTGCCCTGCTGCCTCCATCACAAAGC
ATGCTTTCTCCTTCTTTACCCCTACCTCAGTATTGTAAGATGTACGAGAGCAAAGAGAAAAGCAAG
GAGGAGCCAGCATCTGAAAAAGCAGCTCTTGGTACAGTAAAGAGGATACTCAGAAGGCCAGTGAAGAA
AACCTCCTGTATCCAGCTCTGTACCCAGTCCGATCGAGACTCTTCTCCCACTACAAAATCCAAACTG
TCAGCATTACAGAGGTCTTCGTGTTCCACCCACTGTCCCAGGCCAACCGTTACACCAAAGAACAGAT
TATCGACCTAAAGCAACTGGGAGAAAAACACCCACCTTGGCATCCCCAGTTCTACAACACCTTTTCTC
CGCCCTGTCCACCAAGTCCCCTTGTCCCCATGTCCCTATGGTTAGGCCTGCTCACCAGCTTACCCCA
GGGTTGGTACAGAGGATGCTGGCCAGGGAGTACATCCACAGCATCTTCCAAGTTTGTCCAAAAGTGGT
GTGCTTCTCCTGGGATGGACTTGAGTCATTTACAGGGAATATCTGGCCCATCCTGGGTGAGCCCTTT
TACCCCTTACCTGCTGCTAGTACCCTCTCTTAAACCCTCGTCTGGAACACCTCTGCATCTGGCAATG
GTGCAACAGCAGCTACAGCGCTCAGTCTGCATCCTCCAGGCTCTGGTCCCATGCAGCAGCTGTCAGC
GTTTCAGACAACCCCTCAGAAGCTGCCAGCCGGTCAAGCCTGCCACATGCACTCCCAGCTGGAGCAT
CGCCCCAGCCAGAGGAGCAGCTCCCTGTGGCCCTTGCCAAATGGTTTGGCTCAGATGTGCTACAGCAA
CCCTGCCCTCCATGCCCGCAAAGTTATCAGTGTAGATGAATTGGAATACCGACAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001164501

Insert Size: 2958 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001164501.1](#)

RefSeq Size: 3680 bp

RefSeq ORF: 2958 bp

Locus ID: 56478

UniProt ID: [Q9NRA8](#)

Cytogenetics: 22q12.2

MW: 108.2 kDa

Gene Summary: The protein encoded by this gene is a nucleocytoplasmic shuttle protein for the translation initiation factor eIF4E. This shuttle protein interacts with the importin alpha-beta complex to mediate nuclear import of eIF4E. It is predominantly cytoplasmic; its own nuclear import is regulated by a nuclear localization signal and nuclear export signals. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2009]
Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1 and 2 both encode isoform a.