

Product datasheet for **SC327923**

MIER1 (NM_001077700) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MIER1 (NM_001077700) Human Untagged Clone
Tag:	Tag Free
Symbol:	MIER1
Synonyms:	ER1; MI-ER1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC327923 representing NM_001077700.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGATGGGGCTTCTTCAGGCGGTGGCGGCAGCAGCGAAGGTGGCGGCGGCAGCAGCGGCAGCGGCTAT
GGTGTGGTCGCTCGATTCTCCAGTGCCTGGCTGAGTTTCGGACGTGGTTAAGAACCAACTGGTTGAGG
TTCAATGCAGACAAGACGGATGTGATGCTGCCATCTGTTGAATCTTCAAGTCCAGGAGGTTCAAGCAACA
TCAGATGACCATGAATTTGATCCATCAGCTGACATGCTGGTTCATGATTTTGATGATGAACGAACATTA
GAAGAGGAAGAAATGATGGAAGGAGAAACAACTCAGCTCTGAAATAGAAGATCTTGAAGGGAAGGC
GACATGCCAATTCATGAACCTTCTCAGCCTTATGGTTATGGTAGTACTGTTGACTACCTGAAGAAGAT
GAGGAAGAGGAAGAAGAGGAAGAAGGTGAAGATGATGAAGATGCTGATAATGATGACAACAGTGGC
TGTAGTGGGAAAATAAAGAGGAGAATAAAGGATTCATCAGGTGAGGAGGATGAAACTCAGTCTTCC
AATGATGATCCATCACAATCTGTTGCTTCTCAAGATGCCAGGAAATAATCCGCCACGTGATGTAAA
TATTTTGATACAAATAGTGAAGTGAAGAAGAATCTGAAGAAGATGAAGATTATATCCATCAGAAGAC
TGGAAAAAGGAGATTATGGTGGGCTCCATGTTTCAAGCAGAAATCCAGTTGGCATTGTAGATACAAA
GAAAAATGAAAAAGTATATGAAAAATGATGATCAGCTCCTGTGGGACCTGAGTACTTACCAGAAGATAAA
GTGATTATATTTCTAAAGATGCATCTAGAAGAACAGGTGATGAGAAGGGGTGAGAAGCAATTCCTGAA
GGATCTCATAAAAAGACAATGAACAGGCTTTATATGAATTGGTTAAATGCAATTTTGATACAGAAGAA
GCATTGAGAAGATTAAGATTTAATGTAAGAGCAGCTAGAGAGGAATTATCTGTTTGGACAGAGGAAGAG
TGTAAGAAATTTGAACAAGGGCTGAAGGCTATGGAAAGGATTTTCATTTGATTCAGGCTAATAAAGTC
CGAACAAGGTCAGTTGGTGAATGTGTAGCATTCTATTACATGTGGAAAAAATCTGAACGTTATGATTTT
TTTGCTCAGCAAAACGATTTGGAAAGAAGAAATAAATCTTCATCCTGGTGAACGATTACATGGAT
CGTCTTCTAGACGAAAGTGAAGTGTGCATCTAGTCGAGCACCATCCCCCCCCCAACTGCATCAAAC
AGTAGTAACAGCCAGTCTGAGAAAGAAGATGGCACTGTAAAGCACTGCTAATCAAAATGGAGTGTCATCT
AATGGACCAGGTGAAATATTAACAAGAGGAAGTAAAAGTTGAAGGGTTACACATTAATGGACCAACA
GGTGGAAATAAGAAACCACTTCATGCAGATATGGATACTAATGGTTATGAAACAGATAACCTTACCCT
GACCCAAAATTTGCCATATGACTGCAAGAAATGAAAATGATTTTGATGAAAAAAGTGAGAGACCTGCC
AAAAGGCGAAGGGTAAACAGCAATGAAAAAGAAAGTCCAGGTTCTTCTGAATTTTCCAAGAAGCAGTC
TCACATGGGAAATTTGAAGAACTTGAAAACACAGATGACTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul

Plasmid Map:


ACCN: NM_001077700

Insert Size: 1698 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001077700.2](#)

RefSeq Size: 5569 bp

RefSeq ORF: 1698 bp

Locus ID: 57708

UniProt ID: [Q8N108](#)

Cytogenetics: 1p31.3

MW: 63.4 kDa

Gene Summary: This gene encodes a protein that was first identified in *Xenopus laevis* by its role in a mesoderm induction early response (MIER). The encoded protein functions as a transcriptional regulator. Alternatively spliced transcript variants encode multiple isoforms, some of which lack a C-terminal nuclear localization signal. [provided by RefSeq, May 2013]
Transcript Variant: This variant (2) lacks an alternate exon in the 5' coding region and uses an alternate upstream translation start site, compared to variant 1. The resulting isoform (b) has a longer and distinct N-terminus, compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.