

## Product datasheet for **SC328032**

### PCDH20 (NM\_022843) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PCDH20 (NM_022843) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDH20
Synonyms:	PCDH13
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC328032 representing NM\_022843.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGCGCGGCCGAGGGAATGCGCGCAGCTCACAGGCCCTGGGAGTGAGCTGGTCCCGCGCAGCTGGCAC
CCGCGCCTGGATATGGGCGCTCATACGTCCTCCAGGAGCAGCACCAGCTACAGGAACCTGCCGATCTG
TTTCTGTTTTTCTCTTTCGTGGGACCCCTCAGCTGCCTCGGGAGTTACAGCCGGGCCACCGAGCTTCTG
TACAGCCTAAACGAGGGACTACCCGCGGGGGTGCTCATCGGCAGCCTGGCCGAGGACCTGCGGCTGCTG
CCCAGGCTGCAGGGAGGCCGGACCCGAGTCGCAGCTGCCAGAGCGCACCGGTGCTGAGTGAACCC
CCTCTCTCTTACGCTGGCCTCCCGGGGACTGAGTGGCCAGTACGTGACCCTAGACAACCGCTCTGGG
GAGCTGCACACTTACGCTCAGGAGATCGACAGGGAGGCCCTGTGTGTTGAAGGGGTGGAGGGACTGCG
TGGAGCGGCAGCGTTTCCATCTCCTCTCTCTTCTGACTCTTGTCTTTTGTGCTGGATGTGCTTGTG
CTGCCTCAGGAATACTTCAAGTTTGTGAAGGTGAAGATCGCCATCAGAGACATCAATGACAACGCCCCG
CAGTTCCTGTTTCCAGATCTCGGTGTGGGTCCCGGAAAATGCACCTGTAACACCCGACTGGCCATA
GAGCATCTGCTGTGGACCCAGATGTAGGCATTAAATGGGGTACAGACCTATCGCTTACTGGACTACCAT
GGTATGTTCAACCTGGACGTGGAGGAGAATGAGAATGGGGAGCGCACCCCTACCTAATTGTCATGGGT
GCTTTGGACAGGGAAACCCAGGACAGTATGTGAGCATCATATAGCTGAGGATGGTGGGTCTCCACCA
CTTTTGGGCGAGTGCCACTCTCACCATTGGCATCAGTGACATTAATGACAATTGCCCTCTCTTACAGAC
TCACAAATCAATGCTACTGTGTATGGGAATGCTACAGTGGGCACCCCAATTGCAGCTGTCCAGGCTGTG
GATAAAGACTTGGGGACCAATGCTCAAATTAATTTTACTTATTCTTACAGTCAGAAAAGTCCACAAGCATTAAG
GATTTATTTACCTGGATGAAAACACTGGAGTCATTAACCTTTTTCAGTAAGATTGGAGGAAGTGTCTG
GAGTCCCAAGCTCACCATCTTGTAAATGACCAGGCTGCATCCCTGCTGTAATCACTGCTCTGTGTG
TCCATTATTAAGGTTATTTTTCAGACCCCTGAAAATTTGTCCTCGTTACATAGCAAAACGAGATAGTGGT
GTGGTTTATCTGAAAGAACTGGAACCCGTTAACTCCCATTCGCTTTTTTACCATAAGAGATCCAGAA
GGTAAATACAAGGTTAACTGCTACTGGATGGTGAAGGGCCGTTTAGGTTATCACCTTACAAACCATAAC
AATAATGAATATTTACTAGAGACCACAAAACCTATGGACTATGAGCTACAGCAGTTCTATGAAGTAGCT
GTGGTGGCTTGGAACTCTGAGGGATTTTCAATGTCAAAGGGTCATTAAGTGAACCTTTTAGATGACAAT
GATAATGCTCAAATTTTCTTCAACCTTAATAGAACTAACCATCGAAGAGAACAACCTACCCAATGCC
TTTTTGACTAAGCTGTATGCTACAGATGCCGACAGCGAGGAGAGAGGCCAAGTTTCAATTTTCTGGGA
CCTGATGCTCCATCATATTTTCTTACAGAGTGTACAGGAATTCTGACAGTTTCTACTCAGCTGGAC
CGAGAAGAGAAAAGTACAGATACACTGTCAGAGCTGTTGACTGTGGGAAGCCACCCAGAGAATCA
GTAGCCACTGTGGCCCTCACAGTGTGGATAAAAAATGACAACAGTCTCGGTTTATCAACAAGGACTTC
AGCTTTTTTGTGCTGAAAACCTTCCAGGCTATGGTGAGATTGGAGTAATTAGTGAACAGATGCTGAC
GCTGGACGAAAATGGATGGGTCCGCTCTCTGTGGTGAACCAGAGTGATATTTTGTGTCATAGATACAGGA
AAGGGTATGCTGAGGGCTAAAGTCTCTTTGGACAGAGAGCAGCAAAGCTCCTATACTTTGTGGGTTGAA
GCTGTTGATGGGGGTGAGCCTGCCCTCTCTCTACAGCAAAAATCACAATTTCTCTTCTAGATATCAAT
GACAACCTCTCTTGTGTTTTTCTCAGTCTAATATGTCTTATCTGTTAGTACTGCCTTCTACTCTG
CCAGGCTCCCGGTTACAGAAGTCTATGCTGTCGACAAAAGACACAGGCATGAATGCTGTGTCATAGCTTAC
AGCATCATAGGGAGAAGAGGTCCTAGGCCCTGAGTCCTTACAGATTGACCCATAAACTGGCAACATTACT
TTGGAAGAGGCATTGCTGCAGACAGATTATGGGCTCCATCGCTTACTGGTGAAGTGAGTGATCATGGT
TATCCCGAGCCTCTCCACTCCACAGTATGGTGAACCTATTTGTCAATGACACTGTGAGTAAAGAGT
TACATTGAGAGTCTTTAAGAAAAGAACCAGAGATTAATATAGAGGAGAAAAGAACCACAAAATCTCAATA
GAACCGACTCATAGGAAGGTAGAATCTGTGCTTGTATGCCACCTTAGTAGCTGTGCTGTAATAAGC
TTGGGTTCCATCACACTGGTACAGGGATGGGCATATACATCTGTTAAGGAAAGGGGAAAAGCATCCC
AGGGAAGATGAAAATTTGGAAGTACAGATTCCACTGAAAGGAAAATGACTTGCATATGCGAGAGAGA
AAGCCAATGGATATTTCTAATATTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

**Plasmid Map:**


**ACCN:** NM\_022843

**Insert Size:** 2856 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_022843.3](#)

**RefSeq Size:** 4786 bp

**RefSeq ORF:** 2856 bp

**Locus ID:** 64881

**UniProt ID:** [Q8N6Y1](#)

**Cytogenetics:** 13q21.2

<b>Domains:</b>	CA
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>MW:</b>	104.9 kDa
<b>Gene Summary:</b>	<p>This gene belongs to the protocadherin gene family, a subfamily of the cadherin superfamily. This gene encodes a protein which contains 6 extracellular cadherin domains, a transmembrane domain and a cytoplasmic tail differing from those of the classical cadherins. Although its specific function is undetermined, the cadherin-related neuronal receptor is thought to play a role in the establishment and function of specific cell-cell connections in the brain. [provided by RefSeq, Jul 2008]</p>