

Product datasheet for **SC328282**

DMAC2 (NM_001167869) Human Untagged Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | DMAC2 (NM_001167869) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | DMAC2 |
| Synonyms: | ATP5SL |
| Mammalian Cell Selection: | None |
| Vector: | <u>pCMV6-XL5</u> |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| Fully Sequenced ORF: | >NCBI ORF sequence for NM_001167869, the custom clone sequence may differ by one or more nucleotides ATGGCGGCTCCCTGGGCGTCCCTGCGCCTGGTCGCCCCATGTGGAATGGGCGTATCAGG GGCATCCATCGCCTGGGTGCGGCAGTGGCCCCAGAGGGCAATCAGAAGAAGAAAAGGACA ATACTCCAGTTCTGACCAACTATTTCTACGATGTGGAGGCTCTGAGGGATTACTTGCTC CAAAGGGAGATGTACAAGGTGCATGAGAAAAATCGATCTTACACCTGGCTGGAGAAGCAA CATGGTCCATACGGCGCAGGTGCCTTTTTTCATCCTGAAGCAGGGAGGCGCAGTCAAGTTT CGAGACAAGGAGTGGATCAGGCCAGATAAGTATGGCCATTTCTCTCAGGAGTTCTGGAAT TTCTGTGAAGTGCCTGTGAAGCTGTGGATGCCGGTGACTGTGACATCAACTACGAGGGC CTGGATAACCTCCGAACCTCCGAGGCTGGACATCTCGGACCTCCCTGCCGTGTCCAACC CTGGCCTCACTCAGATATTGGTGGAGGAGATGCTGCCAATTGCGAGTTGTGGGAGTCG ACTGGGCTGAGGGCCTGA |
| Restriction Sites: | Please inquire |
| ACCN: | NM_001167869 |
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |



[View online »](#)

| | |
|-------------------------------|---|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001167869.1, NP_001161341.1</u> |
| RefSeq Size: | 1573 bp |
| RefSeq ORF: | 558 bp |
| Locus ID: | 55101 |
| UniProt ID: | <u>Q9NW81</u> |
| Cytogenetics: | 19q13.2 |
| Gene Summary: | <p>Required for the assembly of the mitochondrial NADH:ubiquinone oxidoreductase complex (complex I). Involved in the assembly of the distal region of complex I.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) differs in the 5' UTR and coding region, compared to variant 1, resulting in a protein that maintains the reading frame but has a distinct N- and C-termini, compared to isoform 1.</p> |