

Product datasheet for SC328385

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thymidine Kinase 2 (TK2) (NM_001172644) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Thymidine Kinase 2 (TK2) (NM 001172644) Human Untagged Clone

Tag: Tag Free

Symbol: Thymidine Kinase 2

Synonyms: MTDPS2; MTTK; PEOB3; SCA31

Mammalian Cell

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001172644, the custom clone sequence may differ by one or

more nucleotides

TAG

Restriction Sites: Please inquire **ACCN:** NM_001172644

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



Thymidine Kinase 2 (TK2) (NM_001172644) Human Untagged Clone - SC328385

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001172644.1</u>, <u>NP 001166115.1</u>

 RefSeq Size:
 5039 bp

 RefSeq ORF:
 723 bp

 Locus ID:
 7084

 UniProt ID:
 000142

 Cytogenetics:
 16q21

Protein Families: Druggable Genome

Protein Pathways: Drug metabolism - other enzymes, Metabolic pathways, Pyrimidine metabolism

Gene Summary: This gene encodes a deoxyribonucleoside kinase that specifically phosphorylates thymidine,

deoxycytidine, and deoxyuridine. The encoded enzyme localizes to the mitochondria and is required for mitochondrial DNA synthesis. Mutations in this gene are associated with a myopathic form of mitochondrial DNA depletion syndrome. Alternate splicing results in multiple transcript variants encoding distinct isoforms, some of which lack transit peptide, so

are not localized to mitochondria. [provided by RefSeq, Dec 2012]

Transcript Variant: This variant (3) lacks an in-frame exon in the coding region, compared to variant 1. The encoded isoform (3) is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on transcript alignments.