

Product datasheet for SC328467

DCI (ECI1) (NM_001178029) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: DCI (ECI1) (NM_001178029) Human Untagged Clone

Tag: Tag Free

Symbol: ECI1

Synonyms: DCI

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC328467 representing NM_001178029.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TTAGAGAGGCTCAAAGAAGAAAAAGGCTAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001178029

Insert Size: 858 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001178029.1

RefSeq Size: 1018 bp RefSeq ORF: 858 bp



DCI (ECI1) (NM_001178029) Human Untagged Clone - SC328467

 Locus ID:
 1632

 UniProt ID:
 P42126

 Cytogenetics:
 16p13.3

Protein Pathways: Fatty acid metabolism

MW: 30.9 kDa

Gene Summary: This gene encodes a member of the hydratase/isomerase superfamily. The protein encoded

is a key mitochondrial enzyme involved in beta-oxidation of unsaturated fatty acids. It

catalyzes the transformation of 3-cis and 3-trans-enoyl-CoA esters arising during the stepwise

degradation of cis-, mono-, and polyunsaturated fatty acids to the 2-trans-enoyl-CoA intermediates. Alternatively spliced transcript variants have been described. [provided by

RefSeq, May 2010]

Transcript Variant: This variant (2) lacks an in-frame segment in the CDS, as compared to

variant 1. The resulting isoform (2) is shorter than isoform 1.