

## **Product datasheet for SC328502**

## DP2 (TFDP2) (NM 001178142) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: DP2 (TFDP2) (NM\_001178142) Human Untagged Clone

Tag: Tag Free

Symbol: DP2

Synonyms: DP2

Mammalian Cell None

Selection:

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001178142, the custom clone sequence may differ by one or

more nucleotides

GATGATGAGGAGGATTCCTCCTCCCCAGAATAA

**Restriction Sites:** Please inquire **ACCN:** NM 001178142

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

## DP2 (TFDP2) (NM\_001178142) Human Untagged Clone - SC328502

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001178142.1</u>, <u>NP 001171613.1</u>

 RefSeq Size:
 9185 bp

 RefSeq ORF:
 933 bp

 Locus ID:
 7029

 UniProt ID:
 Q14188

 Cytogenetics:
 3q23

**Protein Families:** Druggable Genome, Transcription Factors

Protein Pathways: Cell cycle

**Gene Summary:** The gene is a member of the transcription factor DP family. The encoded protein forms

heterodimers with the E2F transcription factors resulting in transcriptional activation of cell cycle regulated genes. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, May 2010]

Transcript Variant: This variant (6) uses an alternate promoter, differs in the 5' UTR, initiates translation at a downstream start codon and uses an alternate in-frame splice site in the coding region, compared to variant 1. The resulting protein (isoform 5) has a shorter N-terminus and lacks one internal amino acid, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on transcript alignments.