

## **Product datasheet for SC328563**

## DP2 (TFDP2) (NM 001178141) Human Untagged Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** DP2 (TFDP2) (NM 001178141) Human Untagged Clone

Tag: Tag Free Symbol: TFDP2

Synonyms: DP2 **Mammalian Cell** 

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

>NCBI ORF sequence for NM\_001178141, the custom clone sequence may differ by one or **Fully Sequenced ORF:** 

more nucleotides

ATGTTGGACCCCAAATGTGATAGAAAACGGGCTAGAAAATTTATAGACTCTGATTTTTCA GAAAGTAAACGAAGCAAAAAAGGAGATAAAAATGGGAAAGGCTTGAGACACTTTTCAATG AAAGTGTGTGAGAAAGTTCAACGAAAAGGTACAACATCGTACAATGAAGTCGCTGATGAG CTGGTGTCAGAGTTCACCAATTCAAATAACCATTTGGCTGCTGATTCGGCTTATGATCAG AAGAACATTAGGCGAAGAGTTTATGATGCTTTAAATGTGCTAATGGCAATGAACATAATT TCAAAGGAAAAAAAAGAAATCAAGTGGATTGGCCTGCCTACCAATTCTGCTCAGGAATGT CAGAATCTGGAGATAGAGAAGCAGAGGCGGATAGAACGGATAAAGCAGAAGCGGGCCCAG CTGCAAGAACTTCTCCTACAGCAAATCGCTTTCAAAAACCTGGTACAGAGAAATCGACAA AATGAGCAGCAAAACCAGGGCCCGCCGGCTCTGAACTCTACCATTCAGCTGCCATTCATA ATCATCAATACAAGCAGAAAAACAGTCATAGATTGCAGCATCTCCAGTGACAAGTTTGAG TATCTTTTCAATTTTGACAACACCTTTGAGATCCATGATGACATAGAAGTACTAAAGCGG ATGGGAATGTCGTTTGGCCTGGAGTCAGGCAAATGCTCTCTGGAGGATCTGAAACTTGCG AAATCCCTGGTGCCAAAGGCTTTAGAAGGTTATATCACAGATATCTCCACAGGACCTTCT TGGTTAAATCAGGGACTACTTCTGAACTCTACCCAATCAGTTTCAAATTTAGACCTGACC ACTGGTGCCACCTTACCCCAGTCAAGTGTAAACCAAGGGTTATGCTTGGATGCAGAAGTG GCCTTAGCAACTGGGCAGTTCCTGGCCCCAAACAGTCACCAGTCCAGCAGTGCGGCCTCT CACTGCTCCGAGTCCCGAGGCGAGACCCCCTGTTCGTTCAATGATGAAGATGAGGAAGAT

GATGAGGAGGATTCCTCCTCCCCAGAATAA

**Restriction Sites:** Please inquire ACCN: NM 001178141



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## DP2 (TFDP2) (NM\_001178141) Human Untagged Clone - SC328563

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001178141.1</u>, <u>NP 001171612.1</u>

3q23

 RefSeq Size:
 9337 bp

 RefSeq ORF:
 1050 bp

 Locus ID:
 7029

 UniProt ID:
 Q14188

Cytogenetics:

**Protein Families:** Druggable Genome, Transcription Factors

**Protein Pathways:** Cell cycle

**Gene Summary:** The gene is a member of the transcription factor DP family. The encoded protein forms

heterodimers with the E2F transcription factors resulting in transcriptional activation of cell cycle regulated genes. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, May 2010]

Transcript Variant: This variant (5) uses an alternate promoter, differs in the 5' UTR, initiates translation at an alternate start codon, lacks an alternate exon and uses an alternate in-frame splice site in the coding region, compared to variant 1. The resulting protein (isoform 4) has a shorter and distinct N-terminus and lacks one internal amino acid, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic

coordinates used for the transcript record were based on transcript alignments.