

Product datasheet for **SC328634**

UDP glucose dehydrogenase (UGDH) (NM_001184701) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	UDP glucose dehydrogenase (UGDH) (NM_001184701) Human Untagged Clone
Tag:	Tag Free
Symbol:	UGDH
Synonyms:	DEE84; EIEE84; GDH; UDP-GlcDH; UDPGDH; UGD
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001184701, the custom clone sequence may differ by one or more nucleotides ATGGGGAAAGGCCGGGCAGCAGATCTGAAGTATATTGAAGCTTGTCTAGACGCATTGTG CAAAACTCAAATGGGTACAAAATTGTGACTGAGAAAAGCACAGTTCAGTGCGGGCAGCA GAAAGTATCCGTGCGCATATTTGATGCAAACACAAAACCAACTTGAATTTACAGGTGCTG TCCAACCTGAGTTTCTGGCAGAGGGAACAGCCATCAAGGACCTAAAGAACCAGACAGA GTACTGATTGGAGGGGATGAAACTCCAGAGGGCCAGAGAGCTGTGCAGGCCCTGTGTGCT GTATATGAGCACTGGGTTCCAGAGAAAAGATCCTCACCCTAATACTTGGTCTTCAGAG CTTTCCAAACTGGCAGCAAATGCTTTTCTGCCAGAGAATAAGCAGCATTAACTCCATA AGTGCTCTGTGTAAGCAACAGGAGCTGATGTAGAAGAGGTAGCAACAGCGATTGGAATG GACCAGAGAATTGAAACAAGTTTCTAAAAGCCAGTGTTGGGTTTGGTGGGAGCTGTTTC CAAAAGGATGTTCTGAATTTGGTTTATCTCTGTGAGGCTCTGAATTTGCCAGAAGTAGCT CGTTATTGGCAGCAGGTCATAGACATGAATGACTACCAGAGGAGGAGGTTTGCTTCCCGG ATCATAGATAGTCTGTTTAAACAGTAACTGATAAGAAGATAGCTATTTGGGATTTGCA TTCAAAAAGGACACTGGTGATACAAGAGAATCTTCTAGTATATATATTAGCAAATATTTG ATGGATGAAGGTGCACATCTACATATATGATCCAAAAGTACCTAGGGAACAAATAGTT GTGGATCTTTCTCATCCAGGTGTTTCAGAGGATGACCAAGTGTCCTGGCTCGTGACCATT TCCAAGGATCCATATGAAGCATGTGATGGTGCCCATGCTGTTGTTATTTGCACTGAGTGG GACATGTTTAAAGGAATTGGATTATGAACGCATTCAAAAAAATGCTAAAGCCAGCCTTT ATCTTCGATGGACGGCGTCTCTGGATGGGCTCCACAATGAACTACAAACCATTGGCTTC CAGATTGAAACAATTGGCAAAAAGGTGCTTCAAGAGAATTCCATATGCTCCTTCTGGT GAAATTCGAAGTTAGTCTTCAAGATCCACCTAACAAGAAACCTAAAGTGATG
Restriction Sites:	Please inquire
ACCN:	NM_001184701



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001184701.1 , NP_001171630.1
RefSeq Size:	3026 bp
RefSeq ORF:	1194 bp
Locus ID:	7358
UniProt ID:	O60701
Cytogenetics:	4p14
Protein Pathways:	Amino sugar and nucleotide sugar metabolism, Ascorbate and aldarate metabolism, Metabolic pathways, Pentose and glucuronate interconversions, Starch and sucrose metabolism
Gene Summary:	<p>The protein encoded by this gene converts UDP-glucose to UDP-glucuronate and thereby participates in the biosynthesis of glycosaminoglycans such as hyaluronan, chondroitin sulfate, and heparan sulfate. These glycosylated compounds are common components of the extracellular matrix and likely play roles in signal transduction, cell migration, and cancer growth and metastasis. The expression of this gene is up-regulated by transforming growth factor beta and down-regulated by hypoxia. Alternative splicing results in multiple transcript variants.[provided by RefSeq, May 2010]</p> <p>Transcript Variant: This variant (3) lacks an exon in the 5' coding region and uses a downstream start codon, compared to variant 1. Isoform 3 has a shorter N-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>