

Product datasheet for **SC328649**

FBXL20 (NM_001184906) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	FBXL20 (NM_001184906) Human Untagged Clone
Tag:	Tag Free
Symbol:	FBXL20
Synonyms:	Fbl2; Fbl20
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC328649 representing NM_001184906. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGGAGGGACGTGAACGGAGTGACCAAGAGCAGGTTTGTAGATGTTCTCAAATAGTGATGAAGCTGTA
ATCAATAAAAACTTCCCAAAGAACTCCTGTTACGGATATTTCTTTCTAGATGTTGTACCCTGTGC
CGCTGTGCTCAGGTCTCCAGGGCTGGAATGTTCTGGCTCTGGATGGCAGTAAGTGGCAGCAATTGAC
CTATTTGATTTCCAGAGGATATTGAGGGCCGAGTAGTGGAGAATATTTCAAACGATGTGGGGCTTT
TTACGAAAGTTAAGTCTTCGTGGATGTCTTGAGTGGGAGACAATGCATTAAGAACCTTTGCACAAAAC
TGCAGGAACATTGAAGTACTGAATCTAAATGGGTGTACAAGACAACAGACGCTGAGGGATGTCCACTG
TTGGAGCAGTTGAACATTTCTGGTGTGACCAAGTAACCAAGGATGGCATTCAAGCACTAGTGAGGGGC
TGTGGGGTCTCAAGGCCTTATTCTTAAAAGGCTGCACGAGCTAGAAGATGAAGCTCTCAAGTACATA
GGTGCACACTGCCTGAAGTGGTGAATTTGAAGTGCAGACTTGCTTGCAATCAGAGTGAAGTCTC
ATTACTATATGCAGAGGGTGCCATAAGTTACAATCCCTTTGTGCCTCTGGCTGTCCAAACATCACAGAT
GCCATCCTGAATGCTCTAGGTGAGAAGTGCACGGCTTAGAATATTGGAAGTGGCAAGATGTTCTCAA
TTAACAGATGTGGGCTTTACCACTCTAGCCAGGAATTGCCATGAAGTGAAGATGGACCTGGAAGAG
TGTGTTACAGATAACAGATAGCACATTAATCCAATTTCTATACACTGTCTCGACTTCAAGTATTGAGT
CTGTCTCACTGTGAGCTGATCACAGATGATGGAATTCGTACCTGGGGAATGGGGCTGCCCCATGAC
CAGCTGGAGGTGATTGAGCTGGACAAGTGCCTACTAATCACAGATGCATCCCTGGAGCACTTGAAGAGC
TGTCATAGCCTTGAGCGATAGAACTCTATGACTGCCAGCAAATCACACGGGCTGGAATCAAGAGACTC
AGGACCCATTTACCCAATATTAAGTCCACGCCTACTTCGCACCTGCACTCCACCCCATCAGTAGGG
GGCAGCAGACAGCGCTTCTGCAGATGCTGCATCCTATGATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online >](#)

Plasmid Map:


ACCN: NM_001184906

Insert Size: 1215 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001184906.1](#)

RefSeq Size: 10285 bp

RefSeq ORF: 1215 bp

Locus ID: 84961

UniProt ID: [Q96IG2](#)

Cytogenetics: 17q12

Protein Families:	Druggable Genome
MW:	45 kDa
Gene Summary:	<p>Members of the F-box protein family, such as FBXL20, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains (Jin et al., 2004 [PubMed 15520277]).[supplied by OMIM, Mar 2008]</p> <p>Transcript Variant: This variant (2) lacks an in-frame coding exon compared to variant 1. The resulting isoform (2) is shorter but has the same N- and C- termini compared to isoform 1.</p> <p>Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>