

Product datasheet for SC328701

SH3KBP1 (NM 001184960) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: SH3KBP1 (NM_001184960) Human Untagged Clone

Tag: Tag Free Symbol: SH3KBP1

Synonyms: AGMX2; CD2BP3; CIN85; GIG10; HSB-1; HSB1; IMD61; MIG18

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC328701 representing NM_001184960.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGGAGAGAGACTATTGGGAAGAAGTTACCTGCAACTACAGCAACTCCAGACTCATCAAAAACAGAA ATGGACAGCAGGACAAAGAGCAAGGATTACTGCAAAGTAATATTTCCATATGAGGCACAGAATGATGAT GAATTGACAATCAAAGAAGGAGATATAGTCACTCTCATCAATAAGGACTGCATCGACGTAGGCTGGTGG GAAGGAGAGCTGAACGGCAGACGAGGCGTGTTCCCCGATAACTTCGTGAAGTTACTTCCACCGGACTTT GAAAAGGAAGGGAATAGACCCAAGAAGCCACCGCCTCCATCCGCTCCTGTCATCAAACAAGGGGCAGGC ACCACTGAGAGAAAACATGAAAATTAAAAAGATACCTCCTGAAAGACCAGAAATGCTTCCAAACAGAACA GAAGAAAAGAAAGACCAGAGAGAGACCAAAACTGGATTTACAGAAGCCCTCCGTTCCTGCCATACCG CCAAAAAAGCCTCGGCCACCTAAGACCAATTCTCTCAGCAGACCTGGCGCACTGCCCCCGAGAAGGCCG GAGAGACCGGTGGGTCCGCTGACACACACCAGGGGTGACAGTCCAAAGATTGACTTGGCCGGCAGTTCG CTATCTGGCATCCTGGACAAAGATCTCTCGGACCGCAGCAATGACATTGACTTAGAAGGTTTTGACTCC GTGGTATCATCTACTGAGAAACTCAGTCATCCGACCACAAGCAGACCAAAAGCTACAGGGAGGCGGCCT CCGTCCCAGTCCCTCACATCTTCATCCCTTTCAAGCCCTGATATCTTCGACTCCCCAAGTCCCGAAGAG GATAAGGAGGAACACATTTCACTTGCGCACAGAGGAGTGGACGCGTCAAAGAAACTTCCAAGACTGTT ACCATATCCCAAGTGTCTGACAACAAGCATCCCTGCCGCCCAAGCCGGGGACCATGGCAGCAGGTGGC GGTGGGCCAGCCCTCTGTCCTCAGCGGCGCCCTCCCCCCTGTCATCCTCTTTGGGAACAGCTGGACAC AGAGCCAACTCCCCGTCTCTGTTCGGCACGGAAGGAAAACCAAAGATGGAGCCTGCGGCCAGCAGCAG

ATGGAAGTGAACGACATAAAGAAAGCTCTACAATCAAAATGA

ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGAGCATCTGGCAGCAAATGATATCCTGGATTACAAG

GCGGCCGTGGAGGAGCTAAGGACACAGGTCCGCGAGCTGAGGAGCATCATCGAGACCATGAAGGACCAGCAGAAACGAGAGATTAAACAGTTATTGTCTGAGTTGGATGAAGAGAAAAATCCGGCTTCGGTTGCAG

GATGACGACGATAAGGTTTAAACGGCCGGCCGCGGT



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Notl

Plasmid Map:



ACCN: NM_001184960

Insert Size: 1284 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001184960.1</u>

 RefSeq Size:
 3864 bp

 RefSeq ORF:
 1284 bp

 Locus ID:
 30011



SH3KBP1 (NM_001184960) Human Untagged Clone - SC328701

UniProt ID: Q96B97
Cytogenetics: Xp22.12

Protein Families: Druggable Genome

Protein Pathways: Endocytosis MW: 46.6 kDa

Gene Summary: This gene encodes an adapter protein that contains one or more N-terminal Src homology

domains, a proline rich region and a C-terminal coiled-coil domain. The encoded protein facilitates protein-protein interactions and has been implicated in numerous cellular processes including apoptosis, cytoskeletal rearrangement, cell adhesion and in the

regulation of clathrin-dependent endocytosis. Alternate splicing results in multiple transcript

variants encoding distinct isoforms. [provided by RefSeq, Jul 2017]

Transcript Variant: This variant (3) differs in the 5' UTR, lacks a portion of the 5' coding region, and initiates translation at an alternate start codon, compared to variant 1. The encoded

isoform (c) has a distinct N-terminus and is shorter than isofor