

Product datasheet for SC328713

RBMS3 (NM 001177712) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: RBMS3 (NM 001177712) Human Untagged Clone

Tag: Tag Free Symbol: RBMS3

Mammalian Cell

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

>NCBI ORF sequence for NM_001177712, the custom clone sequence may differ by one or **Fully Sequenced ORF:**

more nucleotides

ATGGGCAAACGCCTGGATCAGCCACAAATGTACCCCCAGTACACTTACTACTATCCTCAT TATCTCCAAACCAAGCAGTCCTATGCACCAGCTCCCCACCCCATGGCTCCTCCCAGCCCC AGCACAAACAGCAGCAGCAACAACAGCAGCAGCAGCAGCGGGGAACAGTTGAGTAAA ACCAACCTGTACATTCGAGGCCTCCCACCAGGCACCACTGACCAGGACCTAATCAAGCTG TGCCAACCGTATGGAAAAATTGTATCTACAAAGGCAATTCTTGACAAAAACACAAATCAG TGCAAAGGTTATGGTTTTGTAGATTTTGACAGTCCTGCAGCCGCACAGAAAGCGGTAGCA TCTCTCAAGGCAAATGGCGTGCAGGCACAGATGGCTAAGCAACAAGAGCAAGACCCAACA AACCTATACATCTCAAATCTCCCCATTTCTATGGATGAGCAGGAGCTTGAGAATATGCTG AAACCCTTTGGACATGTCATTTCCACAAGAATACTAAGAGACGCTAATGGAGTCAGCAGA GGTGTTGGCTTTGCCAGAATGGAGTCTACTGAAAAATGTGAAGTGGTAATTCAACATTTT AATGGAAAATATCTGAAAACACCACCAGGCATCCCAGCCCCCAGTGAGCCTTTGCTGTGC AAATTCGCTGATGGAGGACAAAAGAAGCGACAGAATCAAAGCAAATATACCCAGAATGGG AGGCCTTGGCCCAGGGAAGGAGGTACTCAGAGGCAGGACTGTCCCTAGGCAAAATCGT GAAGCTGGCATGGCTTTGACCTATGACCCCACAGCTGCCATACAGAATGGATTTTATTCT GCTGCTTCCCCTGTCTCCACATACCAGGTCCAGAGTACTTCATGGATGCCTCATCCGCCA CAGCCAGCCAACATGATGGGCCCACTGACACAGCAGATGAATCACCTTTCGTTGGGCACA ACAGGAACGTATATGACTGCTGCTGCTCCTATGCAAGGGACCTACATTCCTCAGTACACG CCTGTGCCTCCGACAGCTGTTTCTATTGAAGGTGTTGTTGCTGATACCTCTCCCCAGACA GTGGCACCTTCATCCCAGGACACCAGTGGTCAGCAGCAACAGATAGCAGTGGACACATCC AACGAACATGCACCTGCATATTCTTACCAACAGTCTAAGTAA

Restriction Sites: Please inquire ACCN: NM 001177712



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Components:

RBMS3 (NM_001177712) Human Untagged Clone - SC328713

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001177712.1</u>, <u>NP 001171183.1</u>

 RefSeq Size:
 1779 bp

 RefSeq ORF:
 1302 bp

 Locus ID:
 27303

 UniProt ID:
 Q6XE24

 Cytogenetics:
 3p24.1

Gene Summary: This gene encodes an RNA-binding protein that belongs to the c-myc gene single-strand

binding protein family. These proteins are characterized by the presence of two sets of ribonucleoprotein consensus sequence (RNP-CS) that contain conserved motifs, RNP1 and RNP2, originally described in RNA binding proteins, and required for DNA binding. These

proteins have been implicated in such diverse functions as DNA replication, gene transcription, cell cycle progression and apoptosis. The encoded protein was isolated by virtue of its binding to an upstream element of the alpha2(I) collagen promoter. The

observation that this protein localizes mostly in the cytoplasm suggests that it may be involved in a cytoplasmic function such as controlling RNA metabolism, rather than transcription. Multiple alternatively spliced transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, Apr 2010]

Transcript Variant: This variant (4) differs in the 3' UTR and has multiple differences in the coding region, compared to variant 1. The encoded isoform (4) is shorter and lacks the last aa, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome

assembly. The genomic coordinates used for the transcript record were based on transcript $% \left(1\right) =\left(1\right) \left(1\right$

alignments.