

## **Product datasheet for SC329042**

## BCAR1 (NM\_001170721) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** BCAR1 (NM\_001170721) Human Untagged Clone

Tag: Tag Free Symbol: BCAR1

**Synonyms:** CAS; CAS1; CRKAS; P130Cas

Mammalian Cell None

Selection:

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn





**Fully Sequenced ORF:** 

>NCBI ORF sequence for NM\_001170721, the custom clone sequence may differ by one or more nucleotides

ATGGTGGTGCCCACCCGCGTGGGGCAGGGCTATGTATACGAGGCCGCCCAGCCGGAG CAGGACGAGTACGACATCCCGCGACACCTGCTGGCCCCGGGGCCACAGGACATCTATGAT GTGCCCCGGTTCGGGGGCTGCTTCCCAGCCAGTATGGCCAGGAGGTGTATGACACACCC CCCATGGCTGTCAAGGGTCCCAATGGCCGAGACCCGTTGCTGGAGGTGTATGACGTGCCC CCCAGTGTGGAGAAGGGCCTGCCACCGTCCAACCACCACGCAGTCTACGACGTTCCTCCA TCGGTGAGCAAGGATGTGCCCGATGGCCCACTGCTGCGTGAGGAGACCTACGATGTGCCC CCCGCCTTCGCCAAGGCCAAGCCCTTTGACCCGGCCCGCACCCCACTGGTACTGGCTGCG CCCCTCCAGACTCCCGCCGGCCGAGGACGTGTATGACGTGCCGCCCCCGGCTCCTGAC CTCTACGACGTGCCCCTGGCTTGCGGCGGCCCTGGCCCGGGCACCCTGTACGATGTGCCC CGTGAACGGGTGCTTCCTCCTGAGGTGGCTGATGGTGGCGTGGTCGACAGTGGTGTAT GCGGTGCCTCCCCAGCTGAACGTGAAGCCCCGGCAGAGGGCAAGCGCCTGTCGGCCTCC AGCACCGGCAGCACACGCAGCCAGTCTGCGTCCTCCTTGGAGGTGGCAGGGCCGGGC CGGGAACCCCTGGAGCTGGAAGTTGCTGTGGAGGCCCTGGCACGGCTGCAGCAGGGTGTG AGCGCCACCGTTGCCCACCTTCTGGACCTGGCAGGCAGCGCCGGTGCGACTGGGAGCTGG CGTAGCCCCTCTGAGCCACAGGAGCCGCTGGTGCAGGACCTGCAGGCTGCTGTGGCCGCT GTCCAGAGTGCCGTCCACGAGCTGTTGGAGTTTGCCCGCAGCGCGGTGGGCAATGCTGCC CACACATCTGACCGTGCCCTGCATGCCAAGCTTAGCCGGCAGCTGCAGAAGATGGAGGAC GTGCACCAGACGCTGGTGGCACATGGTCAGGCCCTCGACGCTGGCCGGGGAGGCTCTGGA GCCACCCTTGAGGACCTGGACCGGCTGGTGGCCTGCTCGCGGGCTGTGCCCGAGGACGCC AAGCAGCTGGCCTCCTTCCTGCACGGCAATGCCTCACTGCTCTTCAGACGGACCAAGGCC ACTGCCCCGGGGCCTGAGGGGGGTGGCACCCTGCACCCCAACCCCACTGACAAGACCAGC AGCATCCAGTCACGACCCCTGCCCTCACCCCCTAAGTTCACCTCCCAGGACTCGCCAGAT GGGCAGTACGAGAACAGCGAGGGGGGCTGGATGGAGGACTATGACTACGTCCACCTACAG GGGAAGGAGGAGTTTGAGAAGACCCAGAAGGAGCTGCTGGAAAAGGGCAGCATCACGCGG CAGGGCAAGAGCCAGCTGGAGTTGCAGCAGCTGAAGCAGTTTGAACGACTGGAACAGGAG GTGTCACGGCCCATAGACCACGACCTGGCCAACTGGACGCCAGCCCAACCCCTGGCCCCG GGGCGAACAGGCGGCCTGGGGCCCTCGGACCGGCAGCTGCTCTTCTACCTGGAGCAG TGTGAGGCCAACCTGACCACACGCCACGCCGTGGACGCCTTCTTTACCGCCGTGGCC ACCAACCAGCCGCCCAAGATCTTTGTGGCGCACAGCAAGTTCGTCATCCTCAGCGCCCAC AAGCTGGTGTTCATCGGGGACACACTGTCACGGCAGGCCAAGGCTGCTGACGTGCGCAGC CAGGTGACCCACTACAGCAACCTGCTGTGCGACCTCCTGCGCGGCATCGTGGCCACCACC AAGGCCGCTGCCTTGCAGTACCCATCGCCTTCCGCGGCCCAGGACATGGTGGAGAGGGTC AAGGAGCTGGGCCACAGCACCCAGCAGTTCCGCCGCGTCCTAGGCCAGCTGGCAGCCGCC

**Restriction Sites:** Please inquire ACCN: NM 001170721

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001170721.1</u>, <u>NP 001164192.1</u>

RefSeq Size: 3470 bp
RefSeq ORF: 1983 bp
Locus ID: 9564
Cytogenetics: 16q23.1

**Protein Families:** Druggable Genome

**Protein Pathways:** Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration,

Regulation of actin cytoskeleton

**Gene Summary:** The protein encoded by this gene is a member of the Crk-associated substrate (CAS) family of

scaffold proteins, characterized by the presence of multiple protein-protein interaction domains and many serine and tyrosine phosphorylation sites. The encoded protein contains a Src-homology 3 (SH3) domain, a proline-rich domain, a substrate domain which contains 15 repeat of the YxxP consensus phosphorylation motif for Src family kinases, a serine-rich domain, and a bipartite Src-binding domain, which can bind both SH2 and SH3 domains. This adaptor protein functions in multiple cellular pathways, including in cell motility, apoptosis and cell cycle control. Dysregulation of this gene can have a wide range of effects, affecting different pathways, including cardiac development, vascular smooth muscle cells, liver and

Transcript Variant: This variant (9) has an alternate 5' sequence, as compared to variant 1. The resulting isoform (9) is much shorter at the N-terminus, as compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used

kidney function, endothelial migration, and cancer. [provided by RefSeq, Sep 2017]

for the transcript record were based on transcript alignments.