

Product datasheet for SC329277

GLI1 (NM_001167609) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GLI1 (NM_001167609) Human Untagged Clone
Tag:	Tag Free
Symbol:	GLI1
Synonyms:	GLI; PAPA8; PPD1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC329277 representing NM_001167609. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGTTCAACTCGATGACCCACCACCAATCAGTAGCTATGGCGAGCCCTGCTGTCTCCGGCCCTCCCC
AGTCAGGGGGCCCCAGTGTGGGGACAGAAGTCAAGTTGACCAAGAAGCGGGCACTGTCCATCTCACCT
CTGTCCGATGCCAGCCTGGACCTGCAGACGTTATCCGCACCTCACCCAGCTCCCTCGTAGCTTTTCATC
AACTCGCGATGCACATCTCCAGGAGGCTCCTACGGTCATCTCCATTGGCACCATGAGCCCATCTCTG
GGATTCCCAGCCCAGATGAATCACAAAAAGGGCCCTCGCCTTCCTTTGGGGTCCAGCCTTGTGGTCCC
CATGACTCTGCCGGGGTGGGATGATCCCACATCCTCAGTCCCAGGGACCTTCCCAACTTGCCAGCTG
AAGTCTGAGCTGGACATGCTGGTTGGCAAGTGCCGGGAGGAACCTTGGAAAGGTGATATGTCAGCCCC
AACTCCACAGGCATACAGGATCCCTGTTGGGGATGCTGGATGGCGGGGAGGACCTCGAGAGAGAGGAG
AAGCGTGAGCCTGAATCTGTGTATGAAACTGACTGCCGTTGGGATGGCTGCAGCCAGGAATTTGACTCC
CAAGAGCAGCTGGTGACCACATCAACAGCGAGCACATCCACGGGAGCGGAAGGAGTTCGTGTGCCAC
TGGGGGGGCTGCTCCAGGGAGCTGAGGCCCTTCAAAGCCCAGTACATGCTGGTGGTTCACATGCCGAGA
CACACTGGCGAGAAGCCACACAAGTGCACGTTTGAAGGGTGCCGGAAGTCATACTCACGCCTCGAAAAC
CTGAAGACGCACCTGCGGTCACACACGGGTGAGAAGCCATACATGTGTGAGCACGAGGGCTGCAGTAAA
GCCTTCAGCAATGCCAGTGACCGAGCCAAGCACCAGAATCGGACCCATTCCAATGAGAAGCCGTATGTA
TGTAAGCTCCCTGGCTGCACAAACGCTATACAGATCCTAGCTCGCTGCGAAAACATGTCAAGACAGTG
CATGGTCTGACGCCATGTGACCAAACGGCACCGTGGGGATGGCCCCCTGCCTCGGGCACCATCCATT
TCTACAGTGGAGCCCAAGAGGGAGCGGGAAGGAGTCCCATCAGGGAGGAAAGCAGACTGACTGTGCCA
GAGGGTGCATGAAGCCACAGCCAAGCCCTGGGGCCAGTCACTGCAGCAGTGACCACTCCCCGGCA
GGGAGTGCAGCCAATACAGACAGTGGTGTGAAATGACTGGCAATGCAGGGGGCAGCACTGAAGACCTC
TCCAGCTTGGACGAGGGACCTTGCACTGCTGGCACTGGTCTGTCCACTCTTCGCCCTTGAGAACCTC
AGGCTGGACCAGTACATCAACTCCGGCAATAGGGACCCGGGTCTCAAAGTCCCAGCTTGTCCCAC
ACCGGTACCAGTGTCCCGCCGCTGGGCCCCAGTCTCTTGAACGCCGACGAGCAGCTCCAGC
```



[View online >](#)

```

AGCATCAGCTCTGCCTATACTGTGTCAGCCGCCGCTCCTCCCTGGCCTCTCCTTTCCCCCTGGCTCCCCA
CCAGAGAAATGGAGCATCCTCCCTGCCTGGCCTTATGCCTGCCAGCACTACCTGCCTCGGGCAAGATAT
GCTTCAGCCAGAGGGGGTGGTACTTCGCCCACTGCAGCATCCAGCCTGGATCGGATAGGTGGTCTTCCC
ATGCCTCCTTGGAGAAGCCGAGCCGAGTATCCAGGATACAACCCCAATGCAGGGGTACCCCGAGGGCC
AGTGACCCAGCCAGGCTGCTGACCGTCTGCTCCAGCTAGAGTCCAGAGGTTCAAGAGCCTGGGCTGT
GTCCATAACCCACCCACTGTGGCAGGGGAGGACAGAACTTTGATCCTTACCTCCCAACCTCTGTCTAC
TCACCAGCCCCCAGCATCACTGAGAAATGCTGCCATGGATGCTAGAGGGCTACAGGAAGAGCCAGAA
GTTGGGACCTCCATGGTGGGCAGTGGTCTGAACCCCTATATGGACTTCCACCTACTGATACTCTGGGA
TATGGGGGACCTGAAGGGGCAGCAGCTGAGCCTTATGGAGCGAGGGGTCCAGGCTCTCTGCCTCTGGG
CCTGGTCCACCCACCAACTATGGCCCCAACCCCTGTCCCCAGCAGGCTCATATCCTGACCCACCCAA
GAAACATGGGGTGGTTCCTTCCCACTCTGGGCTGTACCCAGGCCCAAGGCTCTAGGTGGAACCTAC
AGCCAGTGTCTCGACTTGAACATTATGGACAAGTGAAGTCAAGCCAGAACAGGGGTGCCAGTGGGG
TCTGACTCCACAGGACTGGCACCTGCCTCAATGCCACCCAGTGAGGGGCCCCACATCCACAGCCT
CTCTTTTCCATTACCCAGCCCTCTCCTCCCAATATCTCCAGTCAGGCCCTATACCCAGCCACCC
CCTGATTATCTTCTTCCAGAACCCAGGCTTGCCTGGACTTTGATTCCCCACCCATTCCACAGGGCAG
CTCAAGGCTCAGCTTGTGTGAATTATGTTCAATCTCAACAGGAGCTACTGTGGGAGGGTGGGGGAGG
GAAGATGCCCCGCCAGGAACCTTCTACCAGAGTCCCAAGTTTCTGGGGGGTCCAGGTTAGCCCA
AGCCGTGCTAAAGCTCCAGTGAACACATATGGACCTGGCTTTGGACCAACTTGCCCAATCACAAGTCA
GGTTCTATCCCACCCCTTACCATGCCATGAAAATTTGTAGTGGGGGCAAATAGGGCTTACATAGG
GCAGCAGCACCACTCGACTTCTGCCCCATTGCCCACTTGCTATGGGCTCTCAAAGTGGGAGGCACA
AACCCAGCTGTGGTCACTGAGGTGGCAGGCTAGGAGGGGTCTGCCTGTACCCTCTCCCGAA
GGACAGGTATGTAACCCCTGGACTCTCTTGTGTTGACAACACTCAGCTGGACTTTGTGGCTATTCTG
GATGAGCCCCAGGGCTGAGTCTCTCCTTCCATGATCAGCGGGCAGCTCTGGACATACCCACCT
CCCTCTGGGCCCCAACATGGCTGTGGCAACATGAGTGTCTTACTGAGATCCCTACCTGGGAAACA
GAATTCCTCAACTCTAGTGCCTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
    
```

Restriction Sites:

SgfI-MluI

ACCN:

NM_001167609

Insert Size:

3198 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001167609.1
RefSeq Size:	3483 bp
RefSeq ORF:	3198 bp
Locus ID:	2735
UniProt ID:	P08151
Cytogenetics:	12q13.3
Protein Families:	Adult stem cells, Cancer stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Stem cell relevant signaling - DSL/Notch pathway, Transcription Factors
Protein Pathways:	Basal cell carcinoma, Hedgehog signaling pathway, Pathways in cancer
MW:	113.7 kDa
Gene Summary:	<p>This gene encodes a member of the Kruppel family of zinc finger proteins. The encoded transcription factor is activated by the sonic hedgehog signal transduction cascade and regulates stem cell proliferation. The activity and nuclear localization of this protein is negatively regulated by p53 in an inhibitory loop. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2009]</p> <p>Transcript Variant: This variant (3) lacks an in-frame segment in the 5' coding region, compared to variant 1, resulting in a shorter protein isoform (3), also known as tGLI1. This variant reflects the transcript and protein described by Lo (PubMed ID 19706761). Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.</p>