

## Product datasheet for **SC329339**

### PCDH11X (NM\_001168363) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PCDH11X (NM_001168363) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDH11X
Synonyms:	PCDH-X; PCDH-Y; PCDH11; PCDH11Y; PCDH22; PCDHX; PPP1R119
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001168363, the custom clone sequence may differ by one or more nucleotides

```

ATGGACTTGTTCGCGGACGTACATTTTCGCGGTCTGTAGCATGCGTGGTGTCCAC
TCTGGCGCCAGGAGAAAACTACACCATCCGAGAAGAAATGCCAGAAAACGTCCTGATA
GGCGACTTGTGAAAGACCTTAACCTTGTGCTGATTCCAAACAAGTCTTGACAAGTCTG
ATGCAAGTCAAGCTAGTGTACAAGACCGGAGATGTGCACTGATTGCAATTGAAGAGGAT
ACTGGTGAGATCTTCACTACTGGCGCTCGCATTGATCGTGAGAAATTATGTGCTGGTATC
CCAAGGGATGAGCATTGCTTTTATGAAGTGGAGGTTGCCATTTTGCCGGATGAAATATT
AGACTGGTTAAGATACGTTTTCTGATAGAAGATATAAATGATAATGCACCATTGTCCCA
GCAACAGTTATCAACATATCAATCCAGAGAACCTGGCTATAAACTCTAAATATACTCTC
CCAGCGGCTGTTGATCCTGACGTAGGAATAAACGGAGTTCAAACTACGAACTAATTAAG
AGTCAAAACATTTTTGGCCTCGATGTCATTGAAACACCAGAAGGAGACAAGATGCCACAA
CTGATTGTTCAAAAGGAGTTAGATAGGGAAGAGAAGGATACCTACGTGATGAAAGTAAAG
GTTGAAGATGGTGGCTTTCTCAAAGATCCAGTACTGCTATTTTGAAGTGAAGTGTACT
GATACAAATGACAACCCAGTCTTTAAGGAGACAGAGATTGAAGTCAAGTATACCCAGAA
AATGCTCCTGTAGGCACTTCACTGACACAGCTCCATGCCACAGATGCTGACATAGGTGAA
AATGCCAAGATCCACTTCTTTTCAGCAATCTAGTCTCCAACATTGCCAGGAGATTTTT
CACCTCAATGCCACCACTGGACTTATCACAATCAAAGAACCACTGGATAGGGAAGAAACA
CCAAACCACAAGTTACTGGTTTTGGCAAGTATGGTGGATTGATGCCAGCAAGAGCAATG
GTGCTGGTAAATGTTACAGATGTCAATGATAATGTCCCATCCATTGACATAAGATACATC
GTCAATCCTGTCAATGACACAGTTGTTCTTTTCAGAAAATATTCCACTCAACACCAAAATT
GCTCTCATAACTGTGACGGATAAGGATGCGGACCATAATGGCAGGGTGACATGCTTCACA
GATCATGAAATCCCTTTTCAGATTAAGGCCAGTATTCAGTAATCAGTTCCTCCTGGAGACT
GCAGCATATCTTGACTATGAGTCCACAAAAGAATATGCCATTAATTAAGTGGCTGCAGAT
GCTGGCAAACCTCTTTGAATCAGTCAGCAATGCTCTTCATCAAAGTGAAGATGAAAT
GACAATGCTCCAGTTTTACCCAGTCTTTCGTAAGTCTTCTATTCTGAGAATAACTCT
CCTGGCATCCAGTTGACGAAAGTAAAGTGAATGGATGCAGACAGTGGGCCTAATGCTAAG

```



[View online »](#)

ATCAATTACCTGCTAGGCCCTGATGCTCCACCTGAATTCAGCCTGGATTGTCGTACAGGC  
 ATGCTGACTGTAGTGAAGAACTAGATAGAGAAAAAGAGGATAAAATTTTATTCACAATT  
 CTGGCAAAAGATAACGGGGTACCACCCTTAACCAGCAATGTCACAGTCTTTGTAAGCATT  
 ATTGATCAGAATGACAATAGCCCACTTTCACTCACAATGAATACAACCTCTATGTCCTCA  
 GAAAACCTTCCAAGGCATGGTACAGTAGGACTAATCACTGTAACCTGATCCTGATTATGGA  
 GACAATTCTGCAGTTACGCTCTCCATTTTAGATGAGAATGATGACTTCACCATTGATTCA  
 CAAACTGGTGTCAATCCGACCAAAATTTTCATTTGATAGAGAAAAACAAGAATCTTACACT  
 TTCTATGTAAAGGCTGAGGATGGTGGTAGAGTATCACGTTCTTCAAGTGCCAAAGTAACC  
 ATAAATGTGGTTGATGTCAATGACAACAACCAGTTTTTCATTGTCCTCCTTCCAACCTGT  
 TCTTATGAATTGGTTCTACCGTCCACTAATCCAGGCACAGTGGTCTTTCAGGTAATTGCT  
 GTTGACAATGACACTGGCATGAATGCAGAGGTTCTGTTACAGCATTGTAGGAGGAAACACA  
 AGAGATCTGTTTGAATCGACCAAGAAACAGGCAACATAACATTGATGGAGAAATGTGAT  
 GTTACAGACCTTGGTTTACACAGAGTGTGGTCAAAGCTAATGACTTAGGACAGCCTGAT  
 TCTCTCTCAGTGTGTAATTGTCAATCTGTTCTGTAATGAGTCGGTGACCAATGCTACA  
 CTGATTAATGAACTGGTGCAGCAAAAGCACTGAAGCACCAGTGACCCCAAATACTGAGATA  
 GCTGATGTATCCTCACCACCTAGTACTGATGTCAAGATCCTGGTTGCAGCTGTTGCTGGC  
 ACCATAACTGTCGTTGTAGTTATTTTCATCACTGCTGTAGTAAGATGTCGCCAGGCACCA  
 CACCTTAAGGCTGCTCAGAAAAACAAGCAGAATTTCTGAATGGGCTACCCCAAACCCAGAA  
 AACAGGCAGATGATAATGATGAAGAAAAAGAAAAAGAAGAAGCATTCCCTAAGAAC  
 TTGCTGCTTAATTTTGTCACTATTGAAGAACTAAGGCAGATGATGTTGACAGTATGGA  
 AACAGAGTCACACTAGACCTTCTATTGATCTAGAAGAGCAACAATGGGAAAGTACAAT  
 TGGGTAACACTACACTACTTTCAAGCCCGACAGCCCTGATTTGGCCCGACACTACAAA  
 TCTGCCTCTCCACAGCCTGCCTTCCAAATTCAGCCTGAAACTCCCCTGAATTCGAAGCAC  
 CACATCATCCAAGAACTGCCTCTCGATAACACCTTTGTGGCCTGTGACTCTATCTCCAAG  
 GTTTCCTCAAGCAGTTTCAGATCCCTACAGCGTTTCTGACTGTGGCTATCCAGTGACGACC  
 TTCAGAGTACCTGTGTCGTACACACCAGACCGCAATGAAGGAGGTTGTGCGATCTTGC  
 ACCCCCATGAAAGAGTCTACAATATGGAGATCTGGATTCATCCCAACCCACAGTCCCAG  
 CGGCGTGTACATTTACCTGCCAGAAGGCTCTCAGGAAAGCAGCAGTATGGTGGACTG  
 GGAGACCATGATGCAGGCAGCCTTACCAGCACATCTCATGGCCTGCCCTTGGCTATCCT  
 CAGGAGGAGTACTTTGATCGTGCTACACCCAGCAATCGCACTGAAGGGGATGGCAACTCC  
 GATCCTGAATCTACTGCAGAAATAACTGTTCAACCAACTGTGGAAGAGGCTCTGACAAC  
 TGCACTCAAGAATGTCTCATCTATGGCCATTCTGATGCCTGCTGGATGCCGGCATCTCTG  
 GATCATTCCAGCTCTTCGCAAGCACAGGCTCTGCTCTATGCCACAGCCACCACCTGTCA  
 CAGGCCTCTACTCAGACCACAGCCACAGAGTGACACAGACCAATTGCTCTCTGCCACAGC  
 CCTCCAGTGACACAGACCATCGCATTGTGCCACAGCCACCACCGATACAGGTGTCTGCT  
 CTCCACCACAGTCTCTCTAGTGCAGGCTACTGCACTTACCACAGCCACCACATCAGCA  
 CAGGCCTCAGCCCTCTGTACAGCCCTCCTTTAGCACAGGCTGTGCAATCAGCCACAGC  
 TCTCCTCTGCCACAGGTTATTGCCCTCCATCGTAGTCAGGCCCAATCATCAGTCAGTTTG  
 CAGCAAGGTTGGGTGCAAGGTGCTGATGGGCTATGCTCTGTTGATCAGGGAGTGCAAGGT  
 AGTGCAACATCTCAGTTTTACACCATGTCTGAAAGACTTCATCCCAAGTATGATTCAATT  
 AAAGTCATTCTTTGACAACCTTCACTCCACGCCAACAGGCCAGACCGTCCAGAGGTGAT  
 TCCCCATTATGGAAGAATCCCTTGTA

**Restriction Sites:**

Please inquire

**ACCN:**

NM\_001168363

**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001168363.1</a> , <a href="#">NP_001161835.1</a>
<b>RefSeq Size:</b>	8335 bp
<b>RefSeq ORF:</b>	3990 bp
<b>Locus ID:</b>	27328
<b>UniProt ID:</b>	<a href="#">Q9BZA7</a>
<b>Cytogenetics:</b>	Xq21.31
<b>Protein Families:</b>	Transmembrane
<b>Gene Summary:</b>	<p>This gene belongs to the protocadherin gene family, a subfamily of the cadherin superfamily. The encoded protein consists of an extracellular domain containing 7 cadherin repeats, a transmembrane domain and a cytoplasmic tail that differs from those of the classical cadherins. The gene is located in a major X/Y block of homology and its Y homolog, despite divergence leading to coding region changes, is the most closely related cadherin family member. The protein is thought to play a fundamental role in cell-cell recognition essential for the segmental development and function of the central nervous system. Disruption of this gene may be associated with developmental dyslexia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2014]</p> <p>Transcript Variant: This variant (h) lacks two in-frame exons in the central coding region, compared to variant c. The encoded isoform (h) is shorter, compared to isoform c.</p>