

Product datasheet for **SC329341**

PCDH11X (NM_001168360) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | PCDH11X (NM_001168360) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | PCDH11X |
| Synonyms: | PCDH-X; PCDH-Y; PCDH11; PCDH11Y; PCDH22; PCDHX; PPP1R119 |
| Mammalian Cell Selection: | None |
| Vector: | <u>pCMV6-XL5</u> |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| Fully Sequenced ORF: | >NCBI ORF sequence for NM_001168360, the custom clone sequence may differ by one or more nucleotides |

```

ATGGACTTGTTCGCGGACGTACATTTTCGCGGTCTGTAGCATGCGTGGTGTCCAC
TCTGGCGCCAGGAGAAAACTACACCATCCGAGAAGAAATGCCAGAAAACGTCCTGATA
GGCGACTTGTGAAAGACCTTAACCTTGTGCTGATTCCAAACAAGTCTTGACAAGTCTG
ATGCGATTCAAGCTAGTGTACAAGACCGGAGATGTCCACTGATTGCAATTGAAGAGGAT
ACTGGTGAGATCTTCACTACTGGCGCTCGCATTGATCGTGAGAAATTATGTGCTGGTATC
CCAAGGGATGAGCATTGCTTTTATGAAGTGGAGGTTGCCATTTTGCCGGATGAAATATT
AGACTGGTTAAGATACGTTTTCTGATAGAAGATATAAATGATAATGCACCATTGTCCCA
GCAACAGTTATCAACATATCAATCCAGAGAAGTCCGCTATAAACTCTAAATATACTCTC
CCAGCGGCTGTTGATCCTGACGTAGGAATAAACGGAGTTCAAACTACGAACTAATTAAG
AGTCAAAACATTTTTGGCCTCGATGTCATTGAAACACCAGAAGGAGACAAGATGCCACAA
CTGATTGTTCAAAAGGAGTTAGATAGGGAAGAGAAGGATACCTACGTGATGAAAGTAAAG
GTTGAAGATGGTGGCTTTCTCAAAGATCCAGTACTGCTATTTTGAAGTGGTGTACT
GATACAAATGACAACCCAGTCTTTAAGGAGACAGAGATTGAAGTCAAGTATACCCAGAA
AATGCTCCTGTAGGCACTTCACTGACACAGCTCCATGCCACAGATGCTGACATAGGTGAA
AATGCCAAGATCCACTTCTTTTCAGCAATCTAGTCTCCAACATTGCCAGGAGATTTTT
CACCTCAATGCCACCACTGGACTTATCACAATCAAAGAACCACTGGATAGGGAAGAAACA
CCAAACCACAAGTTACTGGTTTTGGCAAGTGATGGTGGATTGATGCCAGCAAGAGCAATG
GTGCTGGTAAATGTTACAGATGTCAATGATAATGTCCCATCCATTGACATAAGATACATC
GTCAATCCTGTCAATGACACAGTTGTTCTTTTCAGAAAATATTCCACTCAACACCAAAATT
GCTCTCATAACTGTGACGGATAAGGATGCGGACCATAATGGCAGGGTGACATGCTTCACA
GATCATGAAATCCCTTTTCAGATTAAGGCCAGTATTCAGTAATCAGTTCCTCCTGGAGACT
GCAGCATATCTTGACTATGAGTCCACAAAAGAATATGCCATTAATTAAGTGGCTGCAGAT
GCTGGCAAACCTCTTTGAATCAGTCAGCAATGCTCTTCATCAAAGTAAAAGATGAAAT
GACAATGCTCCAGTTTTACCCAGTCTTTCGTAAGTCTTCTATTCTGAGAATAACTCT
CCTGGCATCCAGTTGACGAAAGTAAAGTGAATGGATGCAGACAGTGGGCCTAATGCTAAG

```



[View online >](#)

ATCAATTACCTGCTAGGCCCTGATGCTCCACCTGAATTCAGCCTGGATTGTCGTACAGGC
 ATGCTGACTGTAGTGAAGAACTAGATAGAGAAAAAGAGGATAAAATTTTATTCACAATT
 CTGGCAAAAGATAACGGGGTACCACCCTTAACCAGCAATGTCACAGTCTTTGTAAGCATT
 ATTGATCAGAATGACAATAGCCAGTTTTCACTCACAATGAATACAACCTCTATGTCCCA
 GAAAACCTTCCAAGGCATGGTACAGTAGGACTAATCACTGTAACCTGATCCTGATTATGGA
 GACAATTCTGCAGTTACGCTCTCCATTTTAGATGAGAATGATGACTTCACCATTGATTCA
 CAAACTGGTGTCAATCCGACCAAAATTTTCATTTGATAGAGAAAAACAAGAATCTTACACT
 TTCTATGTAAAGGCTGAGGATGGTGGTAGAGTATCACGTTCTTCAAGTGCCAAAGTAACC
 ATAAATGTGGTTGATGTCAATGACAACAACCAGTTTTTCATTGTCCTCCTTCCAACCTGT
 TCTTATGAATTGGTTCTACCGTCCACTAATCCAGGCACAGTGGTCTTTCAGGTAATTGCT
 GTTGACAATGACACTGGCATGAATGCAGAGGTTGTTACAGCATTGTAGGAGGAAACACA
 AGAGATCTGTTTGAATCGACCAAGAAACAGGCAACATAACATTGATGGAGAAATGTGAT
 GTTACAGACCTTGGTTTACACAGAGTGTGGTCAAAGCTAATGACTTAGGACAGCCTGAT
 TCTCTCTCAGTGTGTAATTGTCAATCTGTTGCTGAATGAGTCGGTGACCAATGCTACA
 CTGATTAATGAACTGGTGCAGAAAAGCACTGAAGCACCAGTGACCCCAAATACTGAGATA
 GCTGATGTATCCTCACCACCTAGTACTGACTATGTCAGATCCTGGTTGCAGCTGTTGCTGGC
 ACCATAACTGTCGTTGTAGTTATTTTCATCACTGCTGTAGTAAGATGTCGCCAGGCACCA
 CACCTTAAGGCTGCTCAGAAAAACAAGCAGAATTTCTGAATGGGCTACCCCAAACCCAGAA
 AACAGGCAGATGATAATGATGAAGAAAAAGAAAAAGAAGAAGCATTCCCTAAGAAC
 TTGCTGCTTAATTTTGTCACTATTGAAGAACTAAGGCAGATGATGTTGACAGTGTGGA
 AACAGAGTCACACTAGACCTTCTATTGATCTAGAAGAGCAACAATGGGAAAGTACAAT
 TGGGTAACACTACCTACTACTTTCAAGCCCGACAGCCCTGATTTGGCCCGACACTACAAA
 TCTGCCTCTCCACAGCCTGCCTTCCAAATTCAGCCTGAAACTCCCCTGAATTCGAAGCAC
 CACATCATCCAAGAACTGCCTCTCGATAACACCTTTGTGGCCTGTGACTCTATCTCCAAG
 TGTTCCCTCAAGCAGTTCAGATCCCTACAGCGTTTCTGACTGTGGCTATCCAGTGACGACC
 TTCGAGGTACCTGTGTCGTACACACCAGACCGCAATGAAGGAGGTTGTGCGATCTTGC
 ACCCCCATGAAAGAGTCTACAATATGGAGATCTGGATTATCCCAACCCACAGCGGAAA
 TCTGAAGGAAAGTGGCAGGAAAGTCCCAGCGCGGTGTCACATTTACCTGCCAGAAGGC
 TCTCAGGAAAGCAGCAGTGTGGTGGACTGGGAGACCATGATGCAGGCAGCCTTACCAGC
 ACATCTCATGGCCTGCCCTTGGCTATCCTCAGGAGGAGTACTTTGATCGTGCTACACCC
 AGCAATCGCACTGAAGGGGATGGCAACTCCGATCCTGAATCTACTGCAGAAATAACTGTT
 CAACCAACTGTGGAAGAGGCCTCTGACAACCTGCACTCAAGAATGTCTCATCTATGCCAT
 TCTGATGCCTGCTGGATGCCGGCATCTCTGGATCATTCCAGCTCTTCGCAAGCACAGGCC
 TCTGCTCTATGCCACAGCCCACCCTGTACAGGCCTCTACTCAGCACCACAGCCCACGA
 GTGACACAGACCATGCTCTCTGCCACAGCCCTCCAGTGACACAGACCATCGCATTGTGC
 CACAGCCCACCACCGATACAGGTGTCTGCTCTCCACCACAGTCTCCTCTAGTGCAGGCT
 ACTGCACTTCACCACAGCCCACCATCAGCACAGGCCTCAGCCCTCTGCTACAGCCCTCCT
 TTAGCACAGGCTGCTGCAATCAGCCACAGCTCTCCTCTGCCACAGGTTATTGCCCTCCAT
 CGTAGTCAGGCCAATCATCAGTCAGTTTGCAGCAAGGTTGGGTGCAAGGTGCTGATGGG
 CTATGCTCTGTTGATCAGGGAGTGCAAGGTAGTGCAACATCTCAGTTTTACACCATGTCT
 GAAAGACTTCATCCAGTGATGATTCAATTAAGTCATTCTTTGACAACCTTCACTCCA
 CGCCAACAGGCCAGACCTCCAGAGGTGATTCCCCATTATGGAAGAACATCCCTTGTA

Restriction Sites:

Please inquire

ACCN:

NM_001168360

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

| | |
|-------------------------------|--|
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_001168360.1 , NP_001161832.1 |
| RefSeq Size: | 8365 bp |
| RefSeq ORF: | 4020 bp |
| Locus ID: | 27328 |
| UniProt ID: | Q9BZA7 |
| Cytogenetics: | Xq21.31 |
| Protein Families: | Transmembrane |
| Gene Summary: | <p>This gene belongs to the protocadherin gene family, a subfamily of the cadherin superfamily. The encoded protein consists of an extracellular domain containing 7 cadherin repeats, a transmembrane domain and a cytoplasmic tail that differs from those of the classical cadherins. The gene is located in a major X/Y block of homology and its Y homolog, despite divergence leading to coding region changes, is the most closely related cadherin family member. The protein is thought to play a fundamental role in cell-cell recognition essential for the segmental development and function of the central nervous system. Disruption of this gene may be associated with developmental dyslexia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2014]</p> <p>Transcript Variant: This variant (e) lacks an in-frame exon in the 3' coding region, compared to variant c. The encoded isoform (e) is shorter, compared to isoform c.</p> |