

## Product datasheet for **SC329361**

### VPRBP (DCAF1) (NM\_001171904) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	VPRBP (DCAF1) (NM_001171904) Human Untagged Clone
Tag:	Tag Free
Symbol:	VPRBP
Synonyms:	RIP; VPRBP
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001171904, the custom clone sequence may differ by one or more nucleotides

```

ATGACTACAGTAGTGGTACATGTGGACTCCAAAGCTGAGCTCACTACCCTGCTGGAGCAG
TGGGAAAAGGAACATGGCAGTGGGCAGGACATGGTACCTATCCTTACCAGGATGTCTCAA
TTGATTGAAAAAGAACTGAAGAGTATCGTAAAGGGGATCCAGACCCATTTGATGATCGA
CATCCTGGTTCGAGCTGATCCAGAGTGTATGCTGGGCCACTTGGTGAAGTACTCTTCAAG
AATGATGATTTTCATGAATCTGGTGAATGCATATGTGATGACAAGCCGAGAGCCCCCTTA
AACACTGCAGCTTGCAGACTCCTATTAGACATCATGCCAGGGCTGGAACTGCTGTCGTC
TTTCAAGAAAAGGAGGGAATTGTCGAGAATCTTTTCAAATGGGCCCGAGAGGCCGATCAA
CCATTGAGGACATATTCTACTGGACTGTTAGGAGGTGCTATGGAAAATCAAGACATTGCT
GCCAACTATAGAGATGAAAATTCACAGCTGGTGGCAATAGTGCTTCGAAGACTGAGGGAG
CTACAGCTACAGGAAGTGGCTTTGCGGCAGGAAAACAAGCGTCCCAGTCCACGGAAGCTC
TCTTCTGAACCCCTTTTGCCTCTGGATGAGGAGGCTGTGGATATGGAATGTTGACATG
GCTGTAGATGTAGTGGATGGAGACCAAGAGGAAGCTTCTGGAGACATGGAGATCTCCTTT
CATCTTGATTCAGGCCACAAGACTAGTAGCAGAGTGAACCAACAACCAACCTGAGGAT
GGAGGATTAAGAAAAACAAGTCAGCAAAACAGGGTGACAGAGAGAACTTTAGGAAAAGCC
AAGCAAAAGTTGGGTTTCTCATCTTCTGATCCAGATCGCATGTTTGTGAGCTGTCTAAT
AGCAGTTGGTCAGAAATGTCTCCCTGGGTGATTGGCACCAATTATACCCTTTATCCTATG
ACTCCTGCTATCGAGCAGCGACTATTCTCCAATATTTGACCCCTTAGGAGAATATCAG
GAGCTACTTCCCATATTGCAACTTGGATCACGGGAGCTGATGATGTTCTATATTGAC
CTGAAGCAAATAATGATGTCCTGCTTACATTTGAGGCACTAAAGCACCTAGCATCTCTC
CTGCTCCATAACAAATTTGCCACAGAATTTGTTGCGCATGGTGGAGTACAGAAATTAAGT
GAAATACCTCGTCTTCTATGGCTGCAACCGGTGTGTCTATGTGTTTGTATTACCTATCC
TACAATCAGGATGCCATGGAAAGAGTTTGCATGCATCCCCACAATGTTCTGTCTGATGTG
GTGAATATACCCTGTGGTTAATGGAGTGTCTCATGCTTCAGGATGCTGCCATGCTACC
ATGTTTTTTTTCAATTTGCTTCTCATTTTCGGGCCGTCTTGGAGCTCTTTGACCGCTATGAT
GGTCTTCGTCGCTGGTGAACCTGATCAGTACTTTGGAGATTCTAAATTTGGAAGATCAG

```



[View online »](#)

GGTGCACTTCTGAGTGATGATGAAATATTTGCTAGCCGCCAAACTGGGAAACATACCTGC  
 ATGGCCTTGCGCAAATACTTTGAGGCTCACCTGGCCATTAATTTGGAACAAGTGAAGCAG  
 TCACTTCAGAGGACTGAGGGTGGCATTCTTGTCACCCACAACCCCGTACAAGGCATGC  
 TCATATACTCATGAACAGATTGTGGAATGATGGAATTTTTGATAGAATATGGCCAGCG  
 CAGCTATATTGGGAACCAGCTGAAGTTTTCTCAAACCTTCTTGTTGCAACTCTTGTTG  
 CAGCTTATTTCTATTGCCTGCAATTGGAAGACCTATTATGCAAGGAATGACACTGTGCGC  
 TTTGCTTTGGATGCTGGCTATTCTTACTGTGGTGCCAAAAATCCAGCTCCAGTTGGCA  
 GAATCAGTGGACGTGTTGGATGAGGCTGGATCTACAGTCTACTGTAGGTATCAGCATT  
 ATTTTGGGAGTGGCTGAGGGTGAAGTTCTTCATCCATGATGCTGAAATTCAGAAAGTCA  
 CTTAGATTATCATCAATTGTGTGTGGCCAGATAACCGAATATCCAGTATTGGTAAA  
 TTTATCTCTGGTACTCCTCGGAGAAAGCTGCCTCAGAACCCTAAAAGCAGTGAGCACACC  
 CTGGCCAAGATGTGGAATGTGGTTCAGTCCAACAACGGCATCAAGGTGCTCCTGCTCTTA  
 CTGTCCATTAAGATGCCATCACAGATGCAGACCAAATCCGGGCCCTGGCCTGCAAAGCC  
 CTAGTGGGCTGTCTCGCAGTAGCACTGTCCGGCAGATCATCAGTAAACTGCCCCTTTT  
 AGCAGCTGCCAGATCCAGCAGCTGATGAAGGAGCTGTGCTGCAGGACAAGCGCAGTGAC  
 CATGTCAAAGTTCTGCAAGTATGCTGCTGAACTCATTGAACGGGTGTCAGGAAAACCACT  
 CTCATTGGCACTGATGTTTTCCCTAGCACGACTGCAGAAAGCAGATGTTGTTGCCAGTCA  
 AGGATCTCCTTCCCTGAGAAAGAGCTGCTTTTGTGATACGAAACCATCTTATTTCTAAA  
 GGGCTTGAGAAAACAGCAACCGTGTGACAAAAGAGGCTGACCTGCCATGACTGCTGCC  
 TCCCATCTTCTGCCTTACCCAGTCACTGCTGCTGCTTCTCCTGTCTCTACCCCGA  
 ACCCTCGTATCGCTAATGGCATTGCAACTCGTCTGGGCAGCCATGCTGCTGTGGGTGCC  
 TCTGCGCCTTCTGCCCTACTGCTCATCCTCAGCCAGGCCCCCCCAGGGTCCGCTAGCT  
 CTGCCCCGCCACTTTATGCAGGCAACTCCCCTTGATTGGTAGAATCAGTTTTATCAGA  
 GAGAGGCCATCACCTGCAATGGCAGGAAAATCAGAGTGTGCGGCAGAAGTCGGACCAT  
 GGTGCCTACAGCCAAAGCCAGCCATAAAAAACAGCTGGACAGACATCTTCTTCCCCA  
 CCTACGCTGGACAGTATAATCACAGAGTATCTTAGAGAACAACATGCTCGCTGCAAGAT  
 CCAGTTGCCACCTGCCACCTTTCTCCCTTTACTCCTCACCAATGCTCCTGAGCCAAAA  
 CAGAGGCGCAAGCGCAATAAACTTTACGTCAAGGCTAAACCGCAGGGCATCATTCCA  
 AAGTATGGAGGGTGGATGGCGGATGCTTTGATAGGCACCTTATCTTTAGCAGATCCGT  
 CCTATTTAGTGTCCGGGAAGCCAATGAAGATGAGAGTGGCTTACCTGCTGTGCATTC  
 TCAGCACGGGAGCGGTTCTGATGCTTGGCACCTGCACAGGGCAGCTGAAGCTCTATAAT  
 GTGTTTAGTGGACAGGAGGAGGCCAGCTATAACTGTCACAACCTCAGCCATCACACATCT  
 GAACCTTCCAGGGATGGTCTTCTGCTGACATCTGCTACTTGGAGCCAGCCTTTGTCT  
 GCACTTTGGGGAATGAAGTCAAGTATTTGATATGAAGCATTCTTCCACAGAAGTCACTAT  
 GTTGAGTTCAGTAAGCACTCCCAGGATCGGGTCAATCGGCACAAAAGGAGACATTGCCAC  
 ATTTATGATATTCAGACTGGCAACAAGCTGTTGACTCTGTTTAAACCCAGATCTTGCCAAC  
 AACTACAAGAGGAACTGTGCCACCTTTAATCCTACAGATGATCTTGTCTTAAATGATGGC  
 GTCCTCTGGGATGTCCGCTCTGCACAGGCCATCCACAAGTTTGACAAGTTCAATATGAAC  
 ATCAGTGGTGTTCATCCAAATGGACTGGAGGTGATCATTAACTGAGATTTGGGAC  
 CTCGAACCTTTTCTATCTTTGCATACTGTTCCCGCTCTGGATCAGTGTGCGGTGGTTC  
 AATCACACGGGAACAGTATGATGAGGCTATGTTGCAGGCAGATGATGAAGATGACTTA  
 ATGGAAGAGAGGATGAAAAGCCCTTTGGGTATCCTTCCGAACATTTAATGCAACTGAC  
 TACAAACCTATAGCAACCATTGATGTGAAACGGAACATCTTTGACCTGTGTACAGACACC  
 AAAGACTGCTATCTTGCTGTCATTGAGAATCAAGGCAGCATGGATGCCCTGAACATGGAC  
 ACAGTATGCAGGCTGATGAAGTGGCAGGCAGCGTCTGGCAGAGGATGAGGATGAAGAG  
 GAGGACCAGGAAGAGGAAGAACAGGAGGAAGAAGATGATGATGAAGATGATGATGACACC  
 GATGATTTAGATGAGCTTGACACTGACCAGTTGCTGGAGCGGAGTTGGAGGAGGACGAC  
 AATAATGAGAACCAGGGGAAGATGGGGACAATGACTTCTCTCCCTCTGATGAGGAGCTA  
 GCAAACCTTCTAGAGGAGGGAGAGGACGGGAGGATGAAGACTCTGATGCAGATGAGGAG  
 GTGGAACCTGATCCTGGGGACACTGACAGCTCTGACAACCTCTGATTTGGAAGATGACATC  
 ATCTTATCTCTGAATGAGTGA

<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	NM_001171904
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_001171904.1</a> , <a href="#">NP_001165375.1</a>
<b>RefSeq Size:</b>	5951 bp
<b>RefSeq ORF:</b>	4521 bp
<b>Locus ID:</b>	9730
<b>UniProt ID:</b>	<a href="#">Q9Y4B6</a>
<b>Cytogenetics:</b>	3p21.2

**Gene Summary:**

Acts both as a substrate recognition component of E3 ubiquitin-protein ligase complexes and as an atypical serine/threonine-protein kinase, playing key roles in various processes such as cell cycle, telomerase regulation and histone modification. Probable substrate-specific adapter of a DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complex, named CUL4A-RBX1-DDB1-DCAF1/VPRBP complex, which mediates ubiquitination and proteasome-dependent degradation of proteins such as NF2. Involved in the turnover of methylated proteins: recognizes and binds methylated proteins via its chromo domain, leading to ubiquitination of target proteins by the RBX1-DDB1-DCAF1/VPRBP complex (PubMed:23063525). The CUL4A-RBX1-DDB1-DCAF1/VPRBP complex is also involved in B-cell development: DCAF1 is recruited by RAG1 to ubiquitinate proteins, leading to limit error-prone repair during V(D)J recombination. Also part of the EDVP complex, an E3 ligase complex that mediates ubiquitination of proteins such as TERT, leading to TERT degradation and telomerase inhibition (PubMed:23362280). Also acts as an atypical serine/threonine-protein kinase that specifically mediates phosphorylation of 'Thr-120' of histone H2A (H2AT120ph) in a nucleosomal context, thereby repressing transcription. H2AT120ph is present in the regulatory region of many tumor suppressor genes, down-regulates their transcription and is present at high level in a number of tumors (PubMed:24140421). Involved in JNK-mediated apoptosis during cell competition process via its interaction with LLGL1 and LLGL2 (PubMed:20644714). [UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) lacks an exon in the 5' UTR and uses an alternate in-frame splice site in the 5' coding region, compared to variant 1, resulting in an isoform (2) that is 1 aa shorter than isoform 1.