

## **Product datasheet for SC329450**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Aprataxin (APTX) (NM\_001195249) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Aprataxin (APTX) (NM\_001195249) Human Untagged Clone

Tag: Tag Free
Symbol: Aprataxin

Synonyms: AOA; AOA1; AXA1; EAOH; EOAHA; FHA-HIT

Mammalian Cell

Neomycin

Selection:

Vector: PCMV6-Neo

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001195249, the custom clone sequence may differ by one or

more nucleotides

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM\_001195249





## **OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 001195249.1</u>, <u>NP 001182178.1</u>

 RefSeq Size:
 2179 bp

 RefSeq ORF:
 1029 bp

 Locus ID:
 54840

 UniProt ID:
 Q7Z2E3

 Cytogenetics:
 9p21.1

**Protein Families:** Druggable Genome

**Gene Summary:** This gene encodes a member of the histidine triad (HIT) superfamily. The encoded protein

may play a role in single-stranded DNA repair through its nucleotide-binding activity and its diadenosine polyphosphate hydrolase activity. Mutations in this gene have been associated with ataxia-ocular apraxia. Alternatively spliced transcript variants have been identified for

this gene.[provided by RefSeq, Aug 2010]

Transcript Variant: This variant (7) differs in the 5' UTR compared to variant 1. Variants 1, 6, 7,

16, 17, 18, and 19 encode the same isoform (a).