

Product datasheet for **SC329485**

TANK (NM_001199135) Human Untagged Clone

Product data:


Product Type: Expression Plasmids
Product Name: TANK (NM_001199135) Human Untagged Clone
Tag: Tag Free
Symbol: TANK
Synonyms: I-TRAF; ITRAF; TRAF2
Vector: pCMV6-Entry (PS100001)
Fully Sequenced ORF: >SC329485 representing NM_001199135.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
ATGGATAAAAACATTGGCGAGCAACTCAATAAAGCGTATGAAGCCTTCCGGCAGGCATGCATGGATAGA
GATTCTGCAGTAAAAGAATTACAGCAAAAGACTGAGAATATGAGCAGAGAATACGTGAACAACAGGAA
CAGCTGCACTTCAACAGACTATTATTGACAAGCTAAAATCTCAGTTACTTCTTGTGAATTCCACTCAA
GATAACAATTATGGCTGTGTTCCCTCGCTTGAAGACAGTGAACAAGAAAGAATAATTTGACTCTTGAT
CAGCCACAAGATAAAGTGATTTTCAGGAATAGCAAGAGAAAAACTACCAAAGGTAAGAAGACAAGAGGTT
TCTTCTCCTAGAAAAGAACTTCAGCAAGGAGTCTTGGCAGTCCTTTGTCCATGAAAGGGGTAATATA
GAGAAGACTTTCTGGGATCTGAAAGAAGATTTTCATAAAATATGCATGCTAGCAAAAGCAGAAAGAC
CACTTAAGCAAACCTTAATATACCAGACTGCAACTGAAACACAGTGCTCTGTGCCTATACAGTGTACG
GATAAAACAGATAAAACAAGAAGCGCTGTTTAAGCCTCAGGCTAAAGATGATATAAATAGAGGTGCACCA
TCCATCACATCTGTACACCAAGAGGACTGTGCAGAGATGAGGAAGACACCTCTTTTGAATCACTTTCT
AAATTCATGTCAAGTTCCACCTATGGACAATGACTCAACTTTCTTACATAGCACTCCAGAGAGACCC
GGCATCCTTAGTCCTGCCACGTCTGAGGACGTGTGCCAAGAGAAATTTAATATGGAGTTCAGAGACAAC
CCAGGGAACCTTTGTTAAAACAGAAGAACTTTATTTGAAATTCAGGGAATTGACCCCATAGCTTCAGCT
ATACAAAACCTTAAAACAAGTACAAAACAAGCCCTCAAATCTCGTAAACACTTGTATCAGGACAAC
CTGGATAGAGCTGCGTGTGTTGCCACCTGGAGACCATAATGCATTATATGTAATAGCTTCCCACTTCTG
GACCCATCTGATGCACCTTTTCCCTCACTCGATTTCCCGGAAAAGCAATCCGAGGACCACAGCAGCCC
ATTTGGAAGCCCTTTCCTAATCAAGACAGTGACTCGGTGGTACTAAGTGGCACAGACTCAGAAGTGCAT
ATACCTCGAGTATGTGAATCTGTCAAGCAGTTTTCCACCATCCATTACATCCAGGGGGGATTTCCCT
CGGCATCTTAATTCACACTTCAATGGAGAGACTTAA
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:


ACCN: NM_001199135

Insert Size: 1278 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001199135.1](#)

RefSeq Size: 2060 bp

RefSeq ORF: 1278 bp

Locus ID: 10010

UniProt ID:	Q92844
Cytogenetics:	2q24.2
Protein Families:	Druggable Genome
Protein Pathways:	RIG-I-like receptor signaling pathway
MW:	47.8 kDa
Gene Summary:	<p>The TRAF (tumor necrosis factor receptor-associated factor) family of proteins associate with and transduce signals from members of the tumor necrosis factor receptor superfamily. The protein encoded by this gene is found in the cytoplasm and can bind to TRAF1, TRAF2, or TRAF3, thereby inhibiting TRAF function by sequestering the TRAFs in a latent state in the cytoplasm. For example, the protein encoded by this gene can block TRAF2 binding to LMP1, the Epstein-Barr virus transforming protein, and inhibit LMP1-mediated NF-kappa-B activation. Three alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2010]</p> <p>Transcript Variant: This variant (3) has an alternate 5' UTR exon compared to variant 1. Variants 1 and 2 encode the same isoform (a).</p>