

Product datasheet for **SC329489**

ATP2C1 (NM_001199180) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ATP2C1 (NM_001199180) Human Untagged Clone
Tag:	Tag Free
Symbol:	ATP2C1
Synonyms:	ATP2C1A; BCPM; HHD; hSPCA1; PMR1; SPCA1
Vector:	pCMV6-Entry (PS100001)




[View online »](#)

Fully Sequenced ORF: >SC329489 representing NM_001199180.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGATAGTCTGTTGCCTCCATCTAGATTCTCTTATTTCAAAAAATATCCTCTCCATGCAATTAGGAGA
TATTTATCGACGCTGAGAAACCAAGAGCCGAAGAACAGGTTGCACGTTTTCAAAAAATACCTAATGGT
AAAAATGAGACAATGATTCTGTATTGACATCAAAAAAGCAAGTGAATTACCAGTCAGTGAAGTTGCA
AGCATTCTCCAAGCTGATCTTCAGAATGGTCTAAACAAATGTGAAGTTAGTCATAGGCGAGCCTTCAT
GGCTGGAATGAGTTTGATATTAGTGAAGATGAGCCACTGTGGAAGAAGTATATTTCTCAGTTAAAAAT
CCCCTTATTATGCTGCTTCTGGCTTCTGCAGTCATCAGTGTAAAAATGCATCAGTTTGATGATGCCGTC
AGTATCACTGTGGCAATACTTATCGTTGTTACAGTTGCCTTTGTTGAGGAATATCGTTTCAGAAAAATCT
CTTGAAGAATTGAGTAACTTGTGCCACCAAGATGCCATTGTGTGCGTGAAGGAAAAATTGGAGCATAACA
CTTGCCCGAGACTTGGTTCAGGTGATACAGTTTGCCTTCTGTTGGGGATAGAGTTCTGCTGACTTA
CGCTTGTGTTGAGGCTGTGGATCTTCCATTGATGAGTCCAGCTTGACAGGTGAGACAACGCCTTGTCT
AAGGTGACAGCTCCTCAGCCAGCTGCAACTAATGGAGATCTGCATCGAGAAGTAACATTGCCTTTATG
GGAACACTGGTCAGATGTGGCAAAGCAAAGGGTGTGTCATTGGAACAGGAGAAAAATTCTGAATTTGGG
GAGGTTTTTAAAAATGATGCAAGCAGAAGAGGCACCAAAAAACCCCTCTGCAGAAGAGCATGGACCTTTA
GGAAAAACAACCTTCTTTTACTCCTTTGGTATAATAGGAATCATCATGTTGGTTGGCTGGTACTGGGA
AAAGATATCCTGGAAATGTTTACTATTAGTGTAAGTTGGCTGTAGCAGCAATTCCTGAAGGTCTCCCC
ATTGTGGTCACAGTGACGCTAGCTCTTGGTGTTATGAGAATGGTGAAGAAAAAGGGCCATTGTGAAAAAG
CTGCCTATTGTTGAACTCTGGGCTGCTGTAATGTGATTTGTTTCAGATAAACTGGAACACTGACGAAG
AATGAAATGACTGTTACTCACATATTTACTTCAGATGGTCTGCATGCTGAGGTTACTGGAGTTGGCTAT
AATCAATTTGGGAAGTGATTGTTGATGGTGATGTTGTTTCATGGATTCTATAACCCAGCTGTAGCAGA
ATTGTTGAGGCGGGCTGTGTGCAATGATGCTGTAATTAGAAACAATACTCTAATGGGGAAGCCAACA
GAAGGGGCCCTTAATTGCTCTTGCATGAAGATGGGTCTTGATGGACTTCAACAAGACTACATCAGAAAA
GCTGAATACCCTTTTAGCTCTGAGCAAAAGTGGATGGCTGTTAAGTGTGTACACCGAACACAGCAGGAC
AGACCAGAGATTTGTTTTATGAAAGGTGCTTACGAACAAGTAATTAAGTACTGTACTACATACCAGAGC
AAAGGGCAGACCTTGACACTTACTCAGCAGCAGAGAGATGTGTACCAACAAGAGAAGGCACGCATGGGC
TCAGCGGGACTCAGAGTTCTTGGCTTCTGGTCTGAACTGGGACAGCTGACATTTCTTGGCTTG
GTGGGAATCATTGATCCACCTAGAAGTGGTGTGAAAGAAGCTGTTACAACACTCATTGCCTCAGGAGTA
TCAATAAAAAATGATTACTGGAGATTACAGGAGACTGCAGTTGCAATCGCCAGTCGTCTGGGATTGTAT
TCCAAAACCTCCAGTCAGTCTCAGGAGAAGAAATAGATGCAATGGATGTTGAGCAGCTTTCACAAATA
GTACCAAAGGTTGCAATTTTACAGAGCTAGCCCAAGGCACAAGATGAAAATTATTAAGTCGCTACAG
AAGAACCGTTTCAGTTGTAGCCATGACAGGAGATGGAGTAAATGATGCAGTTGCTCTGAAGGCTGCAGAC
ATTGGAGTTGCGATGGGCCAGACTGGTACAGATGTTTGCAAAGAGGCAGCAGACATGATCCTAGTGGAT
GATGATTTTCAAACCATAATGTCTGCAATCGAAGAGGGTAAAGGGATTTATAATAACATTAATAATTTT
GTTAGATTCAGCTGAGCAGGATATAGCAGCATTAACTTTAATCTCATTGGCTACATTAATGAACCTT
CCTAATCCTCTCAATGCCATGCAGATTTTGTGGATCAATATTATTATGGATGGACCCCGAGCTCAGAGC
CTTGGAGTAGAACAGTGATAAAAGATGTCATTCGTAACCTCCTCGCAACTGGAAGACAGCAGATTTTG
ACTAAAACTTGATACTTAAAACTTGTTCATCAATAATCATTGTTTGTGGACTTGTGTTGCTTTC
TGGCGTGAGCTACGAGACAATGTGATTACACCTGAGACACAACAATGACCTTACATGCTTTGTGTTT
TTTGACATGTTCAATGCACTAAGTTCAGATCCCAGACCAAGTCTGTGTTGAGATTGGACTCTGCAGT
AATAGAATGTTTTGCTATGCAGTTCTTGGATCCATCATGGGACAATTAAGTATTATTACTTTCTCCG
CTTCAGAAGGTTTTTTCAGACTGAGAGCCTAAGCATACTGGATCTGTTGTTTCTTTGGGTCTCACCTCA
TCAGTGTGCATAGTGGCAGAAATATAAAGAAGGTTGAAAGGAGCAGGGAAAAGATCCAGAAGCATGTC
TGGCTCTGGGAGAGGAGTGGACAGCAGCTGTTGAGATACATCCCATCTGGAGACAGGACTGCCACTG
ACAGAAGATGTGAGCTGTGCTAA
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001199180

Insert Size: 2922 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001199180.1](#)

RefSeq Size: 3702 bp

RefSeq ORF: 2922 bp

Locus ID: 27032

UniProt ID: [P98194](#)

Cytogenetics: 3q22.1

Protein Families: Druggable Genome, Transmembrane

MW: 107.1 kDa

Gene Summary:

The protein encoded by this gene belongs to the family of P-type cation transport ATPases. This magnesium-dependent enzyme catalyzes the hydrolysis of ATP coupled with the transport of calcium ions. Defects in this gene cause Hailey-Hailey disease, an autosomal dominant disorder. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Aug 2011]

Transcript Variant: This variant (6) encodes the longest isoform (2a).