

Product datasheet for SC329519

RPL17 (NM_001199345) Human Untagged Clone


Product data:

Product Type:	Expression Plasmids
Product Name:	RPL17 (NM_001199345) Human Untagged Clone
Tag:	Tag Free
Symbol:	RPL17
Synonyms:	L17; PD-1; RPL23
Vector:	pCMV6-Entry (PS100001)
Fully Sequenced ORF:	>SC329519 representing NM_001199345. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
ATGCATATACGAAAAGCCACGAAGTATCTGAAAGATGTCACCTTACAGAAACAGTGTGTACCATTCCGA
CGTTACAATGGTGGAGTTGGCAGGTGTGCGCAGGCCAAGCAATGGGGCTGGACACAAGGTCGGTGGCCC
AAAAAGAGTGCTGAATTTTTGCTGCACATGCTTAAAAACGCAGAGAGTAATGCTGAACTTAAGGGTTTA
GATGTAGATTCTCTGGTCATTGAGCATATCCAAGTGAACAAAGCACCTAAGATGCGCCGCCGACCTAC
AGAGCTCATGGTCGGATTAACCCATACATGAGCTCTCCCTGCCACATTGAGATGATCCTTACGGAAAAG
GAACAGATTGTTCTAAACCAGAAGAGGAGTTGCCAGAAGAAAAGATATCCCAGAAGAACTGAAG
AAACAAAACCTTATGGCACGGGAGTAA
```

Restriction Sites: SgfI-MluI

Plasmid Map:



[View online >](#)

ACCN:	NM_001199345
Insert Size:	441 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001199345.1
RefSeq Size:	695 bp
RefSeq ORF:	441 bp
Locus ID:	6139
UniProt ID:	P18621
Cytogenetics:	18q21.1
Protein Pathways:	Ribosome
MW:	17.1 kDa
Gene Summary:	<p>Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L22P family of ribosomal proteins. It is located in the cytoplasm. This gene has been referred to as rpl23 because the encoded protein shares amino acid identity with ribosomal protein L23 from <i>Halobacterium marismortui</i>; however, its official symbol is RPL17. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the neighboring downstream C18orf32 (chromosome 18 open reading frame 32) gene. [provided by RefSeq, Dec 2010]</p> <p>Transcript Variant: This variant (8) differs in the 5' UTR, lacks an exon in the 5' coding region, and uses a downstream start codon, compared to variant 1. The encoded isoform (b) is shorter at the N-terminus, compared to isoform a.</p>