

Product datasheet for **SC329532**

CIDE C (CIDE C) (NM_001199551) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: CIDE C (CIDE C) (NM_001199551) Human Untagged Clone
Tag: Tag Free
Symbol: CIDE C
Synonyms: CIDE-3; CIDE3; FPLD5; FSP27
Vector: pCMV6-Entry (PS100001)
Fully Sequenced ORF: >SC329532 representing NM_001199551.
Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
ATGGAATACGCCATGAAGTCCCTTAGCCTTCTCTACCCCAAGTCCCTCTCCAGGCATGTGTGAGTGCCT  
ACCTCTGTGGTGACCCAGCAGCTGCTGTGCGAGCCAGCCCAAGGCCCCAGGGCCCGGCCCTGCCGC  
GTAAGCACGGCGGATCGAAGCGTGAGGAAGGGCATCATGGCTTACAGTCTTGAGGACCTCCTCCTCAAG  
ACTAGGAACCCTGAAGCCAGGAGCCAAGAGGTCCGGGACACTCTGATGCTGGCAGACAAGCCCTTCTTC  
CTGGTGTGGAGGAAGATGGCACAAGTGTAGAGACAGAAGAGTACTTCCAAGCCCTGGCAGGGGATACA  
GTGTTTCATGGTCTCCAGAAGGGGCAGAAATGGCAGCCCATCAGAACAGGGGACAAGGCACCCACTG  
TCCCTCTCCATAAGCCTGCCAAGAAGATTGATGTGGCCCGTGAACGTTTGATCTGTACAAGCTGAAC  
CCACAGGACTTCATTGGCTGCCTGAACGTGAAGGCGACTTTTTATGATACATACTCCCTTTCCTATGAT  
CTGCACTGCTGTGGGGCCAAGCGCATCATGAAGGAAGCTTCCGCTGGGCCCTTTCAGCATGCAGGCC  
ACAGGCCACGTAAGTGTGGCACCTCCTGTTACCTGCAGCAGCTCCTCGATGCTACGGAGGAAGGGCAG  
CCCCCAAGGGCAAGGCCTCATCCCTTATCCCGACCTGTCTGAAGATACTGCAGTGA
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001199551

Insert Size: 747 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001199551.1](#)

RefSeq Size: 1244 bp

RefSeq ORF: 747 bp

Locus ID: 63924

UniProt ID: [Q96AQ7](#)

Cytogenetics: 3p25.3

Protein Families: Druggable Genome

MW: 27.9 kDa

Gene Summary: This gene encodes a member of the cell death-inducing DNA fragmentation factor-like effector family. Members of this family play important roles in apoptosis. The encoded protein promotes lipid droplet formation in adipocytes and may mediate adipocyte apoptosis. This gene is regulated by insulin and its expression is positively correlated with insulin sensitivity. Mutations in this gene may contribute to insulin resistant diabetes. A pseudogene of this gene is located on the short arm of chromosome 3. Alternatively spliced transcript variants that encode different isoforms have been observed for this gene. [provided by RefSeq, Dec 2010]

Transcript Variant: This variant (2) differs in the 5' UTR, lacks an in-frame portion of the 5' coding region, and contains an alternate coding exon, compared to variant 1. This variant encodes isoform 2, which is shorter than isoform 1.