

Product datasheet for SC329691

ANKS1B (NM 001204065) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: ANKS1B (NM_001204065) Human Untagged Clone

Tag: Tag Free Symbol: ANKS1B

Synonyms: AIDA; AIDA-1; ANKS2; cajalin-2; EB-1; EB1

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC329691 representing NM_001204065.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCCAAGAGGGGCATTAATACCAAGTATGAAACCACGATTTTCTGA

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001204065

Insert Size: 873 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



MW:

ANKS1B (NM_001204065) Human Untagged Clone - SC329691

RefSeq: <u>NM 001204065.1</u>

32.9 kDa

 RefSeq Size:
 3199 bp

 RefSeq ORF:
 873 bp

 Locus ID:
 56899

 UniProt ID:
 Q7Z6G8

 Cytogenetics:
 12q23.1

Gene Summary: This gene encodes a multi-domain protein that is predominantly expressed in brain and

testis. This protein interacts with amyloid beta protein precursor (AbetaPP) and may have a role in normal brain development, and in the pathogenesis of Alzheimer's disease. Expression of this gene has been shown to be elevated in patients with pre-B cell acute lymphocytic leukemia associated with t(1;19) translocation. Alternatively spliced transcript variants encoding different isoforms (some with different subcellular localization, PMID:15004329)

have been described for this gene. [provided by RefSeq, Aug 2011]

Transcript Variant: This variant (4) differs in the 5' UTR and coding region, in the 3' UTR and coding region, and contains an alternate in-frame exon compared to variant 1. The resulting isoform (d) has a shorter N-terminus, a longer and distinct C-terminus, and an additional

segment compared to isoform a.