

Product datasheet for **SC329745**

SAP97 (DLG1) (NM_001204387) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SAP97 (DLG1) (NM_001204387) Human Untagged Clone
Tag:	Tag Free
Symbol:	DLG1
Synonyms:	DLGH1; hdlg; SAP-97; SAP97
Vector:	pCMV6-Entry (PS100001)



[View online »](#)


Fully Sequenced ORF: >SC329745 representing NM_001204387.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGAATTACATTTTCGGAAACAACACACTTCTATACTCTCGCGGCAGTCGAGGAGGCAATACTAGCTCT
AGCCATGGCTCAGCAGGCCCAAAGCAGAAACACTGGGCAAAAAGGGCTCGTCAGATGAACTGCAAGCT
GAGCCAGAACCTTCACGCTGGCAGCAGATAGTTGCATTTTTCACTCGAAGACACAGCTTTATTGACTGC
ATCTCGGTAGCCACCAGCTCCACCCAGGCAAATCCTCCCCAGTACTGGTCAACACAGATAGCTTGGAA
ACACCAACTTACGTTAATGGCACAGATGCAGATTATGAATATGAAGAAATCACACTTGAAAGGGGAAAT
TCAGGGCTTGGTTTCAGCATTGCAGGAGGTACGGACAACCCACACATTGGAGATGACTCAAGTATTTTC
ATTACAAAATTATCACAGGGGGAGCAGCCGCCAAGTGAAGATTGCGGGTCAATGACTGTATATTA
CGAGTAAATGAAGTAGATGTTCTGTGATGAACACATAGCAAAGCAGTTGAAGCGTTGAAAGAAGCAGGG
TCTATTGTACGCTTGTATGTAAGAAAGGAAACCAGTGTGAGAAAAAATGGAATAAAGCTCATT
AAAGGTCCTAAAGGCTTGGGTTTAGCATTGCTGGAGGTGTTGGAATCAGCATATTCCTGGGGATAAT
AGCATCTATGTAACCAAAATAATTGAAGGAGGTGCAGCACATAAGGATGGCAAACCTCAGATTGGAGAT
AACTTTTAGCAGTGAATAACGTATGTTAGAAGAAGTACTCATGAAGAAGCAGTAACTGCCTTAAAG
AACACATCTGATTTTGTATTTGAAAGTGGCAAAACCCACAAGTATGTATATGAATGATGGCTATGCA
CCACCTGATATCACCAACTCTTCTCTCAGCCTGTTGATAACCATGTTAGCCCATCTTCTTCTTGGGC
CAGACACCAGCATCTCCAGCCAGATACTCCCCAGTTTCTAAAGCAGTACTTGGAGATGATGAAATTACA
AGGGAACCTAGAAAAGTTGTTCTTCATCGTGGCTCAACGGGCCTTGGTTTCAACATTGTAGGAGGAGAA
GATGGAGAAGGAATTTTATTTCTTTATCTTAGCCGGAGGACCTGCTGATCTAAGTGGAGAGCTCAGA
AAAGGAGATCGTATTATATCGGTAACAGTGTGACCTCAGAGCTGCTAGTCATGAGCAGGCAGCAGCT
GCATTGAAAAATGCTGGCCAGGCTGTACAATTGTTGCACAATATCGACCTGAAGAATACAGTCGTTTT
GAAGCTAAAATACATGATTTACGGGAGCAGATGATGAATAGTAGTATTAGTTTCAGGGTCAAGTTCTCTT
CGAACTAGCCAGAAGCGATCCCTCTATGTGAGAGCCCTTTTTGATTATGACAAGACTAAAGACAGTGGG
CTTCCCAGTCAGGGACTGAACTTCAAATTTGGAGATATCCTCCATGTTATTAATGCTTCTGATGATGAA
TGGTGGCAAGCCAGGCAGGTTACACCAGATGGTGAGAGCGATGAGGTCCGAGTGATTCCCAGTAAACGC
AGAGTTGAGAAGAAAGACGAGCCCGATTA AAAACAGTGAATTC AATCTAAAACGAGAGATAAAGGG
GAGATCCCTGACGACATGGGATCAAAGGCCTGAAGCATGTAACCTTAATGCCAGCGATAGTAAAAGT
AGTTACCTAATCTTGATTACAGATGAGTATGGCTGCTCAAAGGTGGTCAAGAAGAATACGTCCTTATCT
TATGAACCAGTGAATCAACAAGAAGTTAATTATACTCGACCAGTATCATATTGGGACCTATGAAAGAC
AGGATAAATGATGACTTGATCTCAGAATTTCTGACAAAATTTGGATCCTGTGTTCTCATACA ACTAGA
CCAAAACGAGATTATGAGGTAGATGGAAGAGATTATCATTTTGTGACTTCAAGAGAGCAGATGGAAAAA
GATATCCAGGAACATAAATTCATTGAAGCTGGCCAGTATAACAATCATCTATATGGAACAAGTGTTGAG
TCTGTACGAGAAGTAGCAGAAAAGGGCAAACACTGTATCCTTGATGTGTCTGGAAATGCCATAAAGAGA
TTACAGATTGCACAGCTTACCCTATCTCCATTTTATTA AACCCAAATCCATGGAAAAATCATGGAA
ATGAATAAGCGTCTAACAGAAGAACAAGCCAGAAAAACATTTGAGAGAGCCATGAACTGGAACAGGAG
TTTACTGAACATTTACAGCTATTGTACAGGGGATACGCTGGAAGACATTTACAACCAAGTGAACAG
ATCATAGAAGAACAATCTGGTCTTACATCTGGGTTCCGGCAAAAAGAAAGCTATGA
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001204387

Insert Size: 2403 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001204387.1](#)

RefSeq Size: 4798 bp

RefSeq ORF: 2403 bp

Locus ID: 1739

UniProt ID: [Q12959](#)

Cytogenetics: 3q29

Protein Families: Druggable Genome

Protein Pathways: T cell receptor signaling pathway

MW: 88.5 kDa

Gene Summary:

This gene encodes a multi-domain scaffolding protein that is required for normal development. This protein may have a role in septate junction formation, signal transduction, cell proliferation, synaptogenesis and lymphocyte activation. A multitude of transcript variants deriving from alternative splicing and the use of multiple alternate promoter have been observed, including some splice variants that may be specific to brain and other tissues. An upstream uORF may regulate translation at some splice variants of this gene. [provided by RefSeq, Sep 2018]

Transcript Variant: This variant (4) contains an alternate 5' terminal exon, missing an in-frame coding exon, and contains an additional in-frame coding exon compared to variant 1. This results in a shorter isoform (4) with an unique N-terminus compared to isoform 1.