

Product datasheet for SC329839

RFC5 (NM_001206801) Human Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Expression Plasmids
Product Name:	RFC5 (NM_001206801) Human Untagged Clone
Tag:	Tag Free
Symbol:	RFC5
Synonyms:	RFC36
Vector:	pCMV6-Entry (PS100001)
Fully Sequenced ORF:	>SC329839 representing NM_001206801. Blue=Insert sequence <mark>Red=</mark> Cloning site Green=Tag(s)
	ATGGAGACCTCAGCACTCAAGCAGCAGGAGCAGCCCGCGGCGACCAAGATCAGGAACCTGCCCTGGGTT GAAAAATACCGGCCACAGACCCTGAATGATCTCATTTCTCATCAGGACATTCTGAGTACCATTCAGAAG TTTATCAATGAAGACCGACTGCCACACTTGCTTCTCTACGGTCCCCCAGGGACAGGCAAGACATCTACC ATCCTAGCCTGTGCGAAACAGCTATATAAAGACAAAGAATTTGGCTCCATGGTCTTGGAGCTGAATGCT TCAGATGACCGAGGAATAGACATCATTCGAGGACCGATCCTGAGCTTTGCTAGCACAAGGACAATATTT AAGAAAGGCTTTAAGCTAGTGATCTTGGATGAAGCAGAGCGCCATGACTCAGGACGCCCAGAATGCCTTG AGAAGAGTAATTGAGAAATTCACAGAAAATACCAGATTCTGCCTCATCTGTAACAACTATCTGTCAAAGATC ATCCTGCCTTGCAGTCCCGCTGCACGAGGTTTCGGTTCGGTCCCCTGAACTCATGGTTCCC CGCCTGGAACATGTCGTGGAAGAAGAGAAAGTTGATATAAGTGAAGATGGAATGAAAGCACTAGTCACT CTTTCCAGTGGAGCATGCCTGCACCGGGCCCTGAACATTTTGCAGAGACACAACTCCTGGACTGCTTGGGAAGGAGACTGTCTACACCTGCACCGGGCACCCGCTCAAGTCAGACATTGCGAACATCCTGGAAGGAGAGACTGG ACAGAGGAGACTGTCTACACCTGCACCGGGCACCCGCTCAAGTCAGACACTTGCCAACATCCTGGACTGG ATGTTGAATCAAGATTTCACCACAGCCTACAGAAGTTGAAAACTCTGAAGGGGTTGGCACTGCATGAT ATCCTGACAGAGATACACTTGTTTGTGCATAGAGTTGACTTTCCATCTTCAGTTCGAATACATTTATTG ACCAAAATGGCAGACATTGAGAACAGGCTTTCGTTGGCACCAACAGGCCTCCAGCTGAGGCTCCCTC ATTGCTGCATTCAAGCTACCAGGACCTGATTGTTGGCACCAACGAGAGATCCAGCTGCGCACTGCTC ATTGCTGCATTCAAGTACACCAGGACACCTGATTGTTGGCACCAACGAGAAGATCCAGCTGAGCTCCCTC ATTGCTGCATTTCAAGCTACCAGGAACCTGATTGTTGCAGAGGCCTAG
Restriction Sites:	Sgfl-Mlul



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Plasmid Map:



ACCN:	NM_001206801
Insert Size:	1014 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001206801.1</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE RFC5 (NM_001206801) Human Untagged Clone – SC329839		
RefSeq Size:	2113 bp	
RefSeq ORF:	1014 bp	
Locus ID:	5985	
Cytogenetics:	12q24.23	
Protein Families:	Stem cell - Pluripotency	
Protein Pathways:	DNA replication, Mismatch repair, Nucleotide excision repair	
MW:	38.2 kDa	
Gene Summary:	This gene encodes the smallest subunit of the replication factor C complex, which consists of five distinct subunits (140, 40, 38, 37, and 36 kDa) and is required for DNA replication. This subunit interacts with the C-terminal region of proliferating cell nuclear antigen and is required to open and load proliferating cell nuclear antigen onto DNA during S phase. It is a member of the AAA+ (ATPases associated with various cellular activities) ATPase family and forms a core complex with the 38 and 40 kDa subunits that possesses DNA-dependent ATPase activity. A related pseudogene has been identified on chromosome 9. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2016] Transcript Variant: This variant (5) uses an alternate in-frame splice site in the coding region, compared to variant 1. The resulting isoform (4) is shorter than isoform 1.	

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US