

Product datasheet for SC329883

IL21 (NM_001207006) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL21 (NM_001207006) Human Untagged Clone

Tag: Tag Free

Symbol: IL21

Synonyms: CVID11; IL-21; Za11


Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC329883 representing NM_001207006.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

Restriction Sites: Sgfl-Mlul

Plasmid Map:





OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

IL21 (NM_001207006) Human Untagged Clone - SC329883

ACCN: NM_001207006

Insert Size: 462 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001207006.2</u>

RefSeq Size: 707 bp
RefSeq ORF: 462 bp
Locus ID: 59067
UniProt ID: Q9HBE4
Cytogenetics: 4q27

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

MW: 17.6 kDa

Gene Summary: This gene encodes a member of the common-gamma chain family of cytokines with

immunoregulatory activity. The encoded protein plays a role in both the innate and adaptive immune responses by inducing the differentiation, proliferation and activity of multiple target cells including macrophages, natural killer cells, B cells and cytotoxic T cells. Dysregulation of this gene plays a role in multiple immune-mediated diseases including lupus, psoriasis and chronic inflammatory diseases. Alternatively spliced transcript variants encoding multiple

isoforms have been observed for this gene. [provided by RefSeq, Dec 2011]

Transcript Variant: This variant (2) retains an intron compared to variant 1. The resulting

isoform (2) has a shorter and distinct C-terminus compared to isoform 1.