

# **Product datasheet for SC330036**

## PRMT2 (NM 001242864) Human Untagged Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: PRMT2 (NM\_001242864) Human Untagged Clone

Tag: Tag Free

Symbol: PRMT2

Synonyms: HRMT1L1

**Vector:** pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC330036 representing NM\_001242864.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GGAGAAAAAGTCTTCCCCATCTGGAGA<mark>TGA</mark>

Restriction Sites: Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Plasmid Map:



**ACCN:** NM\_001242864

**Insert Size:** 996 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 001242864.2



### PRMT2 (NM\_001242864) Human Untagged Clone - SC330036

 RefSeq Size:
 2031 bp

 RefSeq ORF:
 996 bp

 Locus ID:
 3275

 UniProt ID:
 P55345

 Cytogenetics:
 21q22.3

**Protein Families:** Druggable Genome

MW: 37.2 kDa

**Gene Summary:** Arginine methyltransferase that methylates the guanidino nitrogens of arginyl residues in

proteins such as STAT3, FBL, histone H4. Acts as a coactivator (with NCOA2) of the androgen receptor (AR)-mediated transactivation. Acts as a coactivator (with estrogen) of estrogen

receptor (ER)-mediated transactivation. Enhances PGR, PPARG, RARA-mediated

transactivation. May inhibit NF-kappa-B transcription and promote apoptosis. Represses E2F1 transcriptional activity (in a RB1-dependent manner). May be involved in growth regulation.

[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) differs in the 5' UTR and lacks 2 consecutive exons in the 3' coding region compared to variant 1. However, it maintains the reading frame and encodes a

shorter isoform (2) lacking an internal protein segment compared to isoform 1.