

Product datasheet for **SC330080**

FOXM1 (NM_001243088) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FOXM1 (NM_001243088) Human Untagged Clone
Tag:	Tag Free
Symbol:	FOXM1
Synonyms:	FKHL16; FOXM1A; FOXM1B; FOXM1C; HFH-11; HFH11; HNF-3; INS-1; MPHOSPH2; MPP-2; MPP2; PIG29; TRIDENT
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC330080 representing NM_001243088.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGAAACTAGCCCCGTCGGCCACTGATTCTCAAAGACGGAGGCTGCCCTTCTCTGTTCAAATGCC
CCAAGTAAACATCAGAGGAGGAACCTAAGAGATCCCCTGCCAACAGGAGTCTAATCAAGCAGAGGCC
TCCAAGGAAGTGGCAGAGTCCAACCTTTGCAAGTTCCAGCTGGGATCAAGATTATTAACCACCCCACC
ATGCCAACACGCAAGTAGTGGCCATCCCCAACAAATGCTAATATTCACAGCATCATCAGCACTGACT
GCCAAGGAAAAGAGAGTGGCAGTAGTGGGCCAACAAATTCATCCTCATCAGCTGTGGGGAGCCCCA
ACTCAGCCTCCAGGACTCCGGCCTCAAACCCAAACCAGCTATGATGCCAAAAGGACAGAAGTGACCTG
GAGACCTTGGGACAAAACCTGCAGCTAGGGATGTGAATCTTCTAGACCACCTGGAGCCCTTTGCGAG
CAGAAACGGGAGACCTGTGATGGTGAAGCAGCAGGCTGCACTATCAACAATAGCCTATCCAACATCCAG
TGGCTTCGAAAGATGAGTTCTGATGGACTGGGCTCCCGCAGCATCAAGCAAGAGATGGAGAAAAGGAG
AATTGTCACCTGGAGCAGCGACAGGTTAAGGTTGAGGAGCCTTCGAGACCATCAGCGTCTGGCAGAAC
TCTGTGCTGAGCGGCCACCCTACTCTTACATGGCCATGATACAATTCGCCATCAACAGCACTGAGAGG
AAGCGCATGACTTTGAAAGACATCTATACGTGGATTGAGGACCCTTCCCTACTTTAAGCACATTGCC
AAGCCAGGCTGGAAGAACTCCATCCGCCACAACCTTCCCTGCAGCAGATGTTTGTCCGGGAGACGTCT
GCCAATGGCAAGGTCTCCTTCTGGACCATTACCCCCAGTGCCAACCGCTACTTGACATTGGACCAGGTG
TTTAAGCAGCAGCAGAAACGACCGAATCCAGAGCTCCGCCGGAACATGACCATAAAACCGAACTCCCC
CTGGGCGCACGGCGGAAGATGAAGCCACTGCTACCACGGGTGAGCTCATACTGGTACCTATCCAGTTT
CCGGTGAACCAAGTCACTGGTGTTCAGCCCTCGGTGAAGGTGCCATTGCCCTGGCGGCTTCCCTCATG
AGCTCAGAGCTTGCCCGCATAGCAAGCGAGTCCGCATTGCCCAAGGTGCTGCTAGCTGAGGAGGGG
ATAGCTCTCTTTCTTCTGCAGGACCAGGAAAAGAGGAGAACTCCTGTTGGAGAAGGGTTTTCTCCT
TTGCTTCCAGTTCAGACTATCAAGGAGGAAGAAATCCAGCTGGGAGGAAATGCCACACTTAGCGAGA
CCCATCAAAGTGGAGAGCCCTCCCTTGGAAAGAGTGGCCCTCCCGGCCCATCTTTCAAAGAGGAATCA
TCTCACTCTGGGAGGATTCTGCCAATCTCCACCCCAAGACCCAAGAAGTCTACAGTGGGCTTAGG
TCCCAACCCGGTGTGTCTCGGAAATGCTGTGATTCAACACAGGGAGAGGGAGAGGAGCCGGTCT
CGGAGGAAACAGCATCTACTGCCTCCCTGTGTGGATGAGCCGGAGCTGCTCTTCTCAGAGGGGCCAGT
ACTTCCCGCTGGGCCGAGAGCTCCCGTCCCAGCAGACTCCTCTGACCCTGCCTCCAGCTCAGCTAC
TCCCAGGAAGTGGGAGGACCTTTAAGACACCCATTAAGGAAACGCTGCCATCTCTCCACCCCGAGC
AAATCTGTCTCCCGAACCCTGAATCCTGGAGGCTCAGCCCCCAGCCAAAGTAGGGGGACTGGAT
TTCAGCCAGTACAAACCTCCAGGGTGCCTCTGACCCCTTGCTGACCCCTGGGGCTGATGGATCTC
AGCACCCTCCCTTGAAAGTGCTCCCCCCTGAATCACCGCAAAGGCTCCTCAGTTCAGAACCCTTA
GACCTCATCTCCGTCCCCTTTGGCAACTCTTCCCTCAGATATAGACGTCCCCAAGCCAGGCTCCCCG
GAGCCACAGGTTTCTGGCCTTGACGCAATCGTTCTCTGACAGAAGGCCTGGTCTTGACACAATGAAT
GACAGCCTCAGCAAGATCCTGCTGGACATCAGCTTTCTGGCCTGGACGAGGACCCACTGGGCCCTGAC
AACATCAACTGGTCCCAGTTTATTCTGAGCTACAGTAG
  
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_001243088

Insert Size: 2247 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001243088.1](#)

RefSeq Size: 3506 bp

RefSeq ORF: 2247 bp

Locus ID: 2305

UniProt ID: [Q08050](#)

Cytogenetics: 12p13.33

Protein Families: Transcription Factors

MW: 82.7 kDa

Gene Summary: The protein encoded by this gene is a transcriptional activator involved in cell proliferation. The encoded protein is phosphorylated in M phase and regulates the expression of several cell cycle genes, such as cyclin B1 and cyclin D1. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2011]
Transcript Variant: This variant (4) lacks two alternate in-frame exons and uses two alternate in-frame splice junctions compared to variant 1. The resulting isoform (4) has the same N- and C-termini but is shorter compared to isoform 1.