

## Product datasheet for **SC330098**

### **TCF4 (NM\_001243227) Human Untagged Clone**

#### **Product data:**

<b>Product Type:</b>	Expression Plasmids
<b>Product Name:</b>	TCF4 (NM_001243227) Human Untagged Clone
<b>Tag:</b>	Tag Free
<b>Symbol:</b>	TCF4
<b>Synonyms:</b>	bHLHb19; CDG2T; E2-2; FECD3; ITF-2; ITF2; PTHS; SEF-2; SEF2; SEF2-1; SEF2-1A; SEF2-1B; SEF2-1D; TCF-4
<b>Vector:</b>	pCMV6-Entry (PS100001)




[View online »](#)

Fully Sequenced ORF: >SC330098 representing NM\_001243227.  
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
ATGTTTTACCTCCTGTGAGCAGTGGGAAAAATGGACCAACTTCTTTGGCAAGTGGACATTTTACTGGC
TCAAATGTAGAAGACAGAAGTAGCTCAGGGTCTGGGGGAATGGAGGACATCCAAGCCGTCCAGGAAC
TATGGAGATGGGACTCCCTATGACCACATGACCAGCAGGGACCTTGGGTACATGACAATCTCTCCCA
CCTTTTGTCAATTCCAGAATACAAAGTAAAACAGAAAAGGGGCTCATACTCATCTTATGGGAGAGAATCA
AACTTACAGGGTTGCCACCAGCAGAGTCTCCTTGGAGGTGACATGGATATGGGCAACCCAGGAACCCCTT
TCGCCCCACAAACCTGGTTCCTCAGTACTATCAGTATTCTAGCAATAATCCCCGAAGGAGGCTCTTCAC
AGTAGTGCCATGGAGGTACAGACAAAGAAAGTTCGAAAAGTTCCTCCAGGTTTGGCATCTTCAGTCTAT
GCTCCATCAGCAAGCACTGCCACTACAATAGGGACTCGCCAGGCTATCCTTCTCCAAACCAGCAACC
AGCACTTTCCTAGCTCCTTCTTCATGCAAGATGGCCATCACAGCAGTACCCTTGGAGCTCCTCCAGT
GGGATGAATCAGCCTGGCTATGCAGGAATGTTGGGCAACTTCTCATATCCACAGTCCAGCAGCTAC
TGTAGCCTGCATCCACATGAACGTTTGGCTATCCATCACACTCCTCAGCAGACATCAATCCAGTCTT
CCTCCGATGTCCACTTTCATCGTAGTGGTACAAACCATTACAGCACCTTCTCCTGTACGCTCCTGCC
AACGGGACAGACAGTATAATGGCAAATAGAGGAAGCGGGCAGCCGGCAGCTCCCAGACTGGAGATGCT
CTGGGAAAGCACTTGGTTCGATCTATTCTCCAGATCACACTAACAAACAGCTTTTCATCAAACCCCTTCA
ACTCCTGTTGGCTCTCCTCCATCTCTCAGCAGGCACAGCTGTTTGGTCTAGAAATGGAGGACAGGCC
TCATCGTCTCCTAATTATGAAGGACCCTTACACTCTTTGCAAAGCCGAATTGAAGATCGTTTAGAAAAG
CTGGATGATGCTATTCATGTTCTCCGGAACCATGCAGTGGGCCCATCCACAGCTATGCCTGGTGGTCAT
GGGGACATGCATGGAATCATTGGACCTTCTCATAATGGAGCCATGGGTGGTCTGGGCTCAGGGTATGGA
ACCGCCTTCTTTCAGCCAACAGACATTCATCATGGTGGGACCCATCGTGAAGATGGCGTGGCCCTG
AGAGGACGCCATTCTTCTGCCAAACCAGGTTCCGGTTCACAGCTTCTGTCCAGTCTGCGACTTCC
CCTGACCTGAACCCACCCAGGACCCTTACAGAGGCATGCCACCAGGACTACAGGGGCAGAGTGTCTCC
TCTGGCAGCTCTGAGATCAAATCCGATGACGAGGGTATGAGAACCTGCAAGACACGAAATCTTCGGAG
GACAAGAAATTAGATGACGACAAGAAGGATATCAAATCAATTAAGTCAAGATCTAGCAATAATGAC
GATGAGGACCTGACACCAGAGCAGAAGGCAGAGCGTGAGAAGGAGCGGAGGATGGCCAACAATGCCCGA
GAGCGTCTGCGGGTCCGTGACATCAACGAGGCTTCAAAGAGCTCGGCCGCATGGTGCAGCTCCACCTC
AAGAGTGACAAGCCCCAGACCAAGCTCCTGATCCTCCACCAGGCGGTGGCCGTATCCTCAGTCTGGAG
CAGCAAGTCCGAGAAAGGAATCTGAATCCGAAAGCTGCGTGTCTGAAAAGAAGGGAGGAAGAGAAGGTG
TCCTCAGAGCCTCCCCCTCTCCTTGGCCGGCCACACCCTGGAATGGGAGACGCATCGAATCACATG
GGACAGATGTA
```

Restriction Sites: Sgfl-Mlul

## Plasmid Map:



ACCN: NM\_001243227

Insert Size: 1944 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001243227.1](#)

RefSeq Size: 8166 bp

RefSeq ORF: 1944 bp

Locus ID: 6925

UniProt ID: [P15884](#)

Cytogenetics: 18q21.2

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transcription Factors

MW: 69.1 kDa

**Gene Summary:**

This gene encodes transcription factor 4, a basic helix-loop-helix transcription factor. The encoded protein recognizes an Ephrussi-box ('E-box') binding site ('CANNTG') - a motif first identified in immunoglobulin enhancers. This gene is broadly expressed, and may play an important role in nervous system development. Defects in this gene are a cause of Pitt-Hopkins syndrome. In addition, an intronic CTG repeat normally numbering 10-37 repeat units can expand to >50 repeat units and cause Fuchs endothelial corneal dystrophy. Multiple alternatively spliced transcript variants that encode different proteins have been described. [provided by RefSeq, Jul 2016]

Transcript Variant: This variant (4) differs in the 5' UTR and coding sequence compared to variant 3. The resulting isoform (d) is shorter at the N-terminus compared to isoform c.

Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.

Sequence Note: This gene is distinct from TCF7L2 (alias TCF-4).