

## Product datasheet for **SC330228**

### ROD1 (PTBP3) (NM\_001244897) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** ROD1 (PTBP3) (NM\_001244897) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** PTBP3  
**Synonyms:** ROD1  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC330228 representing NM\_001244897.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

ATGAATAGTTCTACTCCTTCTACAGGTGTGTATGCTAATGGGAATGACAGCAAGAAATTTAAACGAGAT
AGACCTCCCTGTTTCGCCTTCCCCTGTTCTCCATCTTCGAAAAATCCATGTGATGCACCGAAGCAGAG
ATCATATCATTAGGTCTACCATTGGCAAAGTAACATACTTTTGGATGTTGAAAGGAAAAAGCCAGGCT
TTCTTAGAAATGGCTTCTGAGGAAGCTGCCGTTACTATGGTGAATTATTACACTCCTATTACTCCTCAC
CTTCGAAGCCAGCCTGTTTATATTCAGTATTCCAATCACAGAGAACTTAAGACTGACAATCTACCTAAT
CAAGCTCGAGCCCAAGCTGCACTGCAGGCTGTGAGTCCCAATCAGGAAGCCTGGCCCTTTCTGGA
GGTCTTCCAATGAAGGCACAGTCTACCTGGGCAGAGCCCTGTGCTTCAATAATTATTGAAAACCTC
TTTTACCCTGTTACCCTGGAAGTCTTTCATCAGATATTTTCTAAATTTGGCACAGTCTTGAAGATTATC
ACCTTTACAAAGAATAATCAGTTTCAAGCCTTGCTTCAGTATGCTGACCCAGTAAATGCACATTATGCC
AAAATGGCTCTGGATGGCCAGAAATCTATAATGCATGCTGCACTCTGCGCATTGACTTCTCCAAGCTC
ACCAGCCTTAATGTGAAATATAATAATGACAAAAGCAGAGACTTCACTCGCTTAGACCTTCTACTGGT
GATGGCCAGCCATCCCTGAACCCCTATGGCTGCTGCTTTTGGTGCACCGGTATAATTTCTTACCA
TATGCAGGGGCTGCTGGATTTGCCCCAGCATTGGATTTCCCTCAAGCTACAGTCTATCAGTTCCAGCT
GTTCTTGAGCTCTTGGTCTCTACAATCACCTCTTCTGCTGCTGCACTGGAAGGATGGCCATTCTGGG
GCTAGTGTATACCAGGAAATCTGTTCTACTCGTCACAAATCTCAATCCTGATCTTATCACCCACAT
GGGCTTTTTATCCTATTTGGAGTCTATGGTGTATGATCGAGTGAAGATTATGTTTAATAAGAAAGAA
AATGCCTTGTTTCAAGTGGCGGATGCAAAATCAAGCTCAGCTAGCAATGAACCATTAAGTGGTCAAGAG
CTTTATGGGAAAGTCTTCTGCTACACTGTCCAAACATCAAGCAGTACAGCTTCTCGAGAGGGACAA
GAAGACCAAGGTCTGACTAAGGATTTCAAGCAATAGTCTTTGCATCGCTTAAAAAGCCGGGCTCTAAA
AACTTCCAGAATATCTTTCCACCATCAGCCACTCTGCATCTTTCCAACATTCCCCTTCTGTTACAGTG
GATGATCTGAAGAACCTTTTATAGAAGCTGGATGTTTCAAGTGAAGGCTTTTAAATCTTTCAAGGCTC
GCCAATCCTGGGCTCAAGTATTCTCCTGCTTCCACCTCCCACAGTGTGGGATTACAGGCATGAGC
CACCAGCCTGGCTCTCTGTTCTTTTCAAGTGTCTCCGTGCCATCAGTCAAGTGTGCTTACATGTTTAC
ATATTGTCATGCAGTTTCTTCTGTTCCACGAGATATTTTTGGACAAAAAATTGA
  
```

**Restriction Sites:** SgfI-MluI



[View online »](#)

**Plasmid Map:**


**ACCN:** NM\_001244897

**Insert Size:** 1644 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001244897.1](#)

**RefSeq Size:** 4360 bp

**RefSeq ORF:** 1644 bp

**Locus ID:** 9991

**UniProt ID:** [O95758](#)

**Cytogenetics:** 9q32

**Protein Families:** Druggable Genome

**MW:** 59.1 kDa

**Gene Summary:** The protein encoded by this gene binds RNA and is a regulator of cell differentiation. The encoded protein preferentially binds to poly(G) and poly(U) sequences in vitro. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2011]

Transcript Variant: This variant (5) differs in the 5' UTR and coding sequence, uses an alternate in-frame splice junction at the 3' end of an exon, and uses an alternate splice junction at the 5' end of the last exon, that causes a frameshift, compared to variant 6. The resulting isoform (5) is shorter at the N-terminus, contains a short alternate internal segment, and has a shorter and distinct C-terminus compared to isoform 6. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.