

# **Product datasheet for SC330258**

## PAPOLA (NM 001252006) Human Untagged Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** PAPOLA (NM\_001252006) Human Untagged Clone

Tag: Tag Free
Symbol: PAPOLA

**Synonyms:** PAP; PAP-alpha

**Vector:** pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC330258 representing NM\_001252006.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

TCTAAATGGTATGTGTTTAGATTATAA

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Plasmid Map:



ACCN: NM\_001252006

**Insert Size:** 858 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



### PAPOLA (NM\_001252006) Human Untagged Clone - SC330258

**RefSeq:** <u>NM 001252006.1</u>

 RefSeq Size:
 4013 bp

 RefSeq ORF:
 858 bp

 Locus ID:
 10914

 UniProt ID:
 P51003

 Cytogenetics:
 14q32.2

**Protein Families:** Transcription Factors

**Protein Pathways:** RNA degradation

MW: 32.6 kDa

**Gene Summary:** The protein encoded by this gene belongs to the poly(A) polymerase family. It is required for

the addition of adenosine residues for the creation of the 3'-poly(A) tail of mRNAs.

Alternatively spliced transcript variants encoding different isoforms have been found for this

gene. [provided by RefSeq, Oct 2011]

Transcript Variant: This variant (2) lacks multiple exons and its transcription extends past a splice site that is used in variant 1, resulting in a novel 3' coding region and 3' UTR compared to variant 1. It encodes isoform 2 which is shorter and has a distinct C-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.