

Product datasheet for **SC330307**

LGR7 (RXFP1) (NM_001253733) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: LGR7 (RXFP1) (NM_001253733) Human Untagged Clone
Tag: Tag Free
Symbol: RXFP1
Synonyms: LGR7; RXFPR1
Vector: pCMV6-Entry (PS100001)
Fully Sequenced ORF: >SC330307 representing NM_001253733.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```


ATGGTGACCTGCACTCAGAACATGAAGGCAGCCTTGAATCCTTACTTTATCATTCCCAGCAATCTGGGG
TACCTGCAAAACAATAAGATTACATCCATCTCCATCTATGCTTTCAGAGGACTGAATAGCCTTACTAAA
CTGTATCTCAGTCATAACAGAATAACCTTCTGAAGCCGGGTGTTTTGAAGATCTTACAGACTAGAA
TGGCTGATAATTGAAGATAATCACCTCAGTCGAATTTCCCACCAACATTTTATGGACTAAATTCTCTT
ATTCTCTTAGTCCTGATGAATAACGTCTCACCCGTTTACCTGATAAACCTCTCTGTCAACACATGCCA
AGACTACATTGGCTAGTGATGAGGAAAAACAAAATTAATCACTTAAATGAAAATACTTTTGCACCTCTC
CAGAAACTGGATGAATTGGATTTAGGAAGTAATAAGATTGAAAATCTTCCACCGCTTATATTCAAGGAC
CTGAAGGAGCTGTCACAATTGAATCTTCTCTATAATCCAATCCAGAAAATTCAGCAAACCAATTTGAT
TATCTTGTCAAATCAAGTCTCTCAGCCTAGAAGGGATTGAAATTTCAAATATCCAACAAAGGATGTTT
AGACCTCTTATGAATCTCTCACATATATTTTAAAGAAATTCAGTACTGTGGGTATGCACCACATGTT
CGCAGCTGTAACCAAACTGATGGAATTTTCTCTAGAGAATCTCTTGGCAAGCATTATTGAGAGA
GTATTTGTCTGGGTTGTATCTGCAGTTACCTGCTTTGAAACATTTTTGTCAATGTCATGCGACCTTAT
ATCAGGCTGAGAACAAGCTGTATGCCATGTCAATCATTCTCTCTGCTGTGCCGACTGCTTAATGGGA
ATATATTTATTCGTGATCGGAGGCTTTGACCTAAAGTTTTCGTGGAGAATAACAATAAGCATGCCGAGCTG
TGGATGGAGAGTACTCATTGTGACGTTGTAGGATCTTTGGCCATTCTGTCCACAGAAGTATCAGTTTTA
CTGTTAACATTTCTGACATTGGAATAATACATCTGCATTGTCTATCCTTTTAGATGTGTGAGACCTGGA
AAATGCAGAACAATTACAGTTCTGATTCTCATTGGATTACTGGTTTTATAGTGGCTTTCATTCCATTG
AGCAATAAGGAATTTTCAAAACTACTATGGCACCAATGGAGTATGCTTCCCTTTCATTGAGAAGAT
ACAGAAAGTATTGGAGCCAGATTTATTCAGTGGCAATTTTCTTGGTATTAATTTGGCCGATTTATC
ATCATAGTTTTTCTATGGAAGCATGTTTTATAGTGTTCAAAAGTCCATAACAGCAACTGAAATA
CGGAATCAAGTAAAAAAGAGATGATCCTTGCCAAACGTTTTTCTTTATAGTATTTACTGATGCATTA
TGCTGGATACCCATTTTGTAGTGAAATTTCTTCACTGCTTCAGGTAGAAATACCAGGTACCATAACC
TCTTGGGTAGTATTTTATTCTGCCATTAAACAGTGCTTTGAACCAATTCTCTATACTCTGACCACA
AGACCATTTAAAGAAATGATTATCGGTTTTGGTATAACTACAGACAAAGAAAATCTATGGACAGCAAA
GGTCAGAAAACATATGCTCCATCATTCTCTGGGTGGAATGTGGCCACTGCAGGAGATGCCACCTGAG
TTAATGAAGCCGACCTTTTACATACCCTGTGAAATGTCACTGATTTCTCAATCAACGAGACTCAAT
TCCTATTCATGA
  
```



[View online »](#)

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001253733

Insert Size: 1806 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001253733.1](#)

RefSeq Size: 3886 bp

RefSeq ORF: 1806 bp

Locus ID: 59350

Cytogenetics: 4q32.1

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

MW: 69.5 kDa

Gene Summary:

This gene encodes a member of the leucine-rich repeat-containing subgroup of the G protein-coupled 7-transmembrane receptor superfamily. The encoded protein plays a critical role in sperm motility, pregnancy and parturition as a receptor for the protein hormone relaxin. Decreased expression of this gene may play a role in endometriosis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2011]

Transcript Variant: This variant (7) lacks an internal exon, includes an alternate internal exon and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (7) is shorter and has a distinct N-terminus, compared to isoform 1.