

Product datasheet for **SC330328**

UQCRB (NM_001254752) Human Untagged Clone


Product data:

Product Type: Expression Plasmids
Product Name: UQCRB (NM_001254752) Human Untagged Clone
Tag: Tag Free
Symbol: UQCRB
Synonyms: MC3DN3; QCR7; QP-C; QPC; UQBC; UQBP; UQCR6; UQPC
Vector: pCMV6-Entry (PS100001)
Fully Sequenced ORF: >SC330328 representing NM_001254752.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
ATGGCTGGTAAGCAGGCCGTTTCAGCATCAGGCAAGTGGCTGGATGGTATTCGAAAATGGTATTACAAT
GCTGCAGGATTCAATAAACTGGGGTTAATGCGAGATGATAACAATACGAGGATGAAGATGTAAAAGAA
GCCATAAGAAGACTTCCTGAGAACCTTTATAATGACAGGATGTTTCGCATTAAGAGGGCACTGGACCTG
AACTTGAAGCATCAGATCTTGCCTAAAGAGCAGTGGACCAAAATATGAAGAGGTCTTTGCTGTTCCAGCT
CTGCACCTGCTTCTACTTAGATGAAAAGATCAGCCCATTGAGTGTCCCTCCAGATCCCAAGAAGAGC
TTCTGTGAAGCAAACCTCACCCCTTGAAGTGCATTGAAACTAGGCAAAGGAAAATTTCTACCTTGAA
CGTATCTGA
```

Restriction Sites: SgfI-MluI

Plasmid Map:



[View online »](#)

ACCN:	NM_001254752
Insert Size:	423 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001254752.1
RefSeq Size:	4976 bp
RefSeq ORF:	423 bp
Locus ID:	7381
UniProt ID:	P14927
Cytogenetics:	8q22.1
Protein Pathways:	Alzheimer's disease, Cardiac muscle contraction, Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease
MW:	16.3 kDa
Gene Summary:	<p>This gene encodes a subunit of the ubiquinol-cytochrome c oxidoreductase complex, which consists of one mitochondrial-encoded and 10 nuclear-encoded subunits. The protein encoded by this gene binds ubiquinone and participates in the transfer of electrons when ubiquinone is bound. This protein plays an important role in hypoxia-induced angiogenesis through mitochondrial reactive oxygen species-mediated signaling. Mutations in this gene are associated with mitochondrial complex III deficiency. Alternatively spliced transcript variants have been found for this gene. Related pseudogenes have been identified on chromosomes 1, 5 and X. [provided by RefSeq, Dec 2011]</p> <p>Transcript Variant: This variant (3) contains an additional exon that results in a frameshift in the 3' coding region, compared to variant 1. The encoded isoform (3) has a distinct C-terminus and is longer than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>