

# **Product datasheet for SC330512**

# GDAP1L1 (NM\_001256740) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: GDAP1L1 (NM\_001256740) Human Untagged Clone

Tag: Tag Free
Symbol: GDAP1L1

 Synonyms:
 dJ881L22.1; dJ995J12.1.1

 Vector:
 pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC330512 representing NM\_001256740.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



### Plasmid Map:



**ACCN:** NM\_001256740

**Insert Size:** 891 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



### **GDAP1L1** (NM\_001256740) Human Untagged Clone - SC330512

**RefSeq:** <u>NM 001256740.1</u>

 RefSeq Size:
 2585 bp

 RefSeq ORF:
 891 bp

 Locus ID:
 78997

 UniProt ID:
 Q96MZ0

 Cytogenetics:
 20q13.12

**Protein Families:** Transmembrane

MW: 33.8 kDa

**Gene Summary:** The ganglioside GD3 synthase causes cell differentiation with neurite sprouting when

transfected into the mouse neuroblastoma cell line Neuro2a. After differentiation, the expression of several genes is upregulated, including one that encodes a protein termed ganglioside-induced differentiation-associated protein 1 (Gdap1). A similar gene was found in humans, and mutations in the human gene are associated with Charcot-Marie-Tooth type 4A disease. The protein encoded by this gene is similar in sequence to the human GDAP1 protein. Several transcript variants encoding different isoforms, as well as a noncoding transcript variant, have been found for this gene. [provided by RefSeq, Feb 2012]

Transcript Variant: This variant (5) uses an alternate in-frame splice junction at the 5' end of an exon and lacks an alternate in-frame segment compared to variant 1. The resulting isoform (5) has the same N- and C-termini but is shorter compared to isoform 1.