

Product datasheet for SC330678

CCDC103 (NM_001258397) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: CCDC103 (NM_001258397) Human Untagged Clone

Tag: Tag Free Symbol: CCDC103

Synonyms: CILD17; PR46b; SMH

Vector: pCMV6-Entry (PS100001)


Fully Sequenced ORF: >SC330678 representing NM_001258397.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

AACAGCTGGAAGAGCTCCTGA

Restriction Sites: Sgfl-Mlul

Plasmid Map:



ACCN: NM 001258397

Insert Size: 297 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



CCDC103 (NM_001258397) Human Untagged Clone - SC330678

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001258397.1

 RefSeq Size:
 1813 bp

 RefSeq ORF:
 297 bp

 Locus ID:
 388389

 UniProt ID:
 Q8IW40

 Cytogenetics:
 17q21.31

MW: 11.3 kDa

Gene Summary: This gene encodes a protein that contains a coiled-coil domain. [provided by RefSeq, Apr

2012]

Transcript Variant: This variant (4) uses an alternate splice site in the 3' coding region, which results in a frameshift, compared to variant 1. It encodes isoform 2, which has a shorter and distinct C-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.