

Product datasheet for **SC330860**

MCT2 (SLC16A7) (NM_001270622) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: MCT2 (SLC16A7) (NM_001270622) Human Untagged Clone
Tag: Tag Free
Symbol: SLC16A7
Synonyms: MCT2
Vector: pCMV6-Entry (PS100001)
Fully Sequenced ORF: >SC330860 representing NM_001270622.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

ATGCCACCAATGCCAAGTGCCCCACCTGTGCATCCACCTCCAGATGGAGGATGGGGTTGGATTGTGGTT
GGAGCAGCTTTTATCTCCATTGGATTTTCTATGCATTCCCCAAAGCTGCACCGTATTCTTCAAAGAA
ATTCAGCAAATATTCCACACTACCTACAGTGAAATAGCATGGATTTTCATCCATTATGCTGGCTGTTATG
TACGCAGGAGGTCCTGTAAGTAGTGTGGTGAATAAATACGGCAGCCGGCCGGTGTATAGCAGGA
GGCTTATTATGCTGTCTTGAATGGTGTGGCCCTCTTTAGTAGCAGCGTGTACAGCTGTACCTCACT
ATGGGATTCATTACAGGTTTAGGTTTAGCCTTCAACCTGCAACCCGCCTTAACCATAATTGGCAAATAC
TTCTATAGGAAGCGACCCATGGCAAATGGATTGGCCATGGCAGGAAGTCCTGTTTTCTTAAGTTCATTG
GCTCCTTTCAATCAGTACCTTTTAATACTTTTGGCTGGAAAGGAAGCTTCTGATTTTGGGAAGTCTA
CTTTTGAATGCCTGTGTGGCTGGTTCCTCATGAGACCCCTTGGACCCAATCAAACCACTTCTAAGTCT
AAAAAAGACTGGCAAAACAGAAGATGATTCAAGCCCAAGAAAATCAAACGAAGAAATCAACTTGG
GAAAAAGTTAATAAGTATTTAGATTTCTCCCTTTTAAAGCATAGAGGATTTCTGATATATCTGTCTGGA
AATGTCATTATGTTCTAGGTTTTTTGGCCCCATTATATTCTTGGCTCCATATGCTAAAGACCAAGGA
ATTGATGAGTACTCGGCAGCTTTTCTGCTATCTGTTATGGCTTTCGTTGATATGTTTCTAGGCCTTCT
GTAGGATTAATTGCAAACTCAAATATATTCGACCTCGAATTCAGTACTTCTTCAGTTTTGCAATCATG
TTCAATGGAGTGTGTACCTCTTGTGCCACTGGCACAGGACTACACAAGCCTGGTATTATATGCTGTA
TTTTTTGGCCTTGGATTTGGGAGTGTTAGCAGTGTCTCTTTGAACTCTCATGGACCTCGTGGGTGCA
CCAAGATTTTCCAGTGCCGTGGACTTGTACAATTGTGGAGTGTGGCCAGTCTTCTTGGCCCTCCT
CTTGCAGGTAATTGGTGGATTTAACTGGAGAATAAAAACATGTACATGCTCTGTGGGCTATTGTG
GTAGCAGCAAGCGTGTGGCTGCTCATTGGCAATGCTATCAACTATAGATTGCTTGGCAAAGGAAAGGAA
GAGGAAAATGCAAGGCAGAAGACCAGAGAATCTGAACCCTTGAGCAAATCTAACATTGGGAAGATGTT
AACGTCAAAGTTTCAAATGCACAGAGTGAACCTCAGAAAAGAAAATAACATTAA
  
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:


ACCN: NM_001270622

Insert Size: 1437 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001270622.1](#)

RefSeq Size: 11919 bp

RefSeq ORF: 1437 bp

Locus ID: 9194

UniProt ID: [O60669](#)

Cytogenetics: 12q14.1

Protein Families: Transmembrane

MW: 52.2 kDa

Gene Summary: This gene is a member of the monocarboxylate transporter family. Members in this family transport metabolites, such as lactate, pyruvate, and ketone bodies. The protein encoded by this gene catalyzes the proton-linked transport of monocarboxylates and has the highest affinity for pyruvate. This protein has been reported to be more highly expressed in prostate and colorectal cancer specimens when compared to control specimens. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2012]
Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1, 2 and 3 encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.