

Product datasheet for SC330994

AAGAB (NM_001271886) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: AAGAB (NM_001271886) Human Untagged Clone

Tag: Tag Free
Symbol: AAGAB

Synonyms: KPPP1; p34; PPKP1; PPKP1A

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC330994 representing NM_001271886.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001271886

Insert Size: 621 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 001271886.1

 RefSeq Size:
 3344 bp

 RefSeq ORF:
 621 bp

 Locus ID:
 79719

 UniProt ID:
 Q6PD74

 Cytogenetics:
 15q23

 MW:
 22.7 kDa

Gene Summary: The protein encoded by this gene interacts with the gamma-adaptin and alpha-adaptin

subunits of complexes involved in clathrin-coated vesicle trafficking. Mutations in this gene are associated with type I punctate palmoplantar keratoderma. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Dec 2012]

Transcript Variant: This variant (3) contains an alternatively spliced 5' terminal exon, which causes translation initiation from an in-frame downstream start codon compared to variant 1. The resulting isoform (2) has a shorter N-terminus compared to isoform 1. Variants 2 and 3

encode the same isoform.