

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SC331009

Thymidine Kinase 2 (TK2) (NM_001271934) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Thymidine Kinase 2 (TK2) (NM_001271934) Human Untagged Clone
Tag:	Tag Free
Symbol:	Thymidine Kinase 2
Synonyms:	MTDPS2; MTTK; PEOB3; SCA31
Vector:	pCMV6-Entry (PS100001)
Fully Sequenced ORF:	>SC331009 representing NM_001271934. Blue=Insert sequence <mark>Red=</mark> Cloning site Green=Tag(s)
	ATGACAAGTATCTGTGTCGAGGGCAATATTGCAAGTGGGAAGACGACATGCCTGGAATTCTTCTCCAAC GCGACAGACGTCGAGGTGTTAACGGAGCCTGTGTCCAAGTGGAGAAATGTCCGTGGCCACAATCCTCTG GGCCTGATGTACCACGATGCCTCTCGCTGGGGGTCTTACGCTACAGACTTATGTGCAGCTCACCATGCTG GACAGGCATACTCGTCCTCAGGTGTCATCTGTACGGTTGATGGAGAGGGCCGATTCACAGCGCAAGATAC ATTTTTGTAGAAAACCTGTATAGAAGTGGGAAGATGCCAGAAGTGGACTATGTAGTTCTGTCGGAATGG TTTGACTGGATCTTGAGGAACATGGACGTGTCTGTTGATTGA
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_001271934
Insert Size:	651 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE Thymidine Kinase 2 (TK2) (NM_001271934) Human Untagged Clone – SC331009

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001271934.1</u>
RefSeq Size:	5228 bp
RefSeq ORF:	651 bp
Locus ID:	7084
Cytogenetics:	16q21
Protein Families:	Druggable Genome
Protein Pathways:	Drug metabolism - other enzymes, Metabolic pathways, Pyrimidine metabolism
MW:	25.5 kDa
Gene Summary:	This gene encodes a deoxyribonucleoside kinase that specifically phosphorylates thymidine, deoxycytidine, and deoxyuridine. The encoded enzyme localizes to the mitochondria and is required for mitochondrial DNA synthesis. Mutations in this gene are associated with a myopathic form of mitochondrial DNA depletion syndrome. Alternate splicing results in multiple transcript variants encoding distinct isoforms, some of which lack transit peptide, so are not localized to mitochondria. [provided by RefSeq, Dec 2012] Transcript Variant: This variant (5) has an additional exon in the 5' region, which results in an alternate translation start codon, compared to variant 1. The encoded isoform (5) is not localized to mitochondria, and it has a distinct N-terminus and is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic

coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US