

Product datasheet for SC331116

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Bcl rambo (BCL2L13) (NM_001270729) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Bcl rambo (BCL2L13) (NM_001270729) Human Untagged Clone

Tag: Tag Free Symbol: BCL2L13

Synonyms: BCL-RAMBO; Bcl2-L-13; MIL1

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC331116 representing NM_001270729.

Blue=Insert sequence Red=Cloning site Green=Tag(s)


AAATAG

Restriction Sites: Sgfl-Mlul





Plasmid Map:



ACCN: NM_001270729

Insert Size: 972 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001270729.1



Bcl rambo (BCL2L13) (NM_001270729) Human Untagged Clone - SC331116

 RefSeq Size:
 4975 bp

 RefSeq ORF:
 972 bp

 Locus ID:
 23786

 UniProt ID:
 Q9BXK5

 Cytogenetics:
 22q11.21

Protein Families: Druggable Genome, Transmembrane

MW: 34.6 kDa

Gene Summary: This gene encodes a mitochondrially-localized protein with conserved B-cell lymphoma 2

homology motifs. Overexpression of the encoded protein results in apoptosis. Alternatively spliced transcript variants have been observed for this gene. [provided by RefSeq, Jul 2012] Transcript Variant: This variant (5) lacks an alternate exon in the coding region, and initiates translation at a downstream in-frame start codon, compared to variant 1. The encoded isoform (e) has a shorter N-terminus, compared to isoform a. Variants 5, 6, and 7 encode the same isoform (e). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.