

## Product datasheet for **SC331216**

### **RUNX1T1 (NM\_001198631) Human Untagged Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** RUNX1T1 (NM\_001198631) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** RUNX1T1  
**Synonyms:** AML1-MTG8; AML1T1; CBFA2T1; CDR; ETO; MTG8; ZMYND2  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC331216 representing NM\_001198631.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGATATCTGTCAAAGAAACACTTGGAGAGCACTGAGTTTAGTAATAGGTGACTGCCGAAAAAGGG
AACTTTGAATATTGTCAAGATCGTACTGAGAAGCACTCCACAATGCCAGACTCACCTGTGGATGTGAAG
ACGCAATCTAGGCTGACTCCTCCAACAATGCCACCTCCCCCACTACTCAAGGAGCTCCAAGAACCAGT
TCATTTACACCGACAACGTTAACTAATGGCAGGAGCCATTCTCTACAGCCTTGAATGGCGCCCCCTCA
CCACCAATGGCTTCAGCAATGGGCCTTCTCTTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT
CCAGCCTGTGGTGCCAGGCAACTCAGCAAGCTGAAAAGGTTCTTACTACCTGCAGCAGTTTGGCAAT
GACATTTACCCGAGATAGGAGAAAAGAGTTCGCACCCTCGTTCTGGGACTAGTGAATCCACTTTGACA
ATTGAAGAATTTCAATCCAAACTGCAAGAAGCTACTAACTTCCCCTGAGACCTTTTGTATCCCATTTT
TTGAAGGCCAACTTGCCCTGCTGCAGCGTGAGCTCCTCCACTGCAGCAAGACTGGCCAAACAGAACCCT
GCCAGTACCTCGCCAGCATGAACAGCTGCTTCTGGATGCCAGCACCACCTCACCTGTTGACTCCTCA
GAGCTGCTTCTCGATGTGAACGAAAACGGGAAGAGGCGAACTCCAGACAGAACCAAGAAAATGGCTTT
GACAGAGAGCCTTGCACCTCAGAACATCCAAGCAAGCGACCATGCACTATTAGCCAGGCCAGCGGTAC
AGTCCAAATAACGGCTTATCCTACCAGCCCAATGGCTGCCTCACCTACCCACCTCCACCTCAGCAT
TACCGTTTGGATGATATGGCCATTGCCACCCTACAGGGACTCCTATCGACACCCAGCCAGGGGAC
CTCAGGGACAGAAAACAGACCTATGGGGTTGCATGGCACACGTCAAGAAGAAATGATTGATCACAGACTA
ACAGACAGAGAATGGGCAGAAGAGTGGAACATCTTGACCATCTGTTAACTGCATAATGGACATGGTA
GAAAAACAAGGCGATCTCTCACGTAATAAGGCGGTGTCAAGAAGCAGACCCGGGAAGAATTGAATTAC
TGGATCCGGCGGTACAGTGACGCCGAGGACTTAAAAAAGGTGGCGGCAGTAGCAGCAGCCACTTAGG
CAGCAGAGTCCCCTCAACCCAGACCCAGTTGCACTAGACGCGCATCGGGAATTCCTTACAGGCCTGCG
TCTGGATACGTGCCAGAGGAGATCTGGAAGAAAGCTGAGGAGGCCGTCAATGAGGTGAAGGCCAGGCG
ATGACGGAGCTGCAGAAGCCGTGTCTGAGGCGGAGCGGAAAGCCACGACATGATCACAACAGAGAGG
GCCAAGATGGAGCGCACGGTCGCCGAGGCCAAACGGCAGGCGGGGAGGAGCAGCTGGCAGTTATCAAT
CAGCAGGAGGATTCAAGCGAGAGTTGCTGGAATTTGGCCGTAAGCGAGTGAAACCTGCAGTGGCTGT
AACACAGCCCATACTGTGGCTCATTTTCCAGCACAAGACTGGGAGAAGCACCATCACATCTGTGGA
CAGACCTGCAGGCCAGCAGCAGGAGACACCTGCAGTCAGCTCCTCTGTACGCCCCAACAGCGGG
GCTGGGAGCCCGATGGACACACCACAGCAGCCACTCCGAGGTCAACCACCCCGGAACCCCTTCCACC
ATAGAGACAACCCCTCGCTAG
  
```



[View online »](#)

<b>Restriction Sites:</b>	Sgfl-Mlul
<b>ACCN:</b>	NM_001198631
<b>Insert Size:</b>	1815 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001198631.1</a></u>
<b>RefSeq Size:</b>	7483 bp
<b>RefSeq ORF:</b>	1815 bp
<b>Locus ID:</b>	862
<b>UniProt ID:</b>	<u><a href="#">Q06455</a></u>
<b>Cytogenetics:</b>	8q21.3
<b>Protein Families:</b>	Transcription Factors
<b>Protein Pathways:</b>	Acute myeloid leukemia, Pathways in cancer
<b>MW:</b>	67.6 kDa

**Gene Summary:**

This gene encodes a member of the myeloid translocation gene family which interact with DNA-bound transcription factors and recruit a range of corepressors to facilitate transcriptional repression. The t(8;21)(q22;q22) translocation is one of the most frequent karyotypic abnormalities in acute myeloid leukemia. The translocation produces a chimeric gene made up of the 5'-region of the runt-related transcription factor 1 gene fused to the 3'-region of this gene. The chimeric protein is thought to associate with the nuclear corepressor/histone deacetylase complex to block hematopoietic differentiation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2010]

Transcript Variant: This variant (12) utilizes two alternate exons in the 5' UTR and coding region compared to variant 1. The resulting protein (isoform B, also known as MTG8b) has a longer and distinct N-terminus, compared to isoform A. Variants 2 and 7-12 all encode isoform B. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.