

## Product datasheet for **SC331240**

### **TDRD5 (NM\_001199091) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	TDRD5 (NM_001199091) Human Untagged Clone
Tag:	Tag Free
Symbol:	TDRD5
Synonyms:	TUDOR3
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

**Fully Sequenced ORF:** >SC331240 representing NM\_001199091.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGTCTGAACAAGAGCGTATACAGGAATGTCTGCGGAAGGAAATAAGGTCACTTCTCATTCCACCAA
GATGGTTTGAGCCACAGGAGTTGGAGAAGGAGTACCTTTTGATGGTTGGCAACCATCTACCACCCGA
ATCCTTGGGTATCGTCCACTATGGAGCTGGTATTGGACATGCCTGATGTTGTCGTGCTGCCCCGGT
GCAGTGGTACTGTAATACTGAAAGCCATTCCAGATGAATCTACCAAAGGAATAGCAAGCTTAGTTGCA
AAACAGAGGAGCAGCCATAAGCTTCGAAACTCAATGCATAAGGGAAGACCTAGTATTTATTCTGGACCG
AGATCTCATCGGCGAGTACCTTACCAGAGGAAGGTTGCCCTATTCTCCAGCTGTTGTGAAGAGTGAG
TTGAAGGACCTGTTGGCGTTATCTCCTGTTCTTCTTTCTGATTTTGAAAAGGCATTTGCCAAAAGATTT
GGACGATCATTCCAATACATGCAATATGGATTTCTCTCTATGTTTGAAGTGCTTAATGCGGCTTCAGAT
GTCATTTCTGTAGAGCAGACCAGAGCAGGTTCTTTGTTGATGCTAAAGAAGAGTGAACAGAGGAAAAG
CCGAGAGGATGTCAGCAGGTAATAATTTTACCAGCCATTTAGAATGAAACAAGGGTCATACTCCACA
GGCTTTCCGGTAGCAAAGCCATGCTTTTACAACCCACTTCAAACATGGAACCACCGAAGCAAATAATG
AGCATGAAAAGACTTCCAAGTTAAATGTAGTGGAGACTTCAAGACTGAATCACACTGAAAAATTAAC
CAGCTGGAGAACACATTCAAATCAGTTATTGCACAGATTGGACCTGGAGGAACTATCAGTTCAGAACTA
AAACATAAGATAAAAATTTGTTGTATCTAAGTCCAGAGGGTTGTTTATTTCTAAACTGCTTGGAGAG
TATGAGGTAATTTTAAAGAGCAACTATCACCAAAAAAATTAGGCTTCTTAAATGTGACAGAACTTGT
GGAGCTCTTAGTGACATTCTCCATGTTGAGTTCAGGAAAGGACACCAAGACTTACTAGTGTTTGATGCG
GATAAGAAGCCTCTACCACCTGTTCAAGTCAAGATAAGAAAAAGAAAGCCTTGTGTCTCCAGTCCA
CCTAGAAATTCATTGTCTACTGCTGTGCAAGAGACTGTATGGAATTGCCCTTCAAAAAACAAAA
GAGCCACAACAGAAGATTTGCAAGAAGCCTAATCTGGTGGTAAAGCCTTTACAGCTGCAAGTAGAAAA
AACAAATCAGAGCTCAACTTGGCAATGGCAAATCATGACATCCCGCCAGACGCTGTGCCGAACAAGAAA
TTATGCAGACTCCACCATTAGACACCAGTCCCTCATAGGGGTTTGTGGAGTATATCATCTCTCTCT
AGTCAATCTACATCCGATCTATAGCAGGATTGCTCAGAGTACTCGAAGACATGATGATTGAAATG
CGGCGCTGTTATTCTAATCAGCTGGTTTCTGATCGATATGTCATGCCAGAATGTTTTATTAGCCGGGA
CATCTCTGTTGTGAAGGATTTCTGAGGATAAGTGGTGGTATCGGGTCATTATCCATCGAGTCTTGAG
AAACAGGAAGTTGAAGTGTCTACCCAGACTTTGGAAATATTGGAATTGTTGAGAAGTCTCCCTGAGG
TTCCTCAAGTGTCTACACAAAGCTTCCAGCTCAGGCTATCCCTGTTCTTTGGCTTGGGTGAGACCA
GTAGAGGAACACTGGACATCGAAAGCTATTTTGCAGTTCAGAAGTTGTGCGGTTTGAAGCCATTAGTG
GGGTAGTGGATGAATATGTAGATGGAATCCTTAACATTTTTTTGTGTGACACATCTCAACGAAGAT
GTCTATTTCCATCATGTCTTGAGAACAGAGGGCCATGCTATTGTATGCCGAGAAAATATCTCTTCTAAG
GGTTTCAGTGAGCTCAACCCCTTAGCTTATACACGACATCCAGTGGAGGGCCAGAGGACATTGTCTTG
ACAGAACTGGGTTATCCTTCCCAGCAGCACTATTTTAAAGACCGAAAGATAAGTCCACAGTCAAAA
GAGAGTGAGTTACGTATCTTGGATGAGATCCCCACTGGAATGCCATGCCTGGAGTCAAGTACCATAGGT
GATGATATTTGGGATGAGAACTGGTTACCTCTACAGGCTAAGATGGGAAAAGGAGGTGATGCTGCCTCC
CATCTATTTACTGCAAGCCTTGGTGGAAAGAATCAGTATTCATCATGTAAGAAATGCCACAGAAGGAC
TGGTGTTTTTCTACCCCTAAAGATACATGGGATGATTCTTGGCAGCCTTCAAGCCTTGTAAATGGAACG
AAAGTAGAAGTTCATAAGCCAGAAGTACTGGGTGCTCAGGAAAAAAATACTGGCACAACAGGACTCAA
AAGCAACTAGACATAAATGGTTCTTCCAGATTCTCCACACTGCCCAAATTTGGAAGAATTCTGTACCTCT
CTTACCAGTCAAGCAGTCAAGCAGACGGAGCCAGTCTGAACCAACAACAGTCAAGTCAAGTCAAGC
CAAATTCAGCTTTCCACAGCAGCACCCTGTTCAACAACCTGCAGTGGATGATTCCGCGAAGAAAGCCCTCT
GGTTCTGTGAAAAGCTCACCAGAGATCCTAAAGAATGAAGATTTTTCTAGCAGCCGTGCTATTACATTG
TACAAAGACAAGCGTCAAGAATCTGTAGACCAGCTGCTTTGATTTTGTCTTATGAGTGCCAGATTTCT
CAGAAGCTCTACATTCTCGAAGTACAGCCACTGCTGCCTTAGGTGCTGCCGCACGGTTAGCTACATCC
AGGAGCCTCTACTACTGGTACCCAGTGTGAAAAGGATGGAAGCATGA
  
```

**Restriction Sites:** Sgfl-Mlul  
**ACCN:** NM\_001199091  
**Insert Size:** 2946 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001199091.1</a></u>
<b>RefSeq Size:</b>	3677 bp
<b>RefSeq ORF:</b>	2946 bp
<b>Locus ID:</b>	163589
<b>UniProt ID:</b>	<u><a href="#">Q8NAT2</a></u>
<b>Cytogenetics:</b>	1q25.2
<b>MW:</b>	109.7 kDa
<b>Gene Summary:</b>	<p>Required during spermiogenesis to participate in the repression transposable elements and prevent their mobilization, which is essential for the germline integrity. Probably acts via the piRNA metabolic process, which mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and govern the methylation and subsequent repression of transposons. Required for chromatoid body (CB) assembly (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR and lacks an in-frame coding exon compared to variant 1. The resulting isoform (2) lacks an internal segment compared to isoform 1. Variants 3, 4, and 6 all encode the same isoform (2). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>